

Redmine - Defect #31695

Convert HTML links to Textile/Markdown links when creating an issue from an email

2019-07-08 10:25 - Yuichi HARADA

| | | | |
|-----------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------|-----------|
| Status: | Closed | Start date: | |
| Priority: | Normal | Due date: | |
| Assignee: | Go MAEDA | % Done: | 0% |
| Category: | Email receiving | Estimated time: | 0.00 hour |
| Target version: | 4.1.0 | Affected version: | |
| Resolution: | Fixed | | |
| Description | | | |
| When creating an issue from HTML format email, the href attribute of the A tag disappears, and only the string is acquired. | | | |
| [Input] | | | |
| <pre>foobarbaz</pre> | | | |
| [Expected] | | | |
| <pre>foo "bar":http://example.com/ baz</pre> | | | |
| [Actual] | | | |
| <pre>foobarbaz</pre> | | | |

Associated revisions

Revision 18361 - 2019-08-11 07:01 - Go MAEDA

Convert HTML links to Textile/Markdown links when creating an issue from an email (#31695).

Patch by Yuichi HARADA.

Revision 18988 - 2019-11-09 07:06 - Go MAEDA

Fix that receiving HTML email fails if it contains a link without an href attribute (#31695).

Patch by Marius BALTEANU.

History

#1 - 2019-07-08 10:35 - Yuichi HARADA

- File *fixed-31695.patch* added

I attached a patch for Textile and Markdown.

#2 - 2019-07-31 10:21 - Go MAEDA

- Target version set to Candidate for next major release

#3 - 2019-08-05 08:54 - Go MAEDA

- Target version changed from Candidate for next major release to 4.1.0

Setting the target version to 4.1.0.

#4 - 2019-08-11 07:02 - Go MAEDA

- Subject changed from *Convert the A tag to Textile / Markdown when creating an issues from HTML email* to *Convert HTML links to Textile/Markdown links when creating an issue from an email*

- Status changed from *New* to *Closed*

- Assignee set to Go MAEDA
- Resolution set to Fixed

Committed the patch. Thank you for improving Redmine.

#5 - 2019-11-04 21:11 - Marius BĂLTEANU

- File `tests_for_a_elements_without_href.patch` added
- File `fix_for_links_without_href.patch` added
- Status changed from Closed to Reopened

The current implementation fails with the following error if the link doesn't contain the href attribute.

```
Error:
Redmine::WikiFormatting::MarkdownHtmlParserTest#test_should_not_convert_a_tag_without_href:
NoMethodError: undefined method `value' for nil:NilClass
  lib/redmine/wiki_formatting/markdown/html_parser.rb:40:in `block in <class:HtmlParser>'
  lib/redmine/wiki_formatting/html_parser.rb:58:in `scrub'
  lib/redmine/wiki_formatting/html_parser.rb:36:in `to_text'
  test/unit/lib/redmine/wiki_formatting/markdown_html_parser_test.rb:41:in `test_should_not_convert_a_tag_wi
thout_href'
```

I'm attaching:

1. Tests for for markdown and textile which fail on the current trunk
2. A proposed fix, but I'm not sure if `foobarbaz` should be converted to `foo bar baz` or to `foobarbaz`.

#6 - 2019-11-05 23:00 - Go MAEDA

Marius BALTEANU wrote:

The current implementation fails with the following error if the link doesn't contain the href attribute.

Thank you for catching and fixing the error.

2. A proposed fix, but I'm not sure if `foobarbaz` should be converted to `foo bar baz` or to `foobarbaz`.

I think we can omit the surrounding spaces for that case. Text generated from `foo` style HTML should have surrounding spaces because Textile link `"foo":http://www.example.com/` does not work without surrounding spaces. However, the text "bar" you will get by converting from `bar` does not have any markup and will be always rendered properly. So, I think the surrounding spaces are unnecessary.

#7 - 2019-11-06 22:38 - Marius BĂLTEANU

Go MAEDA wrote:

Marius BALTEANU wrote:

The current implementation fails with the following error if the link doesn't contain the href attribute.

Thank you for catching and fixing the error.

2. A proposed fix, but I'm not sure if `foobarbaz` should be converted to `foo bar baz` or to `foobarbaz`.

I think we can omit the surrounding spaces for that case. Text generated from `foo` style HTML should have surrounding spaces because Textile link `"foo":http://www.example.com/` does not work without surrounding spaces. However, the text "bar" you will get by converting from `bar` does not have any markup and will be always rendered properly. So, I think the surrounding spaces are unnecessary.

Great! Please feel free to update the patches.

#8 - 2019-11-09 07:06 - Go MAEDA

- Status changed from Reopened to Closed

Marius BALTEANU wrote:

The current implementation fails with the following error if the link doesn't contain the href attribute.

Committed the patches. Thank you.

Files

| | | | |
|-----------------------------------------|---------|------------|-----------------|
| fixed-31695.patch | 4.05 KB | 2019-07-08 | Yuichi HARADA |
| tests_for_a_elements_without_href.patch | 1.75 KB | 2019-11-04 | Marius BĂLTEANU |
| fix_for_links_without_href.patch | 1.97 KB | 2019-11-04 | Marius BĂLTEANU |