Redmine - Defect #43

- with solutions problem with textilize and :hard_breaks

2007-04-12 10:54 - Pavol Murin

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:			
Resolution:		Affected version:	
Description			

As described here: http://wiki.rubyonrails.org/rails/pages/RedCloth, there is a problem with :hard breaks in textilize. To see the problem in action (taken from the link above):

textilize("h1. This is a test of textile\n\nParagraph\n\nAnother paragraph\n\n* Bullets")

produces:

<h1>This is a test of textile
 Paragraph
 Another paragraph
 Bullets

(note - this is all a header!!!)

There are several "fixes" proposed - the simplest ones are:

- 1. don't use :hard_breaks
- 2. add the following lines add the beginning of app\helpers\application_helper.rb

class RedCloth # Patch for RedCloth. Fixed in RedCloth r128 but why hasn't released it yet. # http://code.whytheluckystiff.net/r edcloth/changeset/128 def hard_break(text) $text.gsub!(/(.)\n(?!\n|\Z| ([\#=]+(\s|\$)|[\{|]))/, "\1
") if hard_breaks$ end end

note - there are people complaining, that 2. doesn't help. It did help me, though :-)

Personally, I find 2 better.

muro

History

#1 - 2007-04-22 06:12 - Jean-Philippe Lang

Thanks. Fix committed. I personally find 2 usefull :-)

> 2025-08-23 1/1