

Redmine - Defect #43

problem with textilize and :hard_breaks - with solutions

2007-04-12 10:54 - Pavol Murin

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:			
Description			
As described here: http://wiki.rubyonrails.org/rails/pages/RedCloth , there is a problem with :hard_breaks in textilize. To see the problem in action (taken from the link above):			
textilize("h1. This is a test of textile\n\nParagraph\n\nAnother paragraph\n\n* Bullets")			
produces:			
<h1>This is a test of textile Paragraph Another paragraph Bullets </h1>			
(note - this is all a header!!!)			
There are several "fixes" proposed - the simplest ones are:			
1. don't use :hard_breaks 2. add the following lines add the beginning of app\helpers\application_helper.rb			
class RedCloth # Patch for RedCloth. Fixed in RedCloth r128 but _why hasn't released it yet. # http://code.whytheluckystiff.net/redcloth/changeset/128 def hard_break(text) text.gsub!(/(.)\n(?:!\n Z ([#]=+(\s \$) [{}]))/, "\\1 ") if hard_breaks end end			
note - there are people complaining, that 2. doesn't help. It did help me, though :-)			
Personally, I find 2 better.			
muro			

History

#1 - 2007-04-22 06:12 - Jean-Philippe Lang

Thanks. Fix committed.
I personally find 2 usefull :-)