

Redmine - Feature #25198

Add rank in search result as data attribute

2017-02-26 10:14 - okkez _

| | | | |
|---|----------------------------------|------------------------|-----------|
| Status: | New | Start date: | |
| Priority: | Normal | Due date: | |
| Assignee: | | % Done: | 0% |
| Category: | Search engine | Estimated time: | 0.00 hour |
| Target version: | Candidate for next major release | | |
| Resolution: | | | |
| Description | | | |
| <p>I'm developing full text search plugin for Redmine¹. I want to add rank (score) to search result to check search result rank(score) easily. (It is very hard to read debug log in real time.) Currently I need to overwrite app/views/search/index.html.erb and app/views/search/index.api.rsb completely to add rank to search result. But I don't want to keep maintaining views in my plugin because it is very annoying to keep following upstream changes.</p> <p>This tiny patch provides functionality to display rank(score) in search result. I don't add CSS to display data-rank attribute in search result html by default.</p> <p>We can display data-rank value in search result using following CSS:</p> <pre>#search-results dt a::after { content: " (" attr(data-rank) ")"; color: gray; font-size: x-small; };</pre> <p>¹ https://github.com/okkez/redmine_full_text_search</p> | | | |

History

#1 - 2017-03-26 13:47 - Toshi MARUYAMA

- Description updated

#2 - 2018-03-26 05:28 - Yasukazu Nagatomi

+1

#3 - 2018-03-27 16:14 - Yuuki NARA

+1

#4 - 2018-03-29 10:09 - Akipii Oga

+1

#5 - 2018-04-28 09:40 - Go MAEDA

- Target version set to Candidate for next major release

Files

| | | | |
|-------------------------------------|---------|------------|---------|
| display-rank-as-data-attribute.diff | 2.94 KB | 2017-02-26 | okkez _ |
| fix-test.diff | 10.2 KB | 2017-02-26 | okkez _ |