

Redmine - Defect #11384

Error when using RT_import plugin with redmine 1.4 stable

2012-07-13 09:35 - Sandeep Soni

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Invalid		
Description			
<p>i have installed the redmine 1.4 stable and trying to install the rt import plugin, after installing that i am getting below error when clicking on administration link.</p> <p>the same plugin is working fine with redmine 1.3 on other server</p> <p>please help.....</p> <p>ActionView::TemplateError (No route matches {:action=>"index", :controller=>"rtimport"}) on line #3 of app/views/admin/_menu.html.erb:</p> <pre>1: <div id="admin-menu"> 2: 3: <%= render_menu :admin_menu %> 4: 5: </div></pre> <pre>/usr/lib/ruby/vendor_ruby/action_controller/routing/route_set.rb:420:in `generate' /usr/lib/ruby/vendor_ruby/action_controller/url_rewriter.rb:218:in `rewrite_path' /usr/lib/ruby/vendor_ruby/action_controller/url_rewriter.rb:197:in `rewrite_url' /usr/lib/ruby/vendor_ruby/action_controller/url_rewriter.rb:175:in `rewrite' /usr/lib/ruby/vendor_ruby/action_controller/base.rb:625:in `url_for' /usr/lib/ruby/vendor_ruby/action_view/helpers/url_helper.rb:85:in `send' /usr/lib/ruby/vendor_ruby/action_view/helpers/url_helper.rb:85:in `url_for' /usr/lib/ruby/vendor_ruby/action_view/helpers/url_helper.rb:228:in `link_to' lib/redmine/menu_manager.rb:150:in `render_single_menu_node' lib/redmine/menu_manager.rb:102:in `render_menu_node' lib/redmine/menu_manager.rb:91:in `render_menu' lib/redmine/menu_manager.rb:168:in `menu_items_for' lib/redmine/menu_manager.rb:165:in `each' lib/redmine/menu_manager.rb:165:in `menu_items_for' lib/redmine/menu_manager.rb:90:in `render_menu' app/views/admin/_menu.html.erb:3 /usr/lib/ruby/vendor_ruby/action_view/renderable.rb:34:in `send' /usr/lib/ruby/vendor_ruby/action_view/renderable.rb:34:in `render' /usr/lib/ruby/vendor_ruby/action_view/base.rb:306:in `with_template' /usr/lib/ruby/vendor_ruby/action_view/renderable.rb:30:in `render' /usr/lib/ruby/vendor_ruby/action_view/renderable_partial.rb:20:in `render' /usr/lib/ruby/vendor_ruby/action_controller/benchmarking.rb:30:in `benchmark' /usr/lib/ruby/vendor_ruby/action_view/renderable_partial.rb:19:in `render' /usr/lib/ruby/vendor_ruby/action_view/template.rb:205:in `render_template' /usr/lib/ruby/vendor_ruby/action_view/renderable_partial.rb:44:in `render_partial' /usr/lib/ruby/vendor_ruby/action_view/partials.rb:184:in `render_partial' /usr/lib/ruby/vendor_ruby/action_view/base.rb:267:in `render' app/views/admin/index.html.erb:5 /usr/lib/ruby/vendor_ruby/action_view/renderable.rb:34:in `send' /usr/lib/ruby/vendor_ruby/action_view/renderable.rb:34:in `render' /usr/lib/ruby/vendor_ruby/action_view/base.rb:306:in `with_template' /usr/lib/ruby/vendor_ruby/action_view/renderable.rb:30:in `render' /usr/lib/ruby/vendor_ruby/action_view/template.rb:205:in `render_template' /usr/lib/ruby/vendor_ruby/action_view/base.rb:265:in `render' /usr/lib/ruby/vendor_ruby/action_view/base.rb:348:in `_render_with_layout' /usr/lib/ruby/vendor_ruby/action_view/base.rb:262:in `render'</pre>			

```
/usr/lib/ruby/vendor_ruby/action_controller/base.rb:1252:in `render_for_file'  
/usr/lib/ruby/vendor_ruby/action_controller/base.rb:936:in `render_without_benchmark'  
/usr/lib/ruby/vendor_ruby/action_controller/benchmarking.rb:51:in `render'  
/usr/lib/ruby/vendor_ruby/action_controller/benchmarking.rb:51:in `render'  
/usr/lib/ruby/vendor_ruby/action_controller/base.rb:1328:in `default_render'  
/usr/lib/ruby/vendor_ruby/action_controller/base.rb:1334:in `perform_action_without_filters'  
/usr/lib/ruby/vendor_ruby/action_controller/filters.rb:617:in `call_filters'  
/usr/lib/ruby/vendor_ruby/action_controller/filters.rb:610:in `perform_action_without_benchmark'  
k'  
/usr/lib/ruby/vendor_ruby/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'  
ue'  
ue'  
/usr/lib/ruby/vendor_ruby/action_controller/rescue.rb:160:in `perform_action_without_flash'  
/usr/lib/ruby/vendor_ruby/action_controller/flash.rb:151:in `perform_action'  
/usr/lib/ruby/vendor_ruby/action_controller/base.rb:532:in `send'  
/usr/lib/ruby/vendor_ruby/action_controller/base.rb:532:in `process_without_filters'  
/usr/lib/ruby/vendor_ruby/action_controller/filters.rb:606:in `process'  
/usr/lib/ruby/vendor_ruby/action_controller/base.rb:391:in `process'  
/usr/lib/ruby/vendor_ruby/action_controller/base.rb:386:in `call'  
/usr/lib/ruby/vendor_ruby/action_controller/routing/route_set.rb:438:in `call'  
/usr/lib/ruby/vendor_ruby/action_controller/dispatcher.rb:87:in `dispatch'  
/usr/lib/ruby/vendor_ruby/action_controller/dispatcher.rb:121:in `_call'  
/usr/lib/ruby/vendor_ruby/action_controller/dispatcher.rb:130:in `build_middleware_stack'  
/usr/lib/ruby/vendor_ruby/active_record/query_cache.rb:29:in `call'  
/usr/lib/ruby/vendor_ruby/active_record/query_cache.rb:29:in `call'  
/usr/lib/ruby/vendor_ruby/active_record/connection_adapters/abstract/query_cache.rb:34:in `cache'  
he'  
/usr/lib/ruby/vendor_ruby/active_record/query_cache.rb:9:in `cache'  
/usr/lib/ruby/vendor_ruby/active_record/query_cache.rb:28:in `call'  
/usr/lib/ruby/vendor_ruby/active_record/connection_adapters/abstract/connection_pool.rb:361:in `call'  
/usr/lib/ruby/vendor_ruby/action_controller/string_coercion.rb:25:in `call'  
/usr/lib/ruby/vendor_ruby/rack/head.rb:9:in `call'  
/usr/lib/ruby/vendor_ruby/rack/methodoverride.rb:21:in `call'  
/usr/lib/ruby/vendor_ruby/action_controller/params_parser.rb:15:in `call'  
/usr/lib/ruby/vendor_ruby/action_controller/session/cookie_store.rb:99:in `call'  
/usr/lib/ruby/vendor_ruby/action_controller/failsafe.rb:26:in `call'  
/usr/lib/ruby/vendor_ruby/rack/lock.rb:15:in `call'  
/usr/lib/ruby/vendor_ruby/action_controller/dispatcher.rb:106:in `call'  
/usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:92:in `process_request'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_request_handler.rb:207:in `main_loop'  
/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:418:in `start_request_handler'  
,  
/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application'  
ion'  
/usr/lib/ruby/1.8/phusion_passenger/utils.rb:184:in `safe_fork'  
/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application'  
ion'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `__send__'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'  
/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:213:in `start'  
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:262:in `spawn_rails_application'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server_collection.rb:126:in `lookup_or_add'  
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:256:in `spawn_rails_application'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server_collection.rb:80:in `synchronize'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'  
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:255:in `spawn_rails_application'  
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:154:in `spawn_application'  
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:287:in `handle_spawn_application'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `__send__'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously'  
/usr/lib/phusion_passenger/passenger-spawn-server:61
```

History

#1 - 2012-07-13 10:16 - Etienne Massip

- Status changed from New to Closed
- Priority changed from Urgent to Normal
- Resolution set to Invalid

Please post in [Plugins](#) forum or contact the plugin author, this tracker is for Redmine core only.

#2 - 2012-07-13 16:50 - Terence Mill

You need to create the routes.rb on plugin's config folder which says rails to route the "index" urls/action to the controller "rtimport". This is a new requirement for plugin migrating to redmine 1.4. Its pretty simple, just find a plugin with routes.rb in your vendor\plugins folder and copy paste the file. Then modify url, action and controller according to stated above. Restart redmine and try out.

#3 - 2012-07-13 20:28 - Sandeep Soni

- Status changed from Closed to Reopened

hi terence,
i created the route file with below contents, i m not sure if this is correct.

```
ActionController::Routing::Routes.draw do |map|
  map.connect '/rt_import/index', :controller => 'rtimport', :action => 'index'
  map.connect '/rt_import/match', :controller => 'rtimport', :action => 'import'
end
```

Now i am getting different Error :

```
Processing RtimportController#import (for 111.119.219.17 at 2012-07-13 23:41:04) [POST]
Parameters: {"controller"=>"rtimport", "uploaded_file"=>#<File:/tmp/RackMultipart20120713-22798-1w5oygp-0>, "commit"=>"Add",
"action"=>"import", "prefix"=>"", "authenticity_token"=>"skJmDCppXnBsc5o06nDUtUyefkW8dBsl8O1H3eRj7B4="}
```

```
ActiveRecord::ActiveRecordError (You cannot move a new node):
app/models/project.rb:378:in `set_parent!'
app/models/project.rb:356:in `set_allowed_parent!'
vendor/plugins/rt_import/app/controllers/rtimport_controller.rb:105:in `import'
/usr/lib/ruby/1.8/rexml/element.rb:892:in `each'
/usr/lib/ruby/1.8/rexml/xpath.rb:53:in `each'
/usr/lib/ruby/1.8/rexml/element.rb:892:in `each'
/usr/lib/ruby/1.8/rexml/element.rb:393:in `each_element'
vendor/plugins/rt_import/app/controllers/rtimport_controller.rb:79:in `import'
```

#4 - 2012-07-14 00:02 - Jean-Philippe Lang

- Status changed from Reopened to Closed

Please, no plugin request here.