

## Redmine - Feature #11475

### Redmine.pm: Allow fallback to other Apache auth providers

2012-07-22 23:00 - Yasin Al Farhad

<b>Status:</b>	Closed	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Jean-Philippe Lang	<b>% Done:</b>	0%
<b>Category:</b>	SCM extra	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	2.1.0		
<b>Resolution:</b>	Fixed		

**Description**

The goal was to allow other auth modules to co-exist with Redmine.pm, and thus satisfy special case requests covering global administrative/anonymous requests in addition to those allowed by Redmine based on project relationships. I tried every other possible combinations of Apache directives to achieve this goal, but it looks like by returning AUTH\_REQUIRED early in the process, Redmine.pm is becoming authoritative and preventing other modules, i.e. authn\_file or authz\_svn, to accept valid requests.

Replacing AUTH\_REQUIRED with DECLINED seems to solve the problem:

<http://www.redmine.org/projects/redmine/repository/revisions/9887/entry/trunk/extra/svn/Redmine.pm#L345>

```
--- Redmine.pm.9887      2012-07-22 22:21:17.410411915 +0200
+++ Redmine.pm          2012-07-22 20:55:00.014411918 +0200
@@ -342,7 +342,8 @@
     return OK;
   } else {
     $r->note_auth_failure();
-    return AUTH_REQUIRED;
+#    return AUTH_REQUIRED;
+    return DECLINED;
   }
 }
```

However, I am not very confident about whether this will satisfy all cases and not break others. Comments and/or suggestions from relevant experts are welcomed and very much appreciated.

Quoting from [http://perl.apache.org/docs/2.0/user/handlers/http.html#HTTP\\_Request\\_Cycle\\_Phases](http://perl.apache.org/docs/2.0/user/handlers/http.html#HTTP_Request_Cycle_Phases)

Before discussing each handler in detail remember that if you use the stacked handlers feature all handlers in the chain will be run as long as they return Apache2::Const::OK or Apache2::Const::DECLINED...

#### Associated revisions

##### Revision 10281 - 2012-09-02 16:51 - Jean-Philippe Lang

Redmine.pm: Allow fallback to other Apache auth providers (#11475).

Contributed by Yasin Al Farhad.

#### History

##### #1 - 2012-09-02 16:52 - Jean-Philippe Lang

- Category set to SCM extra
- Status changed from New to Closed
- Assignee set to Jean-Philippe Lang
- Target version set to 2.1.0
- Resolution set to Fixed

Committed in [r10281](#), thanks.

## #2 - 2012-10-30 22:25 - Raphael Kallensee

I upgraded from Redmine 2.0.x to 2.1.x and I'm pretty sure this broke my (pretty much default) auth configuration (Ubuntu 10.04, Apache 2.2.14). When trying to authenticate for a Git ("dumb HTTP") repository, I got a HTTP 500 and Apache logged:

```
[Tue Oct 30 19:29:25 2012] [error] [client xxx.xxx.xxx.xxx] (9)Bad file descriptor: Could not open password file: (null)
[Tue Oct 30 19:29:16 2012] [error] Internal error: pcfgr_openfile() called with NULL filename
```

This is the relevant part of my Apache virtual host configuration:

```
PerlLoadModule Apache::Redmine

## GIT

Alias /git /var/www/my.domain/git

<Location /git>
    DAV on

    AuthType Basic
    AuthName "Git"
    Require valid-user

    Options +Indexes -ExecCGI -Includes
    php_admin_flag engine off

    PerlAccessHandler Apache::Authn::Redmine::access_handler
    PerlAuthenHandler Apache::Authn::Redmine::authen_handler

    RedmineDSN "DBI:mysql:database=redmine;host=localhost"
    RedmineDbUser "redmine"
    RedmineDbPass "password"
</Location>
```

I got it working by adding

```
...
AuthName "Git"
Require valid-user
AuthUserFile /dev/null # this was added to avoid the Apache error
...
```

But I still get some warnings in the Apache log, although authentication now works:

```
[Tue Oct 30 22:10:52 2012] [error] [client xxx.xxx.xxx.xxx] user xyz not found: /git/repo-name/info/refs
```

If it's not just me getting this behavior we should probably at least update the documentation.

## #3 - 2012-10-31 11:43 - Mike Stromer

Raphael Kallensee, I had the same issue on Redmine 2.1.2

```
[Wed Oct 31 03:39:20 2012] [error] [client xxx.xxx.xxx.xxx] user USER not found: /git/info/refs
```

## #4 - 2012-10-31 13:08 - Mike Stromer

I checked MYSQL log and I guess where is an issue with mysql query **projects.identifier=NULL**

```
SELECT users.hashcd_password, users.salt, users.auth_source_id, roles.permissions, projects.status FROM projects, users, roles WHERE users.login='USER' AND projects.identifier=NULL AND users.status=1 AND ( roles.id IN ( SELECT member_roles.role_id FROM members, member_roles WHERE members.user_id = users.id AND members.project_id = projects.id AND members.id = member_roles.member_id) OR (roles.builtin=1 AND cast(projects.is_public as CHAR) IN ('t', '1')) ) AND roles.permissions IS NOT NULL
```

## #5 - 2013-02-04 07:34 - Woody Huang

Mike Stromer wrote:

I checked MYSQL log and I guess where is an issue with mysql query **projects.identifier=NULL**

[...]

I got the same error under redmine2.2.2(with git 1.7.9), but **projects.identifier=** in MySQL log is the name of the git repos. I was wondering to modify the patch to get project identifier from the repos URL, while I realized use repos name as project identifier really make sense.

The only problem may be multi-repos under a project. Actually, the patch handlers it already, Redmine.pm comments as following:

A projet repository must be named with the projet identifier. In case of multiple repositories for the same project, use the project identifier and the repository identifier separated with a dot:

```
/var/svn/foo  
/var/svn/foo.otherrepo
```