

Redmine - Defect #11527

content_for :header_tag not working within partials

2012-07-27 20:43 - Déja Augustine

Status:	Needs feedback	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Plugin API	Estimated time:	0.00 hour
Target version:		Affected version:	2.0.3
Resolution:			
Description			
<p>After upgrading from 1.4 to 2.0.3 this morning, I've noticed a change in a custom plugin I had written. The content_for :header_tag block does not seem to be being functioning within partials, as in the following example:</p> <pre>plugins/redmine_partial_test/app/views/partial_test/_test.html.erb @ <% content_for :header_tag do > <= stylesheet_link_tag 'test.css', :plugin => 'redmine_partial_test' > <= javascript_include_tag 'test.js', :plugin => 'redmine_partial_test' > < end %></pre> <p>[...] markup that makes use of the styles and scripts included above [...]</p> <pre>@</pre> <p>This worked just fine in 1.4.x (with the styles/scripts being included on pages that rendered the partial in question), but the stylesheet and javascript tags are completely absent in 2.x (leaving script/style errors in their wake).</p>			
Related issues:			
Related to Redmine - Defect #11105: <% content_for :header_tags do %> doesn't...		Closed	

History

#1 - 2014-09-25 05:47 - Mischa The Evil

- Category set to Plugin API

- Status changed from New to Needs feedback

Hi Déja, I just came around this issue and decided to test the given behavior by generating a simple sample plugin (https://github.com/MischaTheEvil/redmine_rm11527). Testing this plugin on a test deployment of Redmine [source/trunk@13366](https://source.trunk@13366)¹, I cannot reproduce the behavior described by you². In my case the plugin's assets are included in page headers also when the content_for :header_tags do blocks are used in view partials.

Can you please confirm that the defect you reported is still being experienced and, if yes, test the plugin and provide the results and some more debug info (see [submissions](#) wiki page)?

Looking closely at your example it may even be a simple typo [content_for :header_tag do vs content_for :header_tags do] too...

¹ [Details about my test environment...Details about my test environment...](#)

Environment:

```
OS                Ubuntu Server 12.04.5 LTS
Web server        Apache 2.2.22
Application server Phusion Passenger 4.0.52, running as Apache module
Database backend  MySQL 5.5.38
Redmine version   2.5.2.devel.13366
Ruby version      2.1.2-p95 (2014-05-08) [i686-linux]
Rails version     3.2.19
Environment       development
Database adapter  MySQL2
```

SCM:

```
Subversion        1.6.17
Git               1.7.9.5
Filesystem
```

Redmine plugins:

```
redmine_rm11527  0.0.1
```

² I only tested this on the given trunk version. I haven't tested this with 1.x.x at all. More general: I cannot think that the API has changed that much between 1.x.x and 2.x.x...

#2 - 2014-11-03 22:43 - Go MAEDA

- Related to Defect #11105: `<% content_for :header_tags do %>` doesn't work inside hook added