

Redmine - Feature #13340

Mail handler: option to add created user to default group

2013-03-03 07:54 - Daniel Black

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:	Jean-Philippe Lang	% Done:	0%
Category:	Email receiving	Estimated time:	0.00 hour
Target version:	2.3.0		
Resolution:	Fixed		
Description			
<p>This patch creates the option --default-group to the mail handler.</p> <p>The purpose is to put created users that are handled by the script into a default group.</p> <p>With the associated permissions on this group, and a "Default notification option" conducive to a response for a new account, the objectives of responding to a issues in a private project without exposing all issues to the user is achievable as requested in #6069 and #8497.</p> <p>The patch in #10178 would also compliment this nicely.</p> <p>Other management functions, like identifying how the user account was created (e.g. --default-group=Email) are also made easier.</p>			
Related issues:			
Duplicated by Redmine - Feature # 8643: Allow rdm-mailhandler with unknown-us...		Closed	2011-06-17
Precedes Redmine - Defect # 13712: Fix email rake tasks to also support no_ac...		Closed	

Associated revisions

Revision 11522 - 2013-03-03 08:59 - Jean-Philippe Lang

Mail handler: adds --default-group option to add created user to one or more groups (#13340).

Revision 11580 - 2013-03-10 13:35 - Jean-Philippe Lang

Merged r11522 from trunk (#13340).

History

#1 - 2013-03-03 09:02 - Jean-Philippe Lang

- Tracker changed from Patch to Feature
- Subject changed from mail_handler can put created user into default group to Mail handler: option to add created user to default group
- Status changed from New to Resolved
- Assignee set to Jean-Philippe Lang
- Target version set to 2.3.0
- Resolution set to Fixed

Feature added in r11522. The patch was slightly refactored and a test was added. The --default-group option also accepts a comma separated list of names to add new users to several groups. Thanks.

#2 - 2013-03-10 13:35 - Jean-Philippe Lang

- Status changed from Resolved to Closed

Merged.

#3 - 2013-04-03 08:39 - Daniel Jones

This doesn't seem to work when using redmine:email:receive_imap via Rake.

Specifying default_group=?? isn't passed through to the mail handler.

Can anyone help me understand how to use this with the rake task?

#4 - 2013-04-25 19:44 - Arron Woods

+1 on this not working with the redmine:email:receive_imap rake

Is this only designed for the piped version? I have a group called "Clients", with this in my cron:

```
/usr/local/bin/rake -f /opt/apps/redmine/Rakefile redmine:email:receive_imap RAILS_ENV=production host=imap.gmail.com port=993 username=***  
password=*** ssl=SSL folder=Redmine project=helpdesk tracker=Support category=Incoming unknown_user=create  
allow_override=project,assigned_to default_group=53
```

#5 - 2013-05-24 18:58 - Jadranko Stjepanović

Daniel Jones wrote:

This doesn't seem to work when using redmine:email:receive_imap via Rake.

Specifying default_group=?? isn't passed through to the mail handler.

Can anyone help me understand how to use this with the rake task?

Right, lib/tasks/email.rake has not been patched, so it does not recognize new option.

#6 - 2013-05-25 00:54 - Mischa The Evil

Jadranko Stjepanović wrote:

Right, lib/tasks/email.rake has not been patched, so it does not recognize new option.

Daniel J., Arron: Jadranko is right. Both --no-account-notice and --default-group options weren't supported for email fetching using the rake task (pop and imap) in Redmine version#60.

This defect was reported via issue #13712, fixed in r11748 and released in Redmine version#71.

#7 - 2015-04-05 19:04 - Go MAEDA

- Duplicated by Feature #8643: Allow rdm-mailhandler with unknown-user=create to attach the user to a specific group instead of creating a "rightless" user added

Files

mail_handler.patch	2.87 KB	2013-03-03	Daniel Black
--------------------	---------	------------	--------------