

Redmine - Defect #14334

[BUG] Segmentation fault ruby 1.8.7

2013-06-24 08:57 - Sandeep Soni

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Rails support	Estimated time:	0.00 hour
Target version:		Affected version:	2.3.0
Resolution:	Invalid		
Description			
<div>/usr/local/rvm/gems/ruby-1.9.3-p429/gems/json-1.8.0/lib/json/ext/parser.so: [BUG] Segmentation fault ruby 1.8.7 (2011-06-30 patchlevel 352) [i386-linux]</div> <div>Application root /var/www/redmine Environment (value of RAILS_ENV, RACK_ENV, WSGI_ENV and PASSENGER_ENV) production Ruby interpreter command /usr/bin/ruby User and groups uid=48(apache) gid=48(apache) groups=48(apache) context=unconfined_u:system_r:passenger_t:s0 Environment variables rvm_bin_path=/usr/local/rvm/bin HOSTNAME=localhost.localdomain GEM_HOME=/usr/local/rvm/gems/ruby-1.9.3-p429 SHELL=/sbin/nologin TERM=xterm HISTSIZE=1000 IRBRC=/usr/local/rvm/rubies/ruby-1.9.3-p429/.irbrc QTDIR=/usr/lib/qt-3.3 PASSENGER_DEBUG_DIR=/tmp/passenger.spawn-debug.11642-3054505644 MY_RUBY_HOME=/usr/local/rvm/rubies/ruby-1.9.3-p429 QTINC=/usr/lib/qt-3.3/include USER=apache rvm_path=/usr/local/rvm rvm_prefix=/usr/local MAIL=/var/spool/mail/apache PATH=/usr/local/rvm/gems/ruby-1.9.3-p429/bin:/usr/local/rvm/gems/ruby-1.9.3-p429@global/bin:/usr/local/rvm/rubies/ruby-1.9.3-p429/bin:/usr/local/rvm/bin:/usr/lib/qt-3.3/bin:/sbin:/usr/sbin:/bin:/usr/bin:/usr/local/sbin PWD=/var/www/redmine LANG=C rvm_env_string=ruby-1.9.3-p429 SSH_ASKPASS=/usr/libexec/openssh/gnome-ssh-askpass HISTCONTROL=ignoredups rvm_version=1.21.1 (stable) HOME=/var/www SHLVL=2 rvm_ruby_string=ruby-1.9.3-p429 LOGNAME=apache QTLIB=/usr/lib/qt-3.3/lib GEM_PATH=/usr/local/rvm/gems/ruby-1.9.3-p429:/usr/local/rvm/gems/ruby-1.9.3-p429@global LESSOPEN= /usr/bin/lesspipe.sh %s RUBY_VERSION=ruby-1.9.3-p429 G_BROKEN_FILENAMES=1 IN_PASSENGER=1 PYTHONUNBUFFERED=1 RAILS_ENV=production RACK_ENV=production WSGI_ENV=production PASSENGER_ENV=production SERVER_PORT=80</div>			

REQUEST_URI=/
REMOTE_ADDR=192.168.154.1
DOCUMENT_ROOT=/var/www/redmine/public
SERVER_NAME=192.168.154.128
REMOTE_PORT=49507
SERVER_PROTOCOL=HTTP/1.1
SERVER_SOFTWARE=Apache/2.2.15 (CentOS)
SERVER_ADDR=192.168.154.128
SERVER_ADMIN=root@localhost
QUERY_STRING=
REQUEST_METHOD=GET
Ulimits
Unknown
System memory usage
total used free shared buffers cached
Mem: 1006 476 530 0 88 260
-/+ buffers/cache: 126 879
Swap: 2015 0 2015
General Ruby interpreter information
RUBY_VERSION = 1.8.7
RUBY_PLATFORM = i386-linux
RUBY_ENGINE = nil
RubyGems version = 1.3.7
Ruby configuration (RbConfig::CONFIG)
vendorlibdir = /usr/lib/ruby/1.8
PACKAGE_STRING =
TEENY = 7
COMMON_MACROS =
PREP = miniruby
AS = as
LIBEXT = a
CPP = gcc -E
DLEXT2 =
sharedstatedir = /var/lib
mandir = /usr/share/man
EXTSTATIC =
RUBYW_INSTALL_NAME =
CC = gcc
STRIP = strip -S -x
archdir = /usr/lib/ruby/1.8/i386-linux
libexecdir = /usr/libexec
ECHO_T =
INSTALL_DATA = /usr/bin/install -c -m 644
LIBRUBY_DLDFLAGS = -Wl,-soname,libruby.so.1.8
EXTOUT = .ext
ENABLE_SHARED = yes
LD_SHARED = gcc -shared
sitedir = /usr/lib/ruby/site_ruby
RPATHFLAG =
EXPORT_PREFIX =
RUBY_SO_NAME = ruby
PATCHLEVEL = 352
EGREP = /bin/grep -E
OBJEXT = o
ECHO_N = -n
ruby_mm_version = 1.8
LIBRUBYARG_SHARED = -lruby
MAKEFILES = Makefile
host_alias = i386-redhat-linux-gnu
cflags =
DLLWRAP =
LIBPATHFLAG = -L%s
target_vendor = redhat
optflags =
OBJDUMP =
LIBRUBY = libruby.so.1.8.7
cppflags =

```

LIBRUBYARG_STATIC = -lruby-static
ASFLAGS =
prefix = /usr
target_alias = i686-redhat-linux-gnu
setup = Setup
arch = i386-linux
rubyw_install_name =
CP = cp
SOLIBS = -lpthread -lrt -ldl -lcrypt -lm
sysconfdir = /etc
RDOCTARGET =
SET_MAKE =
oldincludedir = /usr/include
htmldir = /usr/share/doc/$(PACKAGE)
COMMON_LIBS =
EXEEXT =
localstatedir = /var
RM = rm -f
TRY_LINK =
host_vendor = redhat
PATH_SEPARATOR = :
PACKAGE_VERSION =
ARCHFILE =
configure_args = '--build=i386-redhat-linux-gnu' '--host=i386-redhat-linux-gnu' '--target=i686-redhat-linux-gnu' '--program-prefix='
'--prefix=/usr' '--exec-prefix=/usr' '--bindir=/usr/bin' '--sbindir=/usr/sbin' '--sysconfdir=/etc' '--datadir=/usr/share'
'--includedir=/usr/include' '--libdir=/usr/lib' '--libexecdir=/usr/libexec' '--localstatedir=/var' '--sharedstatedir=/var/lib'
'--mandir=/usr/share/man' '--infodir=/usr/share/info' '--with-default-kcode=none' '--enable-shared' '--enable-pthread' '--disable-rpath'
'--with-readline-include=/usr/include/readline5' '--with-readline-lib=/usr/lib/readline5' '--enable-dtrace'
'--with-sitedir=/usr/lib/ruby/site_ruby' '--with-sitearchdir=/usr/lib/ruby/site_ruby' '--with-vendordir=/usr/lib/ruby'
'--with-vendorarchdir=/usr/lib/ruby' 'build_alias=i386-redhat-linux-gnu' 'host_alias=i386-redhat-linux-gnu'
'target_alias=i686-redhat-linux-gnu' 'CFLAGS=-O2 -g -pipe -Wall -Wp,-D_FORTIFY_SOURCE=2 -fexceptions -fstack-protector
--param=ssp-buffer-size=4 -m32 -march=i686 -mtune=atom -fasynchronous-unwind-tables -fno-strict-aliasing'
LIBS = -lpthread -lrt -ldl -lcrypt -lm
DLDLIBS = -lc
RANLIB = ranlib
topdir = /usr/lib/ruby/1.8/i386-linux
DEFS = -D_FILE_OFFSET_BITS=64
RUBY_INSTALL_NAME = ruby
YACC = bison -y
GREP = /bin/grep
LIBRUBY_ALIASES = libruby.so.1.8 libruby.so
DLEXT = so
WINDRES =
host_cpu = i386
ruby_install_name = ruby
ALLOCA =
SHELL = /bin/sh
ECHO_C =
target_os = linux
DLDFLAGS =
LIBRUBYARG = -lruby
infodir = /usr/share/info
target_cpu = i386
CFLAGS = -O2 -g -pipe -Wall -Wp,-D_FORTIFY_SOURCE=2 -fexceptions -fstack-protector --param=ssp-buffer-size=4 -m32
-march=i686 -mtune=atom -fasynchronous-unwind-tables -fno-strict-aliasing -fPIC
LIBRUBY_LDSHARED = gcc -shared
ARCH_FLAG =
sitearch = i386-linux
INSTALL_PROGRAM = /usr/bin/install -c
ruby_version = 1.8
datadir = /usr/share
localedir = /usr/share/locale
host_os = linux-gnu
sitearchdir = /usr/lib/ruby/site_ruby/1.8/i386-linux
LINK_SO =
NROFF = /usr/bin/nroff
COMMON_HEADERS =

```

```

PACKAGE_TARNAME =
psdir = /usr/share/doc/${PACKAGE}
vendordir = /usr/lib/ruby
INSTALL = /usr/bin/install -c
CPPFLAGS = -D_FILE_OFFSET_BITS=64
LIBRUBY_SO = libruby.so.1.8.7
LDFLAGS = -L. -rdynamic -Wl,-export-dynamic
pdfdir = /usr/share/doc/${PACKAGE}
AR = ar
LN_S = ln -s
MAJOR = 1
DTRACE_HEADER = dtrace.h
DESTDIR =
build_alias = i386-redhat-linux-gnu
bindir = /usr/bin
datarootdir = /usr/share
build_vendor = redhat
CPPOUTFILE = -o conftest.i
GNU_LD = yes
CCDLFLAGS = -fPIC
build_os = linux-gnu
build_cpu = i386
includedir = /usr/include
MAKEDIRS = mkdir -p
build = i386-redhat-linux-gnu
MANTYPE = doc
LIBPATHENV = LD_LIBRARY_PATH
host = i386-redhat-linux-gnu
vendorarchdir = /usr/lib/ruby/1.8/i386-linux
PACKAGE_BUGREPORT =
sbindir = /usr/sbin
rubylibdir = /usr/lib/ruby/1.8
PACKAGE_NAME =
exec_prefix = /usr
dvidir = /usr/share/doc/${PACKAGE}
INSTALL_SCRIPT = /usr/bin/install -c
debugflags =
NM =
libdir = /usr/lib
YFLAGS =
MINOR = 8
MAINLIBS =
target = i686-redhat-linux-gnu
docdir = /usr/share/doc/${PACKAGE}
OUTFLAG = -o
STATIC =
sitelibdir = /usr/lib/ruby/site_ruby/1.8
LIBRUBY_A = libruby-static.a
Activated Ruby gems
rubygems-bundler => 1.2.0
bundler-unload => 1.0.1
Ruby load path ($LOAD_PATH)
/usr/lib/ruby/gems/1.8/gems/passenger-4.0.5/lib
/usr/local/rvm/gems/ruby-1.9.3-p429@global/gems/bundler-unload-1.0.1/bin
/usr/local/rvm/gems/ruby-1.9.3-p429@global/gems/bundler-unload-1.0.1/lib
/usr/local/rvm/gems/ruby-1.9.3-p429@global/gems/rubygems-bundler-1.2.0/bin
/usr/local/rvm/gems/ruby-1.9.3-p429@global/gems/rubygems-bundler-1.2.0/lib
/usr/lib/ruby/site_ruby/1.8
/usr/lib/ruby/site_ruby/1.8/i386-linux
/usr/lib/ruby/site_ruby
/usr/lib/site_ruby/1.8
/usr/lib/site_ruby/1.8/i386-linux
/usr/lib/site_ruby
/usr/lib/ruby/1.8
/usr/lib/ruby/1.8/i386-linux
.
Ruby loaded libraries ($LOADED_FEATURES)

```

enumerator.so
phusion_passenger.rb
rbconfig.rb
etc.so
fileutils.rb
tmpdir.rb
phusion_passenger/Utils/tmio.rb
phusion_passenger/platform_info.rb
phusion_passenger/platform_info/ruby.rb
phusion_passenger/platform_info/operating_system.rb
phusion_passenger/platform_info/binary_compatibility.rb
/usr/lib/ruby/gems/1.8/gems/passenger-4.0.5/libout/ruby/ruby-1.8.7-x86-linux/passenger_native_support.so
phusion_passenger/native_support.rb
rubygems/defaults.rb
thread.so
thread.rb
rubygems/exceptions.rb
rubygems/version.rb
rubygems/requirement.rb
rubygems/dependency.rb
rubygems/gem_path_searcher.rb
rubygems/user_interaction.rb
rubygems/platform.rb
rubygems/specification.rb
rubygems/source_index.rb
rubygems/builder.rb
rubygems/config_file.rb
rubygems/custom_require.rb
rubygems-bundler/wrapper.rb
rubygems-bundler/rubygems_bundler_installer.rb
timeout.rb
optparse.rb
rubygems/command.rb
rubygems/command_manager.rb
find.rb
stringio.so
yaml/error.rb
syck.so
yaml/ypath.rb
yaml/basenode.rb
yaml/syck.rb
yaml/tag.rb
yaml/stream.rb
yaml/constants.rb
rational.rb
date/format.rb
date.rb
yaml/rubytrees.rb
yaml/types.rb
yaml.rb
zlib.so
digest.so
digest.rb
openssl.so
openssl/bn.rb
openssl/cipher.rb
openssl/config.rb
openssl/digest.rb
openssl/pkcs7.rb
openssl/buffering.rb
fcntl.so
openssl/ssl-internal.rb
openssl/x509-internal.rb
openssl.rb
rubygems/gem_openssl.rb
rubygems/security.rb
rubygems/package/f_sync_dir.rb

```
rubygems/package/tar_header.rb
rubygems/package/tar_input.rb
rubygems/package/tar_output.rb
rubygems/package/tar_reader/entry.rb
rubygems/package/tar_reader.rb
rubygems/package/tar_writer.rb
rubygems/package.rb
rubygems/format.rb
rubygems/ext/builder.rb
rubygems/ext/configure_builder.rb
rubygems/ext/ext_conf_builder.rb
rubygems/ext/rake_builder.rb
rubygems/ext.rb
rubygems/require_paths_builder.rb
rubygems/installer.rb
rubygems-bundler/regenerate_binstubs_command.rb
rubygems.rb
socket.so
phusion_passenger/ruby_core_enhancements.rb
phusion_passenger/utils/tmpdir.rb
phusion_passenger/preloader_shared_helpers.rb
phusion_passenger/public_api.rb
phusion_passenger/debug_logging.rb
phusion_passenger/loader_shared_helpers.rb
phusion_passenger/constants.rb
phusion_passenger/message_channel.rb
phusion_passenger/utils.rb
phusion_passenger/message_client.rb
phusion_passenger/utils/unseekable_socket.rb
phusion_passenger/request_handler/thread_handler.rb
phusion_passenger/request_handler.rb
phusion_passenger/utils/tee_input.rb
phusion_passenger/rack/thread_handler_extension.rb
```

History

#1 - 2013-06-24 10:49 - Toshi MARUYAMA

- Status changed from New to Closed
- Resolution set to Invalid

It is obvious that your Ruby is broken.

#2 - 2013-06-25 13:16 - Sandeep Soni

Oh Yes, thanks, i got it working, the reason was i had installed ruby 1.8.7 using yum and then 1.9.3 using rvm, i removed the 1.8 ruby with yum remove command and also removed passenger and reinstalled the passenger. and it worked.