# Redmine - Defect #16948

# Broken anonymous repository access for public projects with Apache 2.4 (redmine.pm)

2014-05-22 12:37 - Christian Günther

Status:	Closed		Start date:	
Priority:	High		Due date:	
Assignee:	Jean-Philippe La	20	% Done:	0%
•		ng		
Category:	SCM extra		Estimated time:	0.00 hour
Target version:	2.6.9			
Resolution:	Fixed		Affected version:	2.5.1
Description				
Hi there. I recently ur	paraded my redmine	from 2.3 to 2.5.1. Now i h	have the same problem	described in this stackoverflow post:
http://stackoverflow.c	om/questions/22638	972/debug-apache-2-4-p	erlauthenhandler	
				uent git clone). But when my project is
		) than i get the internal s	erver error message 50	00. In my error log on the server the
following message ap	opears:			
"AH00027: No aut	hentication dor	e but request not	allowed without a	authentication for SPATH. Authent
"AH00027: No aut ication not conf		ne but request not	allowed without a	authentication for \$PATH. Authent
ication not conf	figured?"	-		
ication not conf	figured?"	-		authentication for \$PATH. Authent n. Why it is currently disabled?
ication not conf	figured?"	-		
ication not conf	figured?" vas possible for me to	-		
ication not conf Before upgrading it w Environment: Redmine versio	figured?" vas possible for me to	o clone a public repositor	y without authentication	n. Why it is currently disabled?
ication not conf Before upgrading it w Environment:	figured?" vas possible for me to	o clone a public repositor		n. Why it is currently disabled?
ication not conf Before upgrading it w Environment: Redmine version Ruby version	figured?" vas possible for me to	2.5.1.stable 2.0.0-p457 (2014 3.2.17	y without authentication	n. Why it is currently disabled?
ication not conf Before upgrading it w Environment: Redmine version Ruby version Rails version Environment	figured?" vas possible for me to	2.5.1.stable 2.0.0-p457 (2014 3.2.17 production	y without authentication	n. Why it is currently disabled?
ication not conf Before upgrading it w Environment: Redmine version Ruby version Rails version Environment Database adapt	figured?" vas possible for me to	2.5.1.stable 2.0.0-p457 (2014 3.2.17	y without authentication	n. Why it is currently disabled?
ication not conf Before upgrading it w Environment: Redmine version Ruby version Rails version Environment	figured?" vas possible for me to	2.5.1.stable 2.0.0-p457 (2014 3.2.17 production	y without authentication	n. Why it is currently disabled?
ication not conf Before upgrading it w Environment: Redmine version Ruby version Rails version Environment Database adapt SCM:	figured?" vas possible for me to	2.5.1.stable 2.0.0-p457 (2014 3.2.17 production Mysql2	y without authentication	n. Why it is currently disabled?
ication not conf Before upgrading it w Environment: Redmine version Ruby version Rails version Environment Database adapt SCM: Subversion Git	figured?" vas possible for me to	<pre>2.5.1.stable 2.0.0-p457 (2014 3.2.17 production Mysql2 1.8.8</pre>	y without authentication	n. Why it is currently disabled?
ication not conf Before upgrading it w Environment: Redmine version Rails version Environment Database adapt SCM: Subversion Git Filesystem	figured?" vas possible for me to on	<pre>2.5.1.stable 2.0.0-p457 (2014 3.2.17 production Mysql2 1.8.8</pre>	y without authentication	n. Why it is currently disabled?
ication not conf Before upgrading it w Environment: Redmine version Rails version Environment Database adapt SCM: Subversion Git Filesystem Redmine plugins:	figured?" vas possible for me to on ter	<pre>2.5.1.stable 2.0.0-p457 (2014 3.2.17 production Mysql2 1.8.8</pre>	y without authentication	n. Why it is currently disabled?
ication not conf Before upgrading it w Environment: Redmine version Rails version Environment Database adapt SCM: Subversion Git Filesystem Redmine plugins: redmine_embedo	figured?" vas possible for me to on ter	<pre>2.5.1.stable 2.0.0-p457 (2014 3.2.17 production Mysql2 1.8.8 1.9.1 0.0.2</pre>	y without authentication	n. Why it is currently disabled?
ication not conf Before upgrading it w Environment: Redmine version Rails version Environment Database adapt SCM: Subversion Git Filesystem Redmine plugins: redmine_embedor redmine_http_a	figured?" vas possible for me to on ter ded auth	<pre>2.5.1.stable 2.0.0-p457 (2014 3.2.17 production Mysql2 1.8.8 1.9.1 0.0.2 0.3.0-dev</pre>	y without authentication	n. Why it is currently disabled?
ication not conf Before upgrading it w Environment: Redmine version Ruby version Rails version Environment Database adapt SCM: Subversion Git Filesystem Redmine plugins: redmine_embedo	figured?" vas possible for me to on ter ded auth	<pre>2.5.1.stable 2.0.0-p457 (2014 3.2.17 production Mysql2 1.8.8 1.9.1 0.0.2</pre>	y without authentication	n. Why it is currently disabled?

## Associated revisions

## Revision 14883 - 2015-11-24 21:59 - Jean-Philippe Lang

Redmine.pm errors when cloning public project (#16948).

## Revision 14914 - 2015-12-04 13:46 - Jean-Philippe Lang

Merged r14883 (#16948).

## Revision 14915 - 2015-12-04 13:47 - Jean-Philippe Lang

Merged r14883 (#16948).

## Revision 14916 - 2015-12-04 13:47 - Jean-Philippe Lang

Merged r14883 (#16948).

## History

## #1 - 2014-05-26 06:11 - Martin Denizet (redmine.org team member)

I experienced the same problem with Ubuntu 14.04 (Apache 2.4).

Though the patch which consists in removing the "if" for anonymous access worked, I was not able to get Git Smart HTTP to work.

## #2 - 2014-06-12 09:21 - Suppasit Chuwatsawat

I have the same problem as Christian and Martin. Does anybody solve this problem yet?

#### #3 - 2014-07-31 11:42 - nicholas tanner

Same troubles here on different instances (all Ubuntu 14.04 64 Bit,) and also on a freshly installed test instance..

#### #4 - 2014-09-19 23:26 - Mark Anderson

Am stuck here too - Ubuntu 14/Apache 2.4 combo, 2.5.1 Redmine

Can anyone clarify this - do I remove the whole "if" construct or somehow modify it? removing it means NO handler will be set - is that the hack?

thanks folks!

Martin Denizet (redmine.org team member) wrote:

I experienced the same problem with Ubuntu 14.04 (Apache 2.4). Though the patch which consists in removing the "if" for anonymous access worked, I was not able to get Git Smart HTTP to work.

#### #5 - 2014-09-25 13:09 - Martin Denizet (redmine.org team member)

As far as I understand, the error occurs because there is no handler under certain settings. Removing the "if" removes the problem because then there is a handler every time.

I tried to make it work on my Ubuntu test VM hacking the Redmine.pm. I could not get Git Smart HTTP to work with Redmine.pm. I would get a 404 error when trying to clone.

I will try again later if I have time.

#### #6 - 2015-07-10 21:24 - Jorge S.

I have this also happening in 3.0.2

2 Projects, no one of them public. I get "abort: HTTP Error 500: Internal Server Error" when trying to clone.

If under Settings -> Authentication I set "Authentication required", then I would be prompted for credentials in the clone command.

#### #7 - 2015-08-08 13:36 - Cyber Gen

I have discovered that when authentication fails, no matter if it's a public or private project, I always get a 500 error.

I do see a difference in the apache log. When authentication is correct I see no lines in the log. When authentication fails I see this

[Sat Aug 08 13:23:38.727989 2015] [authn\_file:error] [pid 8989:tid 139932576245504] [client 192.168.192.100:52376] AH01619: AuthUserFile not specified in the configuration

I beleive this to be a bug in the Redmine.pm file that doesn't return authentication when authentication fails.

#### #8 - 2015-08-08 14:13 - Cyber Gen

I beleive I have found a bug in the Redmine.pm file.

In sub access\_handler if authentication fails then OK is always return even though no access is allowed to the project. It is somewhere in that region that the bug is located.

#### #9 - 2015-08-21 11:17 - Jonathan Tee

same error with Redmine 3.1 :-(

Gen Va: AH01619: AuthUserFile not specified in the configuration add

AuthUserFile /dev/null

#### #10 - 2015-11-24 14:52 - Holger Just

- File 0001-Set-user-to-empty-string-in-Redmine.pm-for-anonymous.patch added

Using a StackOverflow answer, we at Planio have developed and tested a patch for this issue against current trunk, which I attached here.

The basic idea is that we forcefully set the username to an empty string if we directly return with an OK. This results in Apache understanding that we

## #11 - 2015-11-24 21:57 - Jean-Philippe Lang

- Subject changed from broken anonymous repository access for public projects (redmine.pm) to Broken anonymous repository access for public projects (redmine.pm)

- Status changed from New to Resolved
- Assignee set to Jean-Philippe Lang
- Target version set to 3.1.3
- Resolution set to Fixed

Thanks, I'm committing the patch but I don't see any changes to Redmine.pm between 2.3 and 2.5.1 that could cause this error.

Tests for the perl module include a git clone on a public project without authentication (<u>source:trunk/test/extra/redmine\_pm/repository\_git\_test\_pm.rb</u>), and it passes. Maybe it's related to the Apache version, the tests run on Apache 2.2.

## #12 - 2015-11-24 22:01 - Holger Just

On Apache 2.2, this change is not necessary. It only becomes an issue on Apache 2.4 where they rather deeply changed how authentication works.

#### #13 - 2015-11-24 22:04 - Jean-Philippe Lang

- Subject changed from Broken anonymous repository access for public projects (redmine.pm) to Broken anonymous repository access for public projects with Apache 2.4 (redmine.pm)

Thanks for the clarification.

## #14 - 2015-11-28 07:00 - Jean-Philippe Lang

- Target version changed from 3.1.3 to 2.6.9

## #15 - 2015-12-04 13:47 - Jean-Philippe Lang

- Status changed from Resolved to Closed

## Files

0001-Set-user-to-empty-string-in-Redmine.pm-for-anonymous.patch 913 Bytes

2015-11-24

Holger Just