

Redmine - Defect #19737

HTML Sanitizer not working for Outlook mails

2015-04-29 12:41 - Rupesh J

Status:	Closed	Start date:	
Priority:	High	Due date:	
Assignee:	Jean-Philippe Lang	% Done:	0%
Category:	Email receiving	Estimated time:	0.00 hour
Target version:	3.1.0	Affected version:	3.0.2
Resolution:	Fixed		
Description			
HTML Sanitizer not working for Outlook mails. There are some unwanted tags not stripped from the mail body.			
Related issues:			
Related to Redmine - Feature #16962: Better handle html-only emails			Closed

History

#1 - 2015-04-29 15:54 - Toshi MARUYAMA

- Target version set to 3.0.3

#2 - 2015-04-29 15:55 - Toshi MARUYAMA

This is Redmine 3.0 regression according to [#19537#note-9](#).

#4 - 2015-04-29 15:59 - Toshi MARUYAMA

- Related to Feature #16962: Better handle html-only emails added

#5 - 2015-04-29 16:56 - Deoren Moor

+1

I can confirm that Outlook emails are improperly handled:

[View details](#)[View details](#)

```
[if !mso]><style>v\:* {behavior:url(#default#VML);}
o\:* {behavior:url(#default#VML);}
w\:* {behavior:url(#default#VML);}
.shape {behavior:url(#default#VML);}
</style><![endif]<!--
/* Font Definitions */
@font-face {font-family:Wingdings;
panose-1:5 0 0 0 0 0 0 0 0;}
@font-face {font-family:Wingdings;
panose-1:5 0 0 0 0 0 0 0 0;}
@font-face {font-family:Calibri;
panose-1:2 15 5 2 2 2 4 3 2 4;}
@font-face {font-family:Tahoma;
panose-1:2 11 6 4 3 5 4 4 2 4;}
@font-face {font-family:Verdana;
panose-1:2 11 6 4 3 5 4 4 2 4;}
@font-face {font-family:"Trebuchet MS";
panose-1:2 11 6 3 2 2 2 2 2 4;}
/* Style Definitions */
p.MsoNormal, li.MsoNormal, div.MsoNormal {margin:0in;
margin-bottom:.0001pt;
font-size:12.0pt;
font-family:"Times New Roman","serif";}
h1 {mso-style-priority:9;
mso-style-link:"Heading 1 Char";
margin:0in;
margin-bottom:.0001pt;
font-size:14.5pt;
font-family:"Trebuchet MS","sans-serif";
```

```

font-weight:bold;}
h2 {mso-style-priority:9;
mso-style-link:"Heading 2 Char";
margin:0in;
margin-bottom:.0001pt;
font-size:13.0pt;
font-family:"Trebuchet MS","sans-serif";
font-weight:bold;}
h3 {mso-style-priority:9;
mso-style-link:"Heading 3 Char";
margin:0in;
margin-bottom:.0001pt;
font-size:13.0pt;
font-family:"Trebuchet MS","sans-serif";
font-weight:bold;}
a:link, span.MsoHyperlink {mso-style-priority:99;
color:#2A5685;
text-decoration:underline;}
a:visited, span.MsoHyperlinkFollowed {mso-style-priority:99;
color:#2A5685;
text-decoration:underline;}
p {mso-style-priority:99;
mso-margin-top-alt:auto;
margin-right:0in;
mso-margin-bottom-alt:auto;
margin-left:0in;
font-size:12.0pt;
font-family:"Times New Roman","serif";}
span.Heading1Char {mso-style-name:"Heading 1 Char";
mso-style-priority:9;
mso-style-link:"Heading 1";
font-family:"Cambria","serif";
color:#365F91;
font-weight:bold;}
span.Heading2Char {mso-style-name:"Heading 2 Char";
mso-style-priority:9;
mso-style-link:"Heading 2";
font-family:"Cambria","serif";
color:#4F81BD;
font-weight:bold;}
span.Heading3Char {mso-style-name:"Heading 3 Char";
mso-style-priority:9;
mso-style-link:"Heading 3";
font-family:"Cambria","serif";
color:#4F81BD;
font-weight:bold;}
span.footer {mso-style-name:footer;
font-style:italic;}
span.header {mso-style-name:header;}
span.EmailStyle24 {mso-style-type:personal-reply;
font-family:"Calibri","sans-serif";
color:#1F497D;}
.MsoChpDefault {mso-style-type:export-only;
font-size:10.0pt;}
@page WordSection1 {size:8.5in 11.0in;
margin:1.0in 1.0in 1.0in 1.0in;}
div.WordSection1 {page:WordSection1;}
/* List Definitions */
@list l0 {mso-list-id:688027544;
mso-list-template-ids:-2060393820;}
@list l0:level1 {mso-level-number-format:bullet;
mso-level-text:□;
mso-level-tab-stop:.5in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Symbol;}
@list l0:level2 {mso-level-number-format:bullet;
mso-level-text:o;
mso-level-tab-stop:1.0in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:"Courier New";
mso-bidi-font-family:"Times New Roman";}

```

```

@list 10:level3 {mso-level-number-format:bullet;
mso-level-text:[];
mso-level-tab-stop:1.5in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Wingdings;}
@list 10:level4 {mso-level-number-format:bullet;
mso-level-text:[];
mso-level-tab-stop:2.0in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Wingdings;}
@list 10:level5 {mso-level-number-format:bullet;
mso-level-text:[];
mso-level-tab-stop:2.5in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Wingdings;}
@list 10:level6 {mso-level-number-format:bullet;
mso-level-text:[];
mso-level-tab-stop:3.0in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Wingdings;}
@list 10:level7 {mso-level-number-format:bullet;
mso-level-text:[];
mso-level-tab-stop:3.5in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Wingdings;}
@list 10:level8 {mso-level-number-format:bullet;
mso-level-text:[];
mso-level-tab-stop:4.0in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Wingdings;}
@list 10:level9 {mso-level-number-format:bullet;
mso-level-text:[];
mso-level-tab-stop:4.5in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Wingdings;}
@list 11 {mso-list-id:960186181;
mso-list-template-ids:-1253122092;}
@list 11:level1 {mso-level-number-format:bullet;
mso-level-text:[];
mso-level-tab-stop:.5in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Symbol;}
@list 11:level2 {mso-level-number-format:bullet;
mso-level-text:o;
mso-level-tab-stop:1.0in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:"Courier New";
mso-bidi-font-family:"Times New Roman";}
@list 11:level3 {mso-level-number-format:bullet;
mso-level-text:[];
mso-level-tab-stop:1.5in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Wingdings;}
@list 11:level4 {mso-level-number-format:bullet;
mso-level-text:[];

```

```

mso-level-tab-stop:2.0in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Wingdings;}
@list l1:level5 {mso-level-number-format:bullet;
mso-level-text:[];
mso-level-tab-stop:2.5in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Wingdings;}
@list l1:level6 {mso-level-number-format:bullet;
mso-level-text:[];
mso-level-tab-stop:3.0in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Wingdings;}
@list l1:level7 {mso-level-number-format:bullet;
mso-level-text:[];
mso-level-tab-stop:3.5in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Wingdings;}
@list l1:level8 {mso-level-number-format:bullet;
mso-level-text:[];
mso-level-tab-stop:4.0in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Wingdings;}
@list l1:level9 {mso-level-number-format:bullet;
mso-level-text:[];
mso-level-tab-stop:4.5in;
mso-level-number-position:left;
text-indent:-.25in;
mso-ansi-font-size:10.0pt;
font-family:Wingdings;}
ol {margin-bottom:0in;}
ul {margin-bottom:0in;}
-->[if gte mso 9]><xml>
<o:shapedefaults v:ext="edit" spidmax="1026" />
</xml><![endif][if gte mso 9]><xml>
<o:shapelayout v:ext="edit">
<o:idmap v:ext="edit" data="1" />
</o:shapelayout></xml><![endif]

```

The actual human-readable text is three lines. However a similar issue is also happening with iOS (v7.x) emails as I reported on [#15716](#).

Another issue I noticed along with this one is that the **Truncate emails after one of these lines** setting does not appear to be working. I've opened [#19740](#) for that.

Additional notes:

- I tested sending from Outlook and converting to Plaintext when replying and the email was scraped properly. The truncate option also seemed to work properly
- Same (good, expected) results when responding via Exchange web mail and first converting format to Plain text before replying.
- I tested using Exchange web mail and got similar results (see below)
- I tested replying using Outlook and leaving the email as-is and the email was rejected with **Validation failed: Documented cannot be blank**. Presumably this is because of the Truncate option not working properly because the custom **Documented** field is listed well below the Truncate phrase that we're using.

Reply from Exchange webmail, left in HTML format

```

<!--
body {font-family:Verdana,sans-serif;
font-size:0.8em;
color:#484848}
h1, h2, h3 {font-family:"Trebuchet MS",Verdana,sans-serif;
margin:0px}
h1 {font-size:1.2em}
h2, h3 {font-size:1.1em}

```

```
a, a:link, a:visited {color:#2A5685}
a:hover, a:active {color:#c61a1a}
fieldset.attachments {border-width:1px 0 0 0}
hr {width:100%;
height:1px;
background:#ccc;
border:0}
span.footer {font-size:0.8em;
font-style:italic}
-->
P {margin-top:0;margin-bottom:0;}
```

Responding via web interface. I'm leaving the format as HTML and not manually pruning existing text in the reply.

#6 - 2015-05-08 09:11 - Jean-Philippe Lang

- Status changed from New to Needs feedback

HTML Sanitizer not working for Outlook mails.

Please attach such an email (with dummy text), so we can start working on this.

#7 - 2015-05-08 16:16 - Rupesh J

- File sample2.htm added

I saved the outlook msg file as HTML, let me know if this attachment is ok?

Thanks.

#8 - 2015-05-09 10:41 - Jean-Philippe Lang

A .eml file that contains the full email source would be better, thanks.

#9 - 2015-05-10 09:23 - Jean-Philippe Lang

- Target version changed from 3.0.3 to 3.0.4

#10 - 2015-05-11 18:03 - Deoren Moor

- File Test email.msg added

Jean-Philippe Lang wrote:

A .eml file that contains the full email source would be better, thanks.

From the attached msg file the following was scraped and inserted into the OP of a new issue on our Redmine v3.0.2 installation (raw text, grabbed by choosing to "edit" the OP so I could copy/paste here):

[View details](#)[View details](#)

```
[if gte mso 9]&gt;&lt;xml&gt;
&lt;o:OfficeDocumentSettings&gt;
&lt;o:AllowPNG/&gt;
&lt;/o:OfficeDocumentSettings&gt;
&lt;/xml&gt;&lt;![endif][if gte mso 9]&gt;&lt;xml&gt;
&lt;w:WordDocument&gt;
&lt;w:Zoom&gt;140&lt;/w:Zoom&gt;
&lt;w:SpellingState&gt;Clean&lt;/w:SpellingState&gt;
&lt;w:TrackMoves/&gt;
&lt;w:TrackFormatting/&gt;
&lt;w:EnvelopeVis/&gt;
&lt;w:PunctuationKerning/&gt;
&lt;w:ValidateAgainstSchemas/&gt;
&lt;w:SaveIfXMLInvalid&gt;false&lt;/w:SaveIfXMLInvalid&gt;
&lt;w:IgnoreMixedContent&gt;false&lt;/w:IgnoreMixedContent&gt;
&lt;w:AlwaysShowPlaceholderText&gt;false&lt;/w:AlwaysShowPlaceholderText&gt;
&lt;w:DoNotPromoteQF/&gt;
```

```

<w:LidThemeOther>EN-US</w:LidThemeOther>
<w:LidThemeAsian>X-NONE</w:LidThemeAsian>
<w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>
<w:Compatibility>
<w:BreakWrappedTables/>
<w:SnapToGridInCell/>
<w:WrapTextWithPunct/>
<w:UseAsianBreakRules/>
<w:DontGrowAutofit/>
<w:SplitPgBreakAndParaMark/>
<w:EnableOpenTypeKerning/>
<w:DontFlipMirrorIndents/>
<w:OverrideTableStyleHps/>
</w:Compatibility>
<m:mathPr>
<m:mathFont m:val="Cambria Math"/>
<m:brkBin m:val="before">
<m:brkBinSub m:val="&#45;->
<m:smallFrac m:val="off">
<m:dispDef/>
<m:lMargin m:val="0">
<m:rMargin m:val="0">
<m:defJc m:val="centerGroup">
<m:wrapIndent m:val="1440">
<m:intLim m:val="subSup">
<m:naryLim m:val="undOvr">
</m:mathPr></w:WordDocument>
</xml><![endif] [if gte mso 9]><xml>
<w:LatentStyles DefLockedState="false" DefUnhideWhenUsed="true" DefSemiHidden="true" DefQFormat="false" DefPriority="99" LatentStyleCount="267">
<w:LsdException Locked="false" Priority="0" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Normal">
<w:LsdException Locked="false" Priority="9" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="heading 1">
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 2">
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 3">
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 4">
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 5">
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 6">
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 7">
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 8">
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 9">
<w:LsdException Locked="false" Priority="39" Name="toc 1">
<w:LsdException Locked="false" Priority="39" Name="toc 2">
<w:LsdException Locked="false" Priority="39" Name="toc 3">
<w:LsdException Locked="false" Priority="39" Name="toc 4">
<w:LsdException Locked="false" Priority="39" Name="toc 5">
<w:LsdException Locked="false" Priority="39" Name="toc 6">
<w:LsdException Locked="false" Priority="39" Name="toc 7">
<w:LsdException Locked="false" Priority="39" Name="toc 8">
<w:LsdException Locked="false" Priority="39" Name="toc 9">
<w:LsdException Locked="false" Priority="35" QFormat="true" Name="caption">
<w:LsdException Locked="false" Priority="10" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Title">
<w:LsdException Locked="false" Priority="1" Name="Default Paragraph Font">
<w:LsdException Locked="false" Priority="11" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtitle">
<w:LsdException Locked="false" Priority="22" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Strong">
<w:LsdException Locked="false" Priority="20" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Emphasis">
<w:LsdException Locked="false" Priority="59" SemiHidden="false" UnhideWhenUsed="false" Name="Table Grid">
<w:LsdException Locked="false" UnhideWhenUsed="false" Name="Placeholder Text">

```



```

mso-generic-font-family:swiss;
mso-font-pitch:variable;
mso-font-signature:-536870145 1073786111 1 0 415 0;}
/* Style Definitions */
p.MsoNormal, li.MsoNormal, div.MsoNormal
{mso-style-unhide:no;
mso-style-qformat:yes;
mso-style-parent:"";
margin:0in;
margin-bottom:.0001pt;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:Calibri;
mso-fareast-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
a:link, span.MsoHyperlink
{mso-style-noshow:yes;
mso-style-priority:99;
color:blue;
mso-themecolor:hyperlink;
text-decoration:underline;
text-underline:single;}
a:visited, span.MsoHyperlinkFollowed
{mso-style-noshow:yes;
mso-style-priority:99;
color:purple;
mso-themecolor:followedhyperlink;
text-decoration:underline;
text-underline:single;}
p.MsoPlainText, li.MsoPlainText, div.MsoPlainText
{mso-style-priority:99;
mso-style-link:"Plain Text Char";
margin:0in;
margin-bottom:.0001pt;
mso-pagination:widow-orphan;
font-size:11.0pt;
mso-bidi-font-size:10.5pt;
font-family:"Calibri","sans-serif";
mso-fareast-font-family:Calibri;
mso-fareast-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
span.PlainTextChar
{mso-style-name:"Plain Text Char";
mso-style-priority:99;
mso-style-unhide:no;
mso-style-locked:yes;
mso-style-link:"Plain Text";
mso-bidi-font-size:10.5pt;
font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;
mso-hansi-font-family:Calibri;}
span.SpellE
{mso-style-name:"";
mso-spl-e:yes;}
.MsoChpDefault
{mso-style-type:export-only;
mso-default-props:yes;
font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:Calibri;
mso-fareast-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
@page WordSection1
{size:8.5in 11.0in;

```

```

margin:1.0in 1.0in 1.0in 1.0in;
mso-header-margin:.5in;
mso-footer-margin:.5in;
mso-paper-source:0;}
div.WordSection1
{page:WordSection1;}
--&gt;[if gte mso 10]&gt;&lt;style&gt; /* Style Definitions */
table.MsoNormalTable
{mso-style-name:&quot;Table Normal&quot;;
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:&quot;&quot;;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin:0in;
mso-para-margin-bottom:.0001pt;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:&quot;Calibri&quot;,&quot;sans-serif&quot;;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;}
&lt;/style&gt;&lt;![endif][if gte mso 9]&gt;&lt;xml&gt;
&lt;o:shapedefaults v:ext=&quot;edit&quot; spidmax=&quot;1026&quot; /&gt;
&lt;/xml&gt;&lt;![endif][if gte mso 9]&gt;&lt;xml&gt;
&lt;o:shapelayout v:ext=&quot;edit&quot;&gt;
&lt;o:idmap v:ext=&quot;edit&quot; data=&quot;1&quot; /&gt;
&lt;/o:shapelayout&gt;&lt;/xml&gt;&lt;![endif]

```

Simple, unadorned test email generated by Outlook 2010. It is in HTML format, but no special formatting has been chosen. I'm going to save this as a draft and then manually drop it into the Inbox for scraping by Redmine 3.0.2.

Thanks for your work on this!

#11 - 2015-05-19 16:43 - Deoren Moor

If I can provide any further information please let me know. Thanks.

#12 - 2015-05-19 22:51 - Geoff Maciolek

- File Redmine-Mail-HTML-Mess-via-OutlookWebAccess2010.eml added

For another datapoint, I've uploaded another .eml file (and included the original content below), pulled via IMAP right out of the mailbox; I've sanitized the company info, but it's otherwise unmodified. I believe you'll find this easier to work with than Deoren Moor's message, as that seems to have some outlook-specific content. This one is plain jane ASCII. (With HTML embedded, of course).

I had attempted to include some friendly expanding code blocks to show what arrived, but when I did so I got blocked as a spammer, so... I'm trying a bit less:

Note that the below "What I get in Redmine as source" is also what I get if I "edit" the comment.

[What I get in Redmine as source \[expand\]](#)[What I get in Redmine as source \[expand\]](#)

```

&lt;!--
body
{font-family:Verdana,sans-serif;
font-size:0.8em;
color:#484848}
h1, h2, h3
{font-family:&quot;Trebuchet MS&quot;,&quot;Verdana,sans-serif;
margin:0px}
h1
{font-size:1.2em}
h2, h3
{font-size:1.1em}
a, a:link, a:visited
{color:#2A5685}
a:hover, a:active
{color:#c61a1a}
fieldset.attachments
{border-width:1px 0 0 0}

```

```
hr
  {width:100%;
  height:1px;
  background:#ccc;
  border:0}
span.footer
  {font-size:0.8em;
  font-style:italic}
--&gt;
P {margin-top:0;margin-bottom:0;}
```

A mess.

```
--Geoff Maciolek
MYCOMPANYNAME, LLC
```

[What I get in Redmine visibly \[expand\]](#)[What I get in Redmine visibly \[expand\]](#)

```
<!--
body {font-family:Verdana,sans-serif;
font-size:0.8em;
color:#484848}
h1, h2, h3 {font-family:"Trebuchet MS",Verdana,sans-serif;
margin:0px}
h1 {font-size:1.2em}
h2, h3 {font-size:1.1em}
a, a:link, a:visited {color:#2A5685}
a:hover, a:active {color:#c61a1a}
fieldset.attachments {border-width:1px 0 0 0}
hr {width:100%;
height:1px;
background:#ccc;
border:0}
span.footer {font-size:0.8em;
font-style:italic}
-->
P {margin-top:0;margin-bottom:0;}
```

A mess.

```
--Geoff Maciolek
MYCOMANYNAME, LLC
```

#13 - 2015-05-19 22:59 - Geoff Maciolek

[The apparently problematic HTML \[expandable\]](#)[The apparently problematic HTML \[expandable\]](#)

```
<html dir=3D"ltr">
<head>
<meta http-equiv=3D"Content-Type" content=3D"text/html; charset=3Diso-8859-=
1">
<style>=0A=
<!--=0A=
body=0A=
  {font-family:Verdana,sans-serif;=0A=
  font-size:0.8em;=0A=
  color:#484848)=0A=
h1, h2, h3=0A=
  {font-family:"Trebuchet MS",Verdana,sans-serif;=0A=
  margin:0px)=0A=
h1=0A=
  {font-size:1.2em)=0A=
h2, h3=0A=
  {font-size:1.1em)=0A=
a, a:link, a:visited=0A=
  {color:#2A5685)=0A=
a:hover, a:active=0A=
  {color:#c61a1a)=0A=
fieldset.attachments=0A=
  {border-width:1px 0 0 0)=0A=
hr=0A=
  {width:100%;=0A=
```

```

height:1px;=0A=
background:#ccc;=0A=
border:0)=0A=
span.footer=0A=
{font-size:0.8em;=0A=
font-style:italic}=0A=
-->=0A=
</style><style id=3D"owaParaStyle" type=3D"text/css">P {margin-top:0;margin=
-bottom:0;}</style>
</head>
<body ocsi=3D"0" fpstyle=3D"1">
<div style=3D"direction: ltr;font-family: Tahoma;color: #000000;font-size: =
10pt;">A mess.<br>

```

As you can see, it looks like it's not parsing the HTML comment inside HEAD as a comment, but then something else weird happens that's leading to the P {...} section showing up as well. It looks to me like this would be resolved by having everything inside <HEAD>...</HEAD> get ignored - maybe easier said than done?

#14 - 2015-06-11 20:16 - Deoren Moor

Is there any further information we can provide?

#15 - 2015-06-15 23:21 - Jean-Philippe Lang

- Status changed from Needs feedback to Closed
- Assignee set to Jean-Philippe Lang
- Target version changed from 3.0.4 to 3.1.0
- Resolution set to Fixed

Thanks for the examples, these 2 are now fixed as part of [#16962](#) and added as tests.

Files

sample2.htm	129 KB	2015-05-08	Rupesh J
Test email.msg	51 KB	2015-05-11	Deoren Moor
Redmine-Mail-HTML-Mess-via-OutlookWebAccess2010.eml	4.57 KB	2015-05-19	Geoff Maciolek