Redmine - Feature #23641

Increase the number of sort columns in custom queries

2016-08-23 10:52 - Anton Kalinin

Status:	New	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Issues filter	Estimated time:	0.00 hour
Target version:			
Resolution:			

Description

It would be great to be able to set more than 3 sort columns in custom queries. Maybe, 10 might be enough?

Here is a scenario to sort issues I'm going to use in my organization, it lacks the amount of sort columns:

- 1. Group issues by the priority field;
- 2. Sort by the Parent task field to visualize the issue hierarchy;
- 3. Sort by the Status field descending. The nearer an issue is to be done, the higher it should be in the list. It can help not to keep a lot of incomplete issues.
- 4. Sort by the % Done field descending due to the consideration above.
- 5. Sort by the # field ascending to order them in the creation order.

History

#1 - 2016-09-13 07:12 - Toshi MARUYAMA

- Description updated

#2 - 2016-09-27 10:41 - Andrey Lobanov (RedSoft)

Anton Kalinin wrote:

It would be great to be able to set more than 3 sort columns in custom queries. Maybe, 10 might be enough?

Here is a scenario to sort issues I'm going to use in my organization, it lacks the amount of sort columns:

- 1. Group issues by the priority field;
- 2. Sort by the Parent task field to visualize the issue hierarchy;
- 3. Sort by the Status field descending. The nearer an issue is to be done, the higher it should be in the list. It can help not to keep a lot of incomplete issues.
- 4. Sort by the % Done field descending due to the consideration above.
- 5. Sort by the # field ascending to order them in the creation order.

You can change it easily in your redmine copy.

In your app/models/query.rb (changed:.slice(0, 3) to .slice(0, arg.length))

```
def sort_criteria=(arg)
    c = []
    if arg.is_a?(Hash)
        arg = arg.keys.sort.collect { |k| arg[k] }
    end
    if arg
        c = arg.select { |k, o| !k.to_s.blank? }.slice(0, arg.length).collect { |k, o| [k.to_s, (o == 'desc' || o == false) ? 'desc' : 'asc'] }
    end
    write_attribute(:sort_criteria, c)
end
```

And in app/views/queries/_form.html.erb: change 3 to any number

```
<fieldset><legend><%= 1(:label_sort) %></legend>
```

2025-07-05

2025-07-05 2/2