

Redmine - Feature #24763

Force SSL when Setting.protocol is "https"

2017-01-05 09:18 - Aleksandar Pavic

Status:	New	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Administration	Estimated time:	0.00 hour
Target version:	Candidate for next major release		
Resolution:			
Description			
<p>Forcing SSL is important, and some enterprise environment can't be used if they aren't forcing the SSL due to security standards and best practices.</p> <p>Redmine's Administration Settings offers HTTPS as an option, but choosing it <u>does nothing</u>. redminessl.png</p> <p>Editing the config/settings.yml and changing protocol from default: http to https does nothing also</p> <p>However placing the</p> <pre>config.force_ssl = true</pre> <p>in config/application.rb do work and do force SSL</p> <p>So I'm not sure is it a defect or a feature request, but I'm posting it as a defect.</p> <p>My Redmine info:</p> <pre>Environment: Redmine version 3.3.1.stable Ruby version 2.1.4-p265 (2014-10-27) [x86_64-linux] Rails version 4.2.7.1 Environment production Database adapter MySQL2</pre>			
Related issues:			
Related to Redmine - Feature #2579: Configure SSL schema for "private" actions.		Closed	2009-01-25
Related to Redmine - Feature #3804: Authentication over HTTPS		New	2009-09-02

History

#1 - 2017-01-16 01:02 - Go MAEDA

- Priority changed from High to Normal

Aleksandar Pavic wrote:

Redmine's **Administration** | **Settings** offers **HTTPS** as an option, but choosing it does nothing.

It is used to generate URL of issues in email notification.

#2 - 2017-01-16 01:06 - Go MAEDA

- Tracker changed from Defect to Feature

- Subject changed from Settings protocol HTTPS does nothing to Force SSL when Setting.protocol is "https"

- Category changed from Accounts / authentication to Administration

#3 - 2017-01-16 01:09 - Go MAEDA

- Related to Feature #2579: Configure SSL schema for "private" actions. added

#4 - 2017-01-16 01:13 - Go MAEDA

- Related to Feature #3804: Authentication over HTTPS added

#5 - 2017-05-04 16:06 - Fernando Hartmann

+1

#6 - 2019-01-09 10:45 - Aleksandar Pavic

Confirmed in 3.4.6

placing `config.force_ssl = true` anywhere in `config/application.rb`

makes it work the rails way...

As I have explained back in 2017 [<http://www.redminecookbook.com/blog-29-Forcing-Redmine-to-use-SSL-on-Apache>]

#7 - 2020-02-21 13:16 - Aleksandar Pavic

I can confirm this issues still prevails on

```
Redmine version      4.1.0.stable.19444
Ruby version         2.6.5-p114 (2019-10-01) [x86_64-linux]
Rails version        5.2.4.1
```

fixing with `force_ssl = true` works.

#8 - 2020-04-16 17:57 - Marius BĂLTEANU

- Target version set to Candidate for next major release

I agree that Redmine default settings should contain better security settings. For now, I propose to enforce SSL on production environment. [Let's Encrypt](#) it's a good option for those who don't want to buy a certificate.

```
diff --git a/config/environments/production.rb b/config/environments/production.rb
index 16d9fc2f7..99632ca26 100644
--- a/config/environments/production.rb
+++ b/config/environments/production.rb
@@ -24,4 +24,7 @@ Rails.application.configure do
```

```
  # Print deprecation notices to the Rails logger.
  config.active_support.deprecation = :log
+
+ # Enforce secure HTTP requests
+ config.force_ssl = true
end
```

#9 - 2020-04-16 19:17 - Aleksandar Pavic

[Marius Ionescu](#)

that code enforces SSL always, what I'm alluding is that if you choose in settings to use HTTPS, then `force_ssl = true` should be set..

Unfortunately I can't write code and test, at the moment...

#10 - 2020-04-17 06:54 - Go MAEDA

Marius BALTEANU wrote:

I agree that Redmine default settings should contain better security settings. For now, I propose to enforce SSL on production environment. [Let's Encrypt](#) it's a good option for those who don't want to buy a certificate.

I think it is overkill. There are many cases running Redmine in production mode as follows:

- Using Redmine on intranet with an internal hostname such as <http://192.168.1.1/> or <http://redmine.test/>
- An environment that Redmine has been just installed and application for a certificate has not been completed
- Developers who test Redmine in both development and production mode

Enforcing SSL for production mode complicates the installation process for those usecases may make admins spent a lot of time to troubleshoot.

#11 - 2020-04-17 08:29 - Aleksandar Pavic

My original post, is that changing from http to https in settings, does nothing, you don't get redirected to https...

We can either remove that setting, since it doesn't do anything...

Or make it work, by having it set `force_ssl = true`, since only then users get redirected to https...

Maybe there is some other way to make it work that I'm unaware of.

#12 - 2020-04-17 10:02 - Marius BĂLTEANU

Go MAEDA wrote:

Marius BALTEANU wrote:

I agree that Redmine default settings should contain better security settings. For now, I propose to enforce SSL on production environment. [Let's Encrypt](#) it's a good option for those who don't want to buy a certificate.

I think it is overkill. There are many cases running Redmine in production mode as follows:

- Using Redmine on intranet with an internal hostname such as <http://192.168.1.1/> or <http://redmine.test/>
- An environment that Redmine has been just installed and application for a certificate has not been completed
- Developers who test Redmine in both development and production mode

Enforcing SSL for production mode complicates the installation process for those usecases may make admins spent a lot of time to troubleshoot.

These are valid points, even if these type of tests should not be made on "production" mode and even in intranet they should use https. Some companies are using self signed certificates which are trusted in their internal network. I'll think to a better solution.

Aleksandar Pavic wrote:

My original post, is that changing from http to https in settings, does nothing, you don't get redirected to https...

We can either remove that setting, since it doesn't do anything...

Or make it work, by having it set `force_ssl = true`, since only then users get redirected to https...

Maybe there is some other way to make it work that I'm unaware of.

It does, please see [#24763#note-1](#).

#13 - 2020-04-18 03:34 - Go MAEDA

I think the decision to use SSL or not should be made by a server admin. And enforcing SSL in the next version is a too drastic change.

I suggest modifying the patch in [#24763#note-8](#) as follows.

```
diff --git a/config/environments/production.rb b/config/environments/production.rb
index 16d9fc2f7..3e16e42ad 100644
--- a/config/environments/production.rb
+++ b/config/environments/production.rb
@@ -24,4 +24,8 @@ Rails.application.configure do
```

```
  # Print deprecation notices to the Rails logger.
  config.active_support.deprecation = :log
+
+ # Enforce secure HTTP requests
+ # Uncommenting the following line is HIGHLY RECOMMENDED
+ # config.force_ssl = true
end
```

I want a lot of people to try Redmine casually. So, I am opposed to complicating the installation process by forcing an ideal and perfect configuration.

#14 - 2020-04-18 09:10 - Aleksandar Pavic

- File *redmine_https.png* added

- File *https_always.png* added

Ok, so may I suggest adding a feature then, because most people aren't messing with anything except `config.yml` and `database.yml`

redmine_https.png
or

https_always.png
if

`config.force_ssl = true`

can be set programatically during runtime...

#15 - 2022-09-05 12:46 - dm_red mine

Hello, whenever I force HTTPS (`config.force_ssl = true`) and restart Redmine the browser displays the `TOO_MANY_REDIRECTS` message.

I have a signed certificate and manually browsing with https works fine, why is it redirecting onto itself?

#16 - 2023-03-03 05:03 - Go MAEDA

FYR: You force SSL by adding the following line to `config/additional_environments.rb`.

```
config.force_ssl = true if Rails.env.production?
```

#17 - 2023-08-22 07:54 - Sheng Ze Fan

- File `clipboard-202308221333-re9zw.png` added

- File `clipboard-202308221336-rlpbe.png` added

- File `clipboard-202308221338-bjris.png` added

`clipboard-202308221333-re9zw.png`

not work for Redmine 4.2.6

Please help, thanks.

what I do

1. administration -> settings: http -> https
2. Editing the `config/settings.yml` and changing protocol from default: http
`clipboard-202308221336-rlpbe.png`
3. Editing `config/application.rb` at the end of file

clipboard-202308221338-bjris.png

#18 - 2023-08-22 10:54 - Aleksandar Pavic

@Sheng_Zen_fan did you restart Redmine after changing that...?

Also try the code that Go Maeda wrote: [#24763#note-16](#)

Files

redminessl.png	9.56 KB	2017-01-05	Aleksandar Pavic
redmine_https.png	24.7 KB	2020-04-18	Aleksandar Pavic
https_always.png	14.8 KB	2020-04-18	Aleksandar Pavic
clipboard-202308221333-re9zw.png	7.88 KB	2023-08-22	Sheng Ze Fan
clipboard-202308221336-rlpbe.png	6.43 KB	2023-08-22	Sheng Ze Fan
clipboard-202308221338-bjris.png	65.5 KB	2023-08-22	Sheng Ze Fan