

## Redmine - Feature #2649

### Need @controller context in plugin hook(view\_layouts\_base\_html\_head and view\_layouts\_base\_body\_bottom)

2009-02-02 19:24 - Chaoqun Zou

<b>Status:</b>	Closed	<b>Start date:</b>	2009-02-02
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Eric Davis	<b>% Done:</b>	0%
<b>Category:</b>	Plugin API	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	0.8.2		
<b>Resolution:</b>	Fixed		
<b>Description</b>			
<p>Since there is some need to add plugin's css style into redmine's page, I think it is a good place to add it in the plugin hook of view_layouts_base_html_head.</p> <p>But I need to know the controller name and action name before doing this, because only a few pages need plugin's css code.</p> <p>Example: Add plugin's activity into redmine's activity page need an additional css code.</p> <p>It's simple to implement, just modify two lines in base.rhtml:</p> <pre>In17: &lt;%= call_hook :view_layouts_base_html_head, :controller =&gt; Nathaniel Knutson &gt; In64: &lt;= call_hook :view_layouts_base_body_bottom, :controller =&gt; Nathaniel Knutson %&gt;</pre>			
<b>Related issues:</b>			
Has duplicate Redmine - Feature #2542: Plugin hooks should have access to the...		<b>Closed</b>	<b>2009-01-19</b>

## History

### #1 - 2009-02-03 13:11 - Thomas Löber

This relates to [#2542](#) where "controller" and "request" are added to every hook call.

### #2 - 2009-02-21 01:33 - Eric Davis

- Status changed from New to Resolved
- Target version set to 0.8.2

As of [r2491](#), the current controller and request values are added to the context.

### #3 - 2009-03-07 12:41 - Jean-Philippe Lang

- Status changed from Resolved to Closed
- Resolution set to Fixed

Merged in 0.8-stable in [r2558](#).