

Redmine - Patch #26522

Repository routing bug when file path starts with (browse|entry|raw|changes|annotate|diff)/

2017-07-25 11:43 - Jens Krämer

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:	Jean-Philippe Lang	% Done:	0%
Category:	SCM	Estimated time:	0.00 hour
Target version:	4.0.0		

Description

If the first component of a path in a repository equals one of the strings above, the wrong route gets selected in the case of links without repository_id (as they are generated from wiki source: links to the default repository of a project) and the intended action is mistaken for the repository_id parameter. Attached is a patch to the repository routing test illustrating the issue.

I would suggest to change repository#identifier_param to always return an identifier (see second patch) and remove the repository routes without repository_id (rows 280ff in current config/routes.rb).

Associated revisions

Revision 17386 - 2018-06-16 16:27 - Jean-Philippe Lang

Removes repository routes without repository_id (#26522).

History

#1 - 2017-07-25 16:08 - Toshi MARUYAMA

- Target version set to 4.0.0

#2 - 2018-06-16 16:29 - Jean-Philippe Lang

- Subject changed from repository routing bug when file path starts with (browse|entry|raw|changes|annotate|diff)/ to Repository routing bug when file path starts with (browse|entry|raw|changes|annotate|diff)/

- Status changed from New to Closed

- Assignee set to Jean-Philippe Lang

Routes without repository_id are removed.

Files

repository_routing_test.patch	555 Bytes	2017-07-25	Jens Krämer
repository_identifier_param.patch	381 Bytes	2017-07-25	Jens Krämer