

## Redmine - Defect #26544

### SQL-Error occurs sometimes when clicking on "calendar" tab

2017-07-26 16:09 - Anonymous

<b>Status:</b>	Closed	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Calendar	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Affected version:</b>	3.4.2
<b>Resolution:</b>	Duplicate		
<b>Description</b>			
<p>An error occurs sometimes (and mostly not) when clicking at calendar. Second (third and so on) click works fine but first does not. After a break the "first" click also does not work again. Maybe there is a caching problem, too?</p>			
Extract from logfile:			
<pre>Query::StatementInvalid: Mysql2::Error: Not unique table/alias: 'enumerations': SELECT `issues`.`id` AS t0_r0, `issues`.`tracker_id` AS t0_r1, `issues`.`project_id` AS t0_r2, `issues`.`subject` AS t0_r3, `issues`.`description` AS t0_r4, `issues`.`due_date` AS t0_r5, `issues`.`category_id` AS t0_r6, `issues`.`status_id` AS t0_r7, `issues`.`assigned_to_id` AS t0_r8, `issues`.`priority_id` AS t0_r9, `issues`.`fixed_version_id` AS t0_r10, `issues`.`author_id` AS t0_r11, `issues`.`lock_version` AS t0_r12, `issues`.`created_on` AS t0_r13, `issues`.`updated_on` AS t0_r14, `issues`.`start_date` AS t0_r15, `issues`.`done_ratio` AS t0_r16, `issues`.`estimated_hours` AS t0_r17, `issues`.`parent_id` AS t0_r18, `issues`.`root_id` AS t0_r19, `issues`.`lft` AS t0_r20, `issues`.`rgt` AS t0_r21, `issues`.`is_private` AS t0_r22, `issues`.`closed_on` AS t0_r23, `issue_statuses`.`id` AS t1_r0, `issue_statuses`.`name` AS t1_r1, `issue_statuses`.`is_closed` AS t1_r2, `issue_statuses`.`position` AS t1_r3, `issue_statuses`.`default_done_ratio` AS t1_r4, `projects`.`id` AS t2_r0, `projects`.`name` AS t2_r1, `projects`.`description` AS t2_r2, `projects`.`homepage` AS t2_r3, `projects`.`is_public` AS t2_r4, `projects`.`parent_id` AS t2_r5, `projects`.`created_on` AS t2_r6, `projects`.`updated_on` AS t2_r7, `projects`.`identifier` AS t2_r8, `projects`.`status` AS t2_r9, `projects`.`lft` AS t2_r10, `projects`.`rgt` AS t2_r11, `projects`.`inherit_members` AS t2_r12, `projects`.`default_version_id` AS t2_r13, `projects`.`default_assigned_to_id` AS t2_r14, `trackers`.`id` AS t3_r0, `trackers`.`name` AS t3_r1, `trackers`.`is_in_chlog` AS t3_r2, `trackers`.`position` AS t3_r3, `trackers`.`is_in_roadmap` AS t3_r4, `trackers`.`fields_bits` AS t3_r5, `trackers`.`default_status_id` AS t3_r6, `users`.`id` AS t4_r0, `users`.`login` AS t4_r1, `users`.`hashed_password` AS t4_r2, `users`.`firstname` AS t4_r3, `users`.`lastname` AS t4_r4, `users`.`admin` AS t4_r5, `users`.`status` AS t4_r6, `users`.`last_login_on` AS t4_r7, `users`.`language` AS t4_r8, `users`.`auth_source_id` AS t4_r9, `users`.`created_on` AS t4_r10, `users`.`updated_on` AS t4_r11, `users`.`type` AS t4_r12, `users`.`identity_url` AS t4_r13, `users`.`mail_notification` AS t4_r14, `users`.`salt` AS t4_r15, `users`.`must_change_passwd` AS t4_r16, `users`.`passwd_changed_on` AS t4_r17, `enumerations`.`id` AS t5_r0, `enumerations`.`name` AS t5_r1, `enumerations`.`position` AS t5_r2, `enumerations`.`is_default` AS t5_r3, `enumerations`.`type` AS t5_r4, `enumerations`.`active` AS t5_r5, `enumerations`.`project_id` AS t5_r6, `enumerations`.`parent_id` AS t5_r7, `enumerations`.`position_name` AS t5_r8 FROM `issues` INNER JOIN `projects` ON `projects`.`id` = `issues`.`project_id` INNER JOIN `issue_statuses` ON `issue_statuses`.`id` = `issues`.`status_id` LEFT OUTER JOIN `trackers` ON `trackers`.`id` = `issues`.`tracker_id` LEFT OUTER JOIN `users` ON `users`.`id` = `issues`.`assigned_to_id` LEFT OUTER JOIN `enumerations` ON `enumerations`.`id` = `issues`.`priority_id` AND `enumerations`.`type` IN ('IssuePriority') LEFT OUTER JOIN enumerations ON enumerations.id = issues.priority_id WHERE (((projects.status &lt;&gt; 9 AND EXISTS (SELECT 1 AS one FROM enabled_modules em WHERE em.project_id = projects.id AND em.name='issue_tracking')) AND (((projects.is_public = 1 AND projects.id NOT IN (SELECT project_id FROM members WHERE user_id IN (6,47))) AND ((issues.is_private = 0 OR issues.author_id = 6 OR issues.assigned_to_id IN (6)))) OR (projects.id IN (1,4,6,7) AND ((issues.is_private = 0 OR issues.author_id = 6 OR issues.assigned_to_id IN (6)))))) AND ((issues.fixed_version_id IS NULL) AND issues.is_private IN (0) AND projects.id = 1) AND (((start_date BETWEEN '2017-06-26' AND '2017-08-06') OR (due_date BETWEEN '2017-06-26' AND '2017-08-06')))) ORDER BY enumerations.position DESC</pre>			
executing this query manually in mysql/mariadb I get the result			
#1066 - Tabellename/Alias 'enumerations' nicht eindeutig			

=> Table name / alias "enumeration" not unique

#### Related issues:

Is duplicate of Redmine - Defect #27153: Custom query breaks calendar view wi...

Closed

#### History

##### #1 - 2017-07-26 18:38 - Toshi MARUYAMA

- Status changed from New to Needs feedback

- Priority changed from High to Normal

What version is your MySQL?

##### #2 - 2017-07-27 07:31 - Anonymous

Toshi MARUYAMA wrote:

What version is your MySQL?

Standard debian 9 db package:

Server-Typ: MariaDB

Server-Version: 10.1.23-MariaDB-9+deb9u1 - Debian 9.0

##### #3 - 2017-07-27 07:41 - Toshi MARUYAMA

MariaDB is not supported.

##### #4 - 2017-07-27 07:43 - Anonymous

Hmm that's a pity due to the fact that debian replaced mysql with mariadb in the latest debian version (9)

##### #5 - 2017-07-27 13:04 - Anonymous

I actually also tried this sql statement at a mysql database:

```
#1066 - Not unique table/alias: 'enumerations'
```

```
Server Version: 5.5.49-0+deb7u1
```

```
Protokoll-Version: 10
```

So it seems as if it is not a mariadb-specific problem..

##### #6 - 2017-08-15 21:48 - Toshi MARUYAMA

- File sql.txt added

I cannot reproduce on my CentOS 7 and Redmine 3.4.2.

```
$ ruby --version
```

```
ruby 2.2.7p470 (2017-03-28 revision 58194) [x86_64-linux]
```

```
$ rpm -qa | grep mysql
```

```
php-mysql-5.4.16-42.el7.x86_64
```

```
mysql-community-server-5.5.57-2.el7.x86_64
```

```
mysql-community-client-5.5.57-2.el7.x86_64
```

```
mysql-community-common-5.5.57-2.el7.x86_64
```

```
mysql-community-libs-5.5.57-2.el7.x86_64
```

```
mysql57-community-release-el7-11.noarch
```

```
mysql-community-devel-5.5.57-2.el7.x86_64
```

```
$ bundle show | grep mysql
```

```
* mysql2 (0.4.9)
```

##### #7 - 2017-08-15 21:50 - Toshi MARUYAMA

- File deleted (sql.txt)

##### #8 - 2017-08-15 21:58 - Toshi MARUYAMA

- File sql.txt added

## #9 - 2017-08-16 12:35 - Jitendra Chandani

I am also having this issue: <https://www.screencast.com/t/J1ajHPH6fnP>

```
ruby --version
ruby 2.2.4p230 (2015-12-16 revision 53155) [x86_64-linux]

rpm -qa | grep mysql
mysql-5.1.73-5.el6_7.1.x86_64
mysql-devel-5.1.73-5.el6_7.1.x86_64
php56u-mysqldb-5.6.28-1.ius.el6.x86_64
mysql-libs-5.1.73-5.el6_7.1.x86_64

bundle show | grep mysql
* mysql2 (0.4.8)
```

### Error logs:

```
Query::StatementInvalid: MySQL2::Error: Not unique table/alias: 'enumerations': SELECT `issues`.`id` AS t0_r0, `issues`.`tracker_id` AS t0_r1, `issues`.`project_id` AS t0_r2, `issues`.`subject` AS t0_r3, `issues`.`description` AS t0_r4, `issues`.`due_date` AS t0_r5, `issues`.`category_id` AS t0_r6, `issues`.`status_id` AS t0_r7, `issues`.`assigned_to_id` AS t0_r8, `issues`.`priority_id` AS t0_r9, `issues`.`fixed_version_id` AS t0_r10, `issues`.`author_id` AS t0_r11, `issues`.`lock_version` AS t0_r12, `issues`.`created_on` AS t0_r13, `issues`.`updated_on` AS t0_r14, `issues`.`start_date` AS t0_r15, `issues`.`done_ratio` AS t0_r16, `issues`.`estimated_hours` AS t0_r17, `issues`.`parent_id` AS t0_r18, `issues`.`root_id` AS t0_r19, `issues`.`lft` AS t0_r20, `issues`.`rgt` AS t0_r21, `issues`.`is_private` AS t0_r22, `issues`.`closed_on` AS t0_r23, `issue_statuses`.`id` AS t1_r0, `issue_statuses`.`name` AS t1_r1, `issue_statuses`.`is_closed` AS t1_r2, `issue_statuses`.`position` AS t1_r3, `issue_statuses`.`default_done_ratio` AS t1_r4, `projects`.`id` AS t2_r0, `projects`.`name` AS t2_r1, `projects`.`description` AS t2_r2, `projects`.`homepage` AS t2_r3, `projects`.`is_public` AS t2_r4, `projects`.`parent_id` AS t2_r5, `projects`.`created_on` AS t2_r6, `projects`.`updated_on` AS t2_r7, `projects`.`identifier` AS t2_r8, `projects`.`status` AS t2_r9, `projects`.`lft` AS t2_r10, `projects`.`rgt` AS t2_r11, `projects`.`inherit_members` AS t2_r12, `projects`.`default_version_id` AS t2_r13, `projects`.`default_assigned_to_id` AS t2_r14, `trackers`.`id` AS t3_r0, `trackers`.`name` AS t3_r1, `trackers`.`is_in_chlog` AS t3_r2, `trackers`.`position` AS t3_r3, `trackers`.`is_in_roadmap` AS t3_r4, `trackers`.`fields_bits` AS t3_r5, `trackers`.`default_status_id` AS t3_r6, `users`.`id` AS t4_r0, `users`.`login` AS t4_r1, `users`.`hashed_password` AS t4_r2, `users`.`firstname` AS t4_r3, `users`.`lastname` AS t4_r4, `users`.`mail_notification` AS t4_r5, `users`.`admin` AS t4_r6, `users`.`status` AS t4_r7, `users`.`last_login_on` AS t4_r8, `users`.`language` AS t4_r9, `users`.`auth_source_id` AS t4_r10, `users`.`created_on` AS t4_r11, `users`.`updated_on` AS t4_r12, `users`.`type` AS t4_r13, `users`.`identity_url` AS t4_r14, `users`.`salt` AS t4_r15, `users`.`must_change_passwd` AS t4_r16, `users`.`passwd_changed_on` AS t4_r17, `enumerations`.`id` AS t5_r0, `enumerations`.`name` AS t5_r1, `enumerations`.`position` AS t5_r2, `enumerations`.`is_default` AS t5_r3, `enumerations`.`type` AS t5_r4, `enumerations`.`active` AS t5_r5, `enumerations`.`project_id` AS t5_r6, `enumerations`.`parent_id` AS t5_r7, `enumerations`.`position_name` AS t5_r8, `agile_data`.`id` AS t6_r0, `agile_data`.`issue_id` AS t6_r1, `agile_data`.`position` AS t6_r2, `agile_data`.`story_points` AS t6_r3 FROM `issues` INNER JOIN `projects` ON `projects`.`id` = `issues`.`project_id` INNER JOIN `issue_statuses` ON `issue_statuses`.`id` = `issues`.`status_id` LEFT OUTER JOIN `trackers` ON `trackers`.`id` = `issues`.`tracker_id` LEFT OUTER JOIN `users` ON `users`.`id` = `issues`.`assigned_to_id` LEFT OUTER JOIN `enumerations` ON `enumerations`.`id` = `issues`.`priority_id` AND `enumerations`.`type` IN ('IssuePriority') LEFT OUTER JOIN `agile_data` ON `agile_data`.`issue_id` = `issues`.`id` LEFT OUTER JOIN `enumerations` ON `enumerations`.`id` = `issues`.`priority_id` WHERE (((projects.status <> 9 AND EXISTS (SELECT 1 AS one FROM enabled_modules em WHERE em.project_id = projects.id AND em.name='issue_tracking')) AND ((projects.id IN (7,15,23,48,52,54,59,60,63,64,67,68,69,70,71,72,73,74,75,76,79,81,82,83,84,85,86,87,88,89,90,91,92,94,95,96,97,98,99,100,101,102,103,104,105,106,107,108,109,110,111,113,116,117,118,119,120,122,123,124,125,127,128,129,130,131,132,133,136,137,138,139,140,141,142,143,144,145,146,148,149,151,152,153,154,155,156,157,158,159,160,161,162,163,164,165,166,167,168,170,171) AND ((issues.is_private = 0 OR issues.author_id = 79 OR issues.assigned_to_id IN (79)))) OR (projects.id IN (20,55,74,79,88,124,127,147) AND ((issues.is_private = 0 OR issues.author_id = 79 OR issues.assigned_to_id IN (79)))))) AND ((issues.status_id IN (SELECT id FROM issue_statuses WHERE is_closed=0)) AND (issues.assigned_to_id IN ('79')) AND (((start_date BETWEEN '2017-07-30' AND '2017-09-02') OR (due_date BETWEEN '2017-07-30' AND '2017-09-02')))) ORDER BY enumerations.position DESC, issues.updated_on DESC
Rendered common/error.html.erb within layouts/base (0.1ms)
Completed 500 Internal Server Error in 83ms (Views: 21.1ms | ActiveRecord: 37.3ms)
```

## #10 - 2017-09-26 09:19 - Hapee de Groot

Completely the same error as above

```
ruby 2.3.1p112
mysql Ver 14.14 Distrib 5.7.19
mysql2 (0.4.9)
```

Same error output

```
MySQL2::Error: Not unique table/alias: 'enumerations':
```

was somebody able to fix it?

**#11 - 2017-09-27 07:56 - Andrey Semenov**

Have same error.

Docker.io/redmine  
Docker.io/mariadb

(In my case, I did an upgrade 3.0 to 3.4)

Everything works well, except for the calendar

"Custom queries" get 100% error

**#12 - 2017-09-27 18:58 - Hapee de Groot**

Is there a way to escalated this or give the ticket a status bug with a higher priority?

**#13 - 2017-09-27 19:44 - Andrey Semenov**

I will try with Compose file:

```
services:
  redmine:
    image: redmine
    environment:
      REDMINE_DB_MYSQL: db
      REDMINE_DB_PASSWORD: example
    depends_on:
      - db
  db:
    image: mysql:5.7

    environment:
      MYSQL_ROOT_PASSWORD: example
      MYSQL_DATABASE: redmine
```

Have same error, without mariadb

**#14 - 2017-10-04 21:12 - Hapee de Groot**

So I repeat my question specially with regards to Toshi MARUYAMA who changed priority to normal instead of high:  
Is there a way to escalated this or give the ticket a status bug with a higher priority?

**#15 - 2017-10-05 04:47 - Toshi MARUYAMA**

Hapee de Groot wrote:

So I repeat my question specially with regards to Toshi MARUYAMA who changed priority to normal instead of high:  
Is there a way to escalated this or give the ticket a status bug with a higher priority?

As I noted, I cannot reproduce on vanilla Redmine.  
Please describe your environment on [submissions](#) and how to reproduce.

**#16 - 2017-10-05 09:27 - Hapee de Groot**

```
Environment:
  Redmine version      3.4.2.devel
  Ruby version         2.3.1-p112 (2016-04-26) [x86_64-linux-gnu]
  Rails version        5.1.2
  Environment           production
  Database adapter      Mysql2
SCM:
  Subversion           1.9.3
  Git                   2.7.4
  Filesystem
```

And I got the same error as above repeated here:

```
Query::StatementInvalid: Mysql2::Error: Not unique table/alias: 'enumerations': SELECT `issues`.`id` AS t0_r0,
`issues`.`tracker_id` AS t0_r1, `issues`.`project_id` AS t0_r2, `issues`.`subject` AS t0_r3, `issues`.`descri
ption` AS t0_r4, `issues`.`due_date` AS t0_r5, `issues`.`category_id` AS t0_r6, `issues`.`status_id` AS t0_r7,
`issues`.`assigned_to_id` AS t0_r8, `issues`.`priority_id` AS t0_r9, `issues`.`fixed_version_id` AS t0_r10, `
issues`.`author_id` AS t0_r11, `issues`.`lock_version` AS t0_r12, `issues`.`created_on` AS t0_r13, `issues`.`u
pdated_on` AS t0_r14, `issues`.`start_date` AS t0_r15, `issues`.`done_ratio` AS t0_r16, `issues`.`estimated_ho
```

```

urs` AS t0_r17, `issues`.`parent_id` AS t0_r18, `issues`.`root_id` AS t0_r19, `issues`.`lft` AS t0_r20, `issue
s`.`rgt` AS t0_r21, `issues`.`is_private` AS t0_r22, `issues`.`closed_on` AS t0_r23, `issue_statuses`.`id` AS
t1_r0, `issue_statuses`.`name` AS t1_r1, `issue_statuses`.`is_closed` AS t1_r2, `issue_statuses`.`position` AS
t1_r3, `issue_statuses`.`default_done_ratio` AS t1_r4, `projects`.`id` AS t2_r0, `projects`.`name` AS t2_r1,
`projects`.`description` AS t2_r2, `projects`.`homepage` AS t2_r3, `projects`.`is_public` AS t2_r4, `projects`
`.`parent_id` AS t2_r5, `projects`.`created_on` AS t2_r6, `projects`.`updated_on` AS t2_r7, `projects`.`identif
ier` AS t2_r8, `projects`.`status` AS t2_r9, `projects`.`lft` AS t2_r10, `projects`.`rgt` AS t2_r11, `projects`
`.`inherit_members` AS t2_r12, `projects`.`default_version_id` AS t2_r13, `projects`.`default_assigned_to_id`
AS t2_r14, `trackers`.`id` AS t3_r0, `trackers`.`name` AS t3_r1, `trackers`.`is_in_chlog` AS t3_r2, `trackers`
`.`position` AS t3_r3, `trackers`.`is_in_roadmap` AS t3_r4, `trackers`.`fields_bits` AS t3_r5, `trackers`.`defa
ult_status_id` AS t3_r6, `users`.`id` AS t4_r0, `users`.`login` AS t4_r1, `users`.`hashed_password` AS t4_r2,
`users`.`firstname` AS t4_r3, `users`.`lastname` AS t4_r4, `users`.`admin` AS t4_r5, `users`.`status` AS t4_r6
, `users`.`last_login_on` AS t4_r7, `users`.`language` AS t4_r8, `users`.`auth_source_id` AS t4_r9, `users`.`c
reated_on` AS t4_r10, `users`.`updated_on` AS t4_r11, `users`.`type` AS t4_r12, `users`.`identity_url` AS t4_r
13, `users`.`mail_notification` AS t4_r14, `users`.`salt` AS t4_r15, `users`.`must_change_passwd` AS t4_r16,
`users`.`passwd_changed_on` AS t4_r17, `enumerations`.`id` AS t5_r0, `enumerations`.`name` AS t5_r1, `enumerati
ons`.`position` AS t5_r2, `enumerations`.`is_default` AS t5_r3, `enumerations`.`type` AS t5_r4, `enumerations`
`.`active` AS t5_r5, `enumerations`.`project_id` AS t5_r6, `enumerations`.`parent_id` AS t5_r7, `enumerations`
`.`position_name` AS t5_r8 FROM `issues` INNER JOIN `projects` ON `projects`.`id` = `issues`.`project_id` INNER
JOIN `issue_statuses` ON `issue_statuses`.`id` = `issues`.`status_id` LEFT OUTER JOIN `trackers` ON `trackers`
`.`id` = `issues`.`tracker_id` LEFT OUTER JOIN `users` ON `users`.`id` = `issues`.`assigned_to_id` LEFT OUTER J
OIN `enumerations` ON `enumerations`.`id` = `issues`.`priority_id` AND `enumerations`.`type` IN ('IssuePriorit
y') LEFT OUTER JOIN enumerations ON enumerations.id = issues.priority_id WHERE (((projects.status <> 9 AND EXI
STS (SELECT 1 AS one FROM enabled_modules em WHERE em.project_id = projects.id AND em.name='issue_tracking'))
AND (((projects.is_public = 1 AND projects.id NOT IN (SELECT project_id FROM members WHERE user_id IN (6,47)))
AND ((issues.is_private = 0 OR issues.author_id = 6 OR issues.assigned_to_id IN (6)))) OR (projects.id IN (1,
4,6,7) AND ((issues.is_private = 0 OR issues.author_id = 6 OR issues.assigned_to_id IN (6)))))) AND ((issues.
fixed_version_id IS NULL) AND issues.is_private IN (0) AND projects.id = 1) AND (((start_date BETWEEN '2017-06
-26' AND '2017-08-06') OR (due_date BETWEEN '2017-06-26' AND '2017-08-06')))) ORDER BY enumerations.position D
ESC

```

in short:

Not unique table/alias: 'enumerations':

#### #17 - 2017-10-05 11:24 - Marius BĂLTEANU

Redmine 3.4.2.devel (current trunk) is not a stable version. You should use the latest Redmine 3.4.2 version. You can check this page for more info: [Download](#).

#### #18 - 2017-10-05 12:05 - Andrey Semenov

In my example

```

Environment:
  Redmine version      3.4.2.stable
  Ruby version         2.4.2-p198 (2017-09-14) [x86_64-linux]
  Rails version        4.2.8
  Environment          production
  Database adapter     Mysql2
SCM:
  Subversion           1.8.10
  Mercurial            3.1.2
  Bazaar               2.7.0
  Git                  2.1.4
  Filesystem

```

#### #19 - 2017-10-05 16:05 - Hapee de Groot

To Marius, so you are saying you actually have the same problem running on the 3.4.2.stable version?

Than I am not going to downgrade existing version to end up with the same error.

The error is very straight forward:

Mysql2::Error: Not unique table/alias: 'enumerations'

Is none of the Redmine specialists able to tell us how to make the table/alias enumerations unique?

#### #20 - 2017-10-07 15:03 - Hapee de Groot

just tested in on stable:

```

Environment:
  Redmine version      3.4.2.stable
  Ruby version         2.3.1-p112 (2016-04-26) [x86_64-linux-gnu]

```

```
Rails version      5.1.2
Environment       production
Database adapter  Mysql2
SCM:
Subversion        1.9.3
Git               2.7.4
Filesystem
```

and indeed same issue, so can we not have a serious look at what is causing:  
Mysql2::Error: Not unique table/alias: 'enumerations'

#### #21 - 2017-10-07 15:29 - Marius BĂLTEANU

Did you run bundle install? I'm asking because Redmine 3.4.2 works with Rails 4.2.8 ([source:branches/3.4-stable/Gemfile#L7](#)), and not with 5.1.2. Also, please post your entire environment information (including Plugin section).

#### #22 - 2017-10-07 18:20 - Hapee de Groot

For Marius I did it all over again:

```
Environment:
Redmine version      3.4.2.stable
Ruby version         2.3.3-p222 (2016-11-21) [x86_64-linux-gnu]
Rails version        4.2.8
Environment          production
Database adapter     Mysql2
SCM:
Filesystem
```

Query::StatementInvalid: Mysql2::Error: Not unique table/alias: 'enumerations'

And now I would like to have a serious answer on the error instead of pointing me to wrong installations

#### #23 - 2017-10-07 18:41 - Marius BĂLTEANU

Hapee de Groot wrote:

For Marius I did it all over again:

[...]

Query::StatementInvalid: Mysql2::Error: Not unique table/alias: 'enumerations'

And now I would like to have a serious answer on the error instead of pointing me to wrong installations

First of all, I'm not pointing you to the wrong installations, I'm trying to help you based on the information provided. Until now, I saw two problems: you tried to install a version that is not stable and after that, you tried to install a stable version, but with another Rails version (each Redmine version sticks with a specific Rails version - Rails 5.1.\* it'll be supported by Redmine 4.0).

Can you provide the plugins list and the entire log? (please see [submissions](#) for more details).

#### #24 - 2017-10-07 18:51 - Marius BĂLTEANU

Also, [here](#) you can see the tests results for each Redmine version with the supported Ruby versions and databases.

#### #25 - 2017-10-07 21:35 - Hapee de Groot

Thanks Marius, but so far nobody ever went into the specifics of the error but anyway, that is what it is.

No plugins and the complete error:

```
Started GET "/projects/techissues/issues/calendar?query_id=54" for 127.0.0.1 at 2017-10-07 18:18:36 +0200
Processing by CalendarsController#show as HTML
Parameters: {"query_id"=>"54", "project_id"=>"techissues"}
Current user: hapee (id=237)
Query::StatementInvalid: Mysql2::Error: Not unique table/alias: 'enumerations': SELECT `issues`.`id` AS t0_r0,
`issues`.`tracker_id` AS t0_r1, `issues`.`project_id` AS t0_r2, `issues`.`subject` AS t0_r3, `issues`.`description` AS t0_r4,
`issues`.`due_date` AS t0_r5, `issues`.`category_id` AS t0_r6, `issues`.`status_id` AS t0_r7,
`issues`.`assigned_to_id` AS t0_r8, `issues`.`priority_id` AS t0_r9, `issues`.`fixed_version_id` AS t0_r10,
`issues`.`author_id` AS t0_r11, `issues`.`lock_version` AS t0_r12, `issues`.`created_on` AS t0_r13, `issues`.`updated_on` AS t0_r14,
`issues`.`start_date` AS t0_r15, `issues`.`done_ratio` AS t0_r16, `issues`.`estimated_hours` AS t0_r17,
`issues`.`parent_id` AS t0_r18, `issues`.`root_id` AS t0_r19, `issues`.`lft` AS t0_r20, `issues`.`rgt` AS t0_r21,
`issues`.`is_private` AS t0_r22, `issues`.`closed_on` AS t0_r23, `issue_statuses`.`id` AS t1_r0,
`issue_statuses`.`name` AS t1_r1, `issue_statuses`.`is_closed` AS t1_r2, `issue_statuses`.`position` AS
```

```
t1_r3, `issue_statuses`.`default_done_ratio` AS t1_r4, `projects`.`id` AS t2_r0, `projects`.`name` AS t2_r1,
`projects`.`description` AS t2_r2, `projects`.`homepage` AS t2_r3, `projects`.`is_public` AS t2_r4, `projects`
`.`parent_id` AS t2_r5, `projects`.`created_on` AS t2_r6, `projects`.`updated_on` AS t2_r7, `projects`.`identif
ier` AS t2_r8, `projects`.`status` AS t2_r9, `projects`.`lft` AS t2_r10, `projects`.`rgt` AS t2_r11, `projects`
`.`inherit_members` AS t2_r12, `projects`.`default_version_id` AS t2_r13, `projects`.`default_assigned_to_id`
AS t2_r14, `trackers`.`id` AS t3_r0, `trackers`.`name` AS t3_r1, `trackers`.`is_in_chlog` AS t3_r2, `trackers`
`.`position` AS t3_r3, `trackers`.`is_in_roadmap` AS t3_r4, `trackers`.`fields_bits` AS t3_r5, `trackers`.`defa
ult_status_id` AS t3_r6, `users`.`id` AS t4_r0, `users`.`login` AS t4_r1, `users`.`hashed_password` AS t4_r2,
`users`.`firstname` AS t4_r3, `users`.`lastname` AS t4_r4, `users`.`admin` AS t4_r5, `users`.`status` AS t4_r6
, `users`.`last_login_on` AS t4_r7, `users`.`language` AS t4_r8, `users`.`auth_source_id` AS t4_r9, `users`.`c
reated_on` AS t4_r10, `users`.`updated_on` AS t4_r11, `users`.`type` AS t4_r12, `users`.`identity_url` AS t4_r
13, `users`.`mail_notification` AS t4_r14, `users`.`salt` AS t4_r15, `users`.`must_change_passwd` AS t4_r16, `
users`.`passwd_changed_on` AS t4_r17, `enumerations`.`id` AS t5_r0, `enumerations`.`name` AS t5_r1, `enumerati
ons`.`position` AS t5_r2, `enumerations`.`is_default` AS t5_r3, `enumerations`.`type` AS t5_r4, `enumerations`
`.`active` AS t5_r5, `enumerations`.`project_id` AS t5_r6, `enumerations`.`parent_id` AS t5_r7, `enumerations`.`
position_name` AS t5_r8 FROM `issues` INNER JOIN `projects` ON `projects`.`id` = `issues`.`project_id` INNER
JOIN `issue_statuses` ON `issue_statuses`.`id` = `issues`.`status_id` LEFT OUTER JOIN `trackers` ON `trackers`
`.`id` = `issues`.`tracker_id` LEFT OUTER JOIN `users` ON `users`.`id` = `issues`.`assigned_to_id` LEFT OUTER J
OIN `enumerations` ON `enumerations`.`id` = `issues`.`priority_id` AND `enumerations`.`type` IN ('IssuePriorit
y') LEFT OUTER JOIN enumerations ON enumerations.id = issues.priority_id WHERE (((projects.status <> 9 AND EXI
STS (SELECT 1 AS one FROM enabled_modules em WHERE em.project_id = projects.id AND em.name='issue_tracking'))
AND ((projects.id IN (5) AND ((issues.is_private = 0 OR issues.author_id = 237 OR issues.assigned_to_id IN (23
7)))))) AND ((issues.status_id IN (SELECT id FROM issue_statuses WHERE is_closed=0)) AND (issues.assigned_to_
id IN ('237')) AND projects.id = 5) AND (((start_date BETWEEN '2017-10-01' AND '2017-11-04') OR (due_date BETW
EEN '2017-10-01' AND '2017-11-04')))) ORDER BY enumerations.position DESC
Rendered common/error.html.erb within layouts/base (2.2ms)
Completed 500 Internal Server Error in 257ms (Views: 89.9ms | ActiveRecord: 49.0ms)
```

## #26 - 2017-10-07 21:39 - Hapee de Groot

what I am actually dealing with is a mysql database coming from  
 Redmine version 2.6.10.stable  
 to a new redmine installation  
 Redmine version 3.4.2.stable  
 so the question probably is how do I change the database in such a way that 'enumerations' becomes a unique table/alias

## #27 - 2017-10-10 17:17 - Bernhard Rohloff

It seems like I've reported the same issue in [#27153](#) today.  
 I can reproduce the failure with particular custom queries (with a second sort criteria) as described in my ticket.

Can anybody affected by this issue double check my assumptions?

## #28 - 2017-10-11 14:37 - Bernhard Rohloff

For the last couple of hours, I've taken a deep dive into Redmine sources (and Ruby and MySQL).  
 So here is the thing...  
 As I mentioned above the issue occurs if you have chosen a custom query before entering the calendar. This adds additional sort criteria which  
 results in a bad SQL query similar to [this](#).  
 The issue initially occurred back in the days in [#7451](#) and was fixed in [source:trunk/app/controllers/issues\\_controller.rb@3379#L430](#) by deleting the  
 group\_by member of the query.  
 In [r16390](#) a method sort\_clause was added into the issues method in [source:trunk/app/models/issue\\_query.rb@16390](#) which adds the sort\_criteria  
 member of the custom query.

Right now, there are three ways to fix this issue...

### 1. Fix the SQL Query

I think this would be the best solution for the problem, but it's also the most difficult. And I have no solution, yet...

### 2. Delete the sort\_criteria member in the calendars\_controller

Just like it's done with the group\_by member.

```
@calendar = Redmine::Helpers::Calendar.new(Date.civil(@year, @month, 1), current_language, :month)
retrieve_query
@query.group_by = nil
@query.sort_criteria = nil #insert this into app/controllers/calendars_controller.rb
```

### 3. Set the issues order explicitly to [] in the query issues method in calendars\_controller.rb

This prohibits the execution of sort\_clause which isn't necessary in this case.

```
events = []
```

```
events += @query.issues(:include => [:tracker, :assigned_to, :priority],
                        :conditions => ["((start_date BETWEEN ? AND ?) OR (due_date BETWEEN ? AND ?))",
@calendar.startdt, @calendar.enddt, @calendar.startdt, @calendar.enddt],
                        :order => [] # add this line into app/controllers/calendars_controller.rb
)
```

So I think I would prefer the third solution.

Although it's the same solution as in [r3379](#), removing the `sort_criteria` from the query object feels like a 'quick & dirty' hack to me. Setting the sort order explicitly to `[]` in the query seems like a more comprehensible approach.

#### **#29 - 2017-10-12 09:26 - Marius BĂLTEANU**

- *Is duplicate of Defect #27153: Custom query breaks calendar view with error 500 added*

#### **#30 - 2017-10-12 09:27 - Marius BĂLTEANU**

- *Status changed from Needs feedback to Closed*

- *Resolution set to Duplicate*

This problem will be tracked in [#27153](#). Closing this one.

### **Files**

---

sql.txt	6.83 KB	2017-08-15	Toshi MARUYAMA
---------	---------	------------	----------------