Redmine - Defect #2692

The Apache Authentification handler Redmine.pm should honor login_required parameter

2009-02-07 10:34 - Felix Schäfer

Status:	Closed	Start date:	2009-02-07	
Priority:	Normal	Due date:		
Assignee:		% Done:	0%	
Category:		Estimated time:	0.00 hour	
Target version:				
Resolution:	Fixed	Affected version:		
Description				
Redmine: r2363				

The Redmine.pm authentification handler for Apache should check for the login_required parameter. I currently have a redmine install that requires login, where some projects are public, so that every logged in user can read it. I would expect the svn authentication to follow the same scheme, but repositories for public projects are also available to users who are not logged in.

History

#1 - 2009-02-07 14:38 - Felix Schäfer

I updated my Redmine.pm a little so that no unauthenticated user can access a repository in a "login_required" Redmine installation, here is the patch:

Index: Redmine.pm

```
--- Redmine.pm (revision 2389)
+++ Redmine.pm (working copy)
@@ -206,7 +206,7 @@
 my $project_id = get_project_identifier($r);
  $r->set_handlers(PerlAuthenHandler => [\&OK])
      if is_public_project($project_id, $r);
      if (is_public_project($project_id, $r) && !is_login_required($r));
+
  return OK
 }
@@ -225,6 +225,22 @@
  }
}
+sub is_login_required {
+ my $r = shift;
+
+
    my $dbh = connect_database($r);
+
    my $sth = $dbh->prepare(
        "SELECT value FROM settings WHERE settings.name='login_required';"
+
+
    );
+
+
    $sth->execute();
+
    my @ret = $sth->fetchrow_array();
    $sth->finish();
+
+
    $dbh->disconnect();
+
+
    $ret[0];
+ }
+
 sub is_public_project {
    my $project_id = shift;
    my $r = shift;
```

I'll have to work a little more to make it accessible for non-project members for a public project in a login_require redmine.

#2 - 2009-03-17 02:53 - Derrick Rapp

- File Redmine.pm added

I was just working through the same issue and came up with a complete solution. My perl experience is slim to nil so I tried to change as little as possible. In addition to the change above, I changed the SQL in the main {RedmineQuery} property to include public projects and flipped around some of the code in the is_member function. The existing code was unsecure with LDAP authentication and I addressed that as well. I have attached my version of Redmine.pm. Can someone please review my changes and commit it into the tree? Thanks.

#3 - 2010-08-10 13:26 - Felix Schäfer

- Status changed from New to Closed
- Resolution set to Fixed

As far as I can see this is fixed in $\underline{r3831}$.

Files

Redmine.pm

10.8 KB 2009-03-17

Derrick Rapp