

## Redmine - Defect #2787

### validation fails when project name exceeds 30 characters on create

2009-02-20 00:48 - Sean Dague

<b>Status:</b>	Closed	<b>Start date:</b>	2009-02-20
<b>Priority:</b>	High	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Projects	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Affected version:</b>	
<b>Resolution:</b>	Duplicate		

**Description**

If you attempt to create a project with > 30 characters, something in the i18n path fails which throws an ActionView::Template error instead of returning the validation error message.

The exception stack looks as follows:

ActionView::TemplateError (Translation value "is too long (maximum is d characters)" with arguments [] caused error 'too few arguments') on line #1 of projects/\_form.rhtml:

```
1: <= error_messages_for 'project' %>
2:
3: <div class="box">
4: <!--[form:project]-->
```

```
/var/www/redmine/vendor/plugins/gloc-1.1.0/lib/gloc-internal.rb:93:in `_l'
/var/www/redmine/vendor/plugins/gloc-1.1.0/lib/gloc.rb:19:in `l'
/var/www/redmine/app/helpers/application_helper.rb:494:in `error_messages_for'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/validations.rb:139:in `each'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/validations.rb:139:in `each'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/validations.rb:139:in `each_key'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/validations.rb:139:in `each'
/var/www/redmine/app/helpers/application_helper.rb:488:in `error_messages_for'
/var/www/redmine/app/views/projects/_form.rhtml:1:in `_run_erb_47app47views47projects47_form46rhtml'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/base.rb:342:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/base.rb:342:in `execute'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/template_handlers/compilable.rb:29:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/template_handlers/compilable.rb:29:in `render'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/partial_template.rb:20:in `render'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/benchmarking.rb:30:in `benchmark'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/partial_template.rb:19:in `render'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/template.rb:22:in `render_template'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/partials.rb:110:in `render_partia
l'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/base.rb:277:in `render'
/var/www/redmine/app/views/projects/add.rhtml:4:in `_run_erb_47app47views47projects47add46rhtml'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/helpers/form_helper.rb:317:in `fi
elds_for'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/helpers/form_helper.rb:253:in `fo
rm_for'
/var/www/redmine/app/helpers/application_helper.rb:532:in `labelled_tabular_form_for'
/var/www/redmine/app/views/projects/add.rhtml:3:in `_run_erb_47app47views47projects47add46rhtml'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/base.rb:342:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/base.rb:342:in `execute'
```

```
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/template_handlers/compilable.rb:2
9:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/template_handlers/compilable.rb:2
9:in `render'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/template.rb:35:in `render'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/template.rb:22:in `render_templat
e'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/base.rb:248:in `render_file'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:1112:in `render_for
_file'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:845:in `render_with
_no_layout'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/layout.rb:251:in `render_wi
thout_benchmark'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/benchmarking.rb:51:in `rend
er'
/usr/lib/ruby/gems/1.8/gems/activesupport-2.1.2/lib/active_support/core_ext/benchmark.rb:8:in
`realtime'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/benchmarking.rb:51:in `rend
er'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:1161:in `default_re
nder'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:1167:in `perform_ac
tion_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/filters.rb:579:in `call_fil
ters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/filters.rb:572:in `perform_
action_without_benchmark'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/benchmarking.rb:68:in `perf
orm_action_without_rescue'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/benchmarking.rb:293:in `meas
ure'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/benchmarking.rb:68:in `perf
orm_action_without_rescue'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/rescue.rb:201:in `perform_a
ction_without_caching'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/caching/sql_cache.rb:13:in
`passenger_orig_perform_action'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/
query_cache.rb:33:in `cache'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/query_cache.rb:8:in `cache'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/caching/sql_cache.rb:12:in
`passenger_orig_perform_action'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/request_handler.rb:53:in `perf
orm_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:529:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:529:in `process_wit
hout_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/filters.rb:568:in `process_
without_session_management_support'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/session_management.rb:130:i
n `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:389:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:149:in `handl
e_request'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:107:in `dispa
tch'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:104:in `synch
ronize'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:104:in `dispa
tch'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:120:in `dispa
tch_cgi'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:35:in `dispat
ch'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/request_handler.rb:38:in `proc
ess_request'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_request_handler.rb:165:in `
```

```
main_loop'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:321:in
`start_request_handler'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:282:in
`handle_spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:163:in `safe_fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `safe_fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:280:in
`handle_spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:163:in `safe_fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `safe_fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:279:in
`handle_spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `__send__'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `main_loop'
,
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:168:in `start_syn
chronously'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:135:in `start'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `start'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:179:in
`start'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:270:in `h
andle_spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:263:in `s
ynchronize'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:263:in `h
andle_spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `__send__'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `main_loop'
,
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:168:in `start_syn
chronously'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:135:in `start'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `start'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:87:in `st
art'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:222:in `spawn_rails
_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:126:in `spawn_appli
cation'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:251:in `handle_spaw
n_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `__send__'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `main_loop'
,
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:168:in `start_syn
chronously'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/bin/passenger-spawn-server:46
```

Rendering ./public/500.html (500 Internal Server Error)

The environment for this application is:

Ubuntu Linux 8.10

MySQL - mysql Ver 14.12 Distrib 5.0.67, for debian-linux-gnu (i486) using readline 5.2

Ruby version 1.8.7 (i486-linux)

RubyGems version 1.3.1

Rails version 2.1.2

Active Record version 2.1.2

Action Pack version 2.1.2

Active Resource version 2.1.2

Action Mailer version 2.1.2

Active Support version 2.1.2

Application root /var/www/redmine  
Environment production  
Database adapter mysql

Redmine version  
svn info  
Path: .  
URL: <http://redmine.rubyforge.org/svn/branches/0.8-stable>  
Repository Root: <http://redmine.rubyforge.org/svn>  
Repository UUID: e93f8b46-1217-0410-a6f0-8f06a7374b81  
Revision: 2479  
Node Kind: directory  
Schedule: normal  
Last Changed Author: jplang  
Last Changed Rev: 2470  
Last Changed Date: 2009-02-15 04:08:26 -0500 (Sun, 15 Feb 2009)

---

**Related issues:**

Is duplicate of Redmine - Defect #2626: Error during translation of the "is t...	<b>Closed</b>	<b>2009-01-30</b>
--	---------------	-------------------

---

**History****#1 - 2009-02-20 19:38 - Jean-Philippe Lang**

It seems to be the same problem as discussed in [#2626](#).  
Even if I can not reproduce, I'll apply the fix.

**#2 - 2009-02-21 10:56 - Jean-Philippe Lang**

- *Status changed from New to Closed*
- *Resolution set to Duplicate*

Fix committed in [r2486](#).