

Redmine - Defect #28770

Rest API with Curl API Key?

2018-05-14 13:29 - Maiken Saveljev

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Invalid		
<div>Description</div> <p>Hello!</p> <p>I had this project i've been working on. I found that the best way for me to use REST API is with cURL. But then i came into the problem that with the cURL, Admin account and passwords are shown in the command.</p> <p>[[http://www.redmine.org/projects/redmine/wiki/Rest_api_with_curl]] curl -v -H "Content-Type: application/xml" -X PUT --data-binary "@wiki.xml" -u login:password http://redmine/projects/foo/wiki/page_test.xml</p> <p>Is there a way to do this but with API Key? I am updating a Wiki page but on my own redmine server.</p> <p>Or do you guys have any other ways that i could do the same that curl does but with API Key?</p> <p>(I have bunch of data that will be updated to a Wiki page weekly) Basically rewritten always.</p>			

History

- #1 - 2018-10-30 13:17 - Go MAEDA
- Status changed from New to Closed
 - Resolution set to Invalid

You can pass API key using X-Redmine-API-Key header field.

```
curl --header 'X-Redmine-API-Key: YourApiKey' 'http://redmine.test/issues.json'
```

Please use forums for questions. Reading [How to request help](#) may be helpful for you.