Redmine - Defect #29581

Issues in paginated views may be lost because sorting criteria are not unique

2018-09-10 07:37 - Mizuki ISHIKAWA

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:	Jean-Philippe Lang	% Done:	0%
Category:	Issues list	Estimated time:	0.00 hour
Target version:	4.1.0		
Resolution:	Fixed	Affected version:	
Description			
	at the issue that should be present is no nay exist even at index other than issue		lex.
•		pries as the sorting criteria, th	ere is a possibility that some issues will not
	described in the document of Postgres		er than a bug)
Questions about the https://stackoverflow	same problem: .com/questions/13580826/postgresgl-r	epeating-rows-from-limit-offs	<u>et</u>
	test I wrote to reproduce this problem. greSQL, that test will fail. (Non-pagina	ated issue ids and paginated i	ssue ids should be the same.)
	7, 5, 3, 1, 13] # Non-page		
	, 7, 5, 3, 1, 13] # Paginate	ed issue ids	
Related issues:			
	Defect #32737: Duplicate sort keys for issue - Defect #31924: Paging misses some ent		Closed

Associated revisions

Revision 18263 - 2019-06-20 08:13 - Jean-Philippe Lang

Issues in paginated views may be lost because sorting criteria are not unique (#29581).

Patch by Mizuki ISHIKAWA.

History

#1 - 2018-09-20 10:22 - Mizuki ISHIKAWA

- File fix-29581.patch added

I wrote a patch to solve this problem.

I fixed to add unique fields (ex: issues.id, time_entries.id) as sort criteria.

#2 - 2018-10-01 11:09 - Go MAEDA

- Target version set to 4.1.0

Setting target version to 4.1.0.

#3 - 2019-06-17 07:30 - vzvu 3k6k

order_option += ['issues.id ASC'] unless order_option.include?("issues.id DESC") || order_option.include?("issues.id ASC")

Is it ok to use `issues.id ASC` as a default implicit order?

IssueQuery#default_sort_criteria uses issues.id DESC.

(Pair-reviewed with maimai77)

#4 - 2019-06-18 07:25 - Mizuki ISHIKAWA

- File fix-29581-v2.patch added

vzvu 3k6k wrote:

order_option += ['issues.id ASC'] unless order_option.include?("issues.id DESC") || order_option.include?("issues.id ASC")

Is it ok to use `issues.id ASC` as a default implicit order?

IssueQuery#default_sort_criteria uses issues.id DESC.

(Pair-reviewed with maimai77)

Thank you for reviewing fix-29581.patch.

As you point out, it seems natural to use the same sort criteria as IssueQuery#default_sort_criteria. I have attached the file to fixed patch.

#5 - 2019-06-18 14:06 - vzvu 3k6k

Thank you for your response! Your v2 patch looks good to me.

#6 - 2019-06-18 17:51 - Seiei Miyagi

'issues.id DESC'

Is it OK to write table name of the Issue model directly? In app/models/issue_query.rb, It seems code like following is more preferable.

"#{Issue.table_name}.id DESC"

#7 - 2019-06-19 02:19 - Mizuki ISHIKAWA

- File fix-29581-v3.patch added

Seiei Miyagi wrote:

'issues.id DESC'

Is it OK to write table name of the Issue model directly? In app/models/issue_query.rb, It seems code like following is more preferable.

[...]

Thank you for pointing it out. I changed the way of writing table names.

#8 - 2019-06-20 08:13 - Jean-Philippe Lang

- Status changed from New to Closed

- Assignee set to Jean-Philippe Lang
- Resolution set to Fixed

Patch committed, thanks.

#9 - 2019-08-30 15:46 - Go MAEDA

- Has duplicate Defect #31924: Paging misses some entries added

#10 - 2020-04-02 08:46 - Go MAEDA

- Related to Defect #32737: Duplicate sort keys for issue query cause SQL error with SQL Server added

Files

add-test-that-fails-when-using-postgresql.patch	877 Bytes	2018-09-10	Mizuki ISHIKAWA
fix-29581.patch	3.36 KB	2018-09-20	Mizuki ISHIKAWA
fix-29581-v2.patch	3.55 KB	2019-06-18	Mizuki ISHIKAWA
fix-29581-v3.patch	3.67 KB	2019-06-19	Mizuki ISHIKAWA