

## Redmine - Defect #3080

### LDAP connect

2009-03-31 10:00 - Szabolcs Klement

<b>Status:</b>	Closed	<b>Start date:</b>	2009-03-31
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Accounts / authentication	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Affected version:</b>	
<b>Resolution:</b>	Invalid		

**Description**

i think in the file app/models/auth\_source\_ldap.rb the following line is bad:

```
options = { :host => self.host,  
:port => self.port,  
:encryption => (self.tls ? :simple_tls : nil)  
}
```

this is always return for encryption=simple\_tls while self.tls is 0 or 1 not nil  
the connection always use tls.  
i modify the this for:

```
:encryption => (self.tls==1 ? :simple_tls : nil)
```

### History

#### #1 - 2009-04-04 10:52 - Jean-Philippe Lang

- Status changed from New to Closed

- Resolution set to Invalid

self.tls is 0 or 1 not nil

It is 0 or 1 in the database, but:

```
>> a = AuthSourceLdap.new  
>> a.tls  
=> false  
>> a.tls = '1'  
=> "1"  
>> a.tls  
=> true
```