

Redmine - Defect #3368

Cannot create project on postgresql

2009-05-16 00:56 - Andrew Kouznetsov

Status:	Closed	Start date:	2009-05-16
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Projects	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Invalid		

Description

Hello. I have just installed redmine. When i am trying create new project i see exception

```
RuntimeError: ERROR C23505 Mduplicate key value violates unique constraint "projects_tracker_s_unique" Fnbtinsert.c L298 R_bt_check_unique: INSERT INTO "projects_trackers" ("project_id", "tracker_id") VALUES (11, 1)
```

sql log:

```
SQL (0.8ms) SELECT max("settings".updated_on) AS max_updated_on FROM "settings"
User Load (2.3ms) SELECT * FROM "users" WHERE ("users"."id" = 1) AND (users.status = 1)
IssueCustomField Load (2.0ms) SELECT * FROM "custom_fields" WHERE ( ("custom_fields"."type" = 'IssueCustomField' ) ) ORDER BY custom_fields.position
Tracker Load (1.6ms) SELECT * FROM "trackers" ORDER BY position
Tracker Load (1.5ms) SELECT * FROM "trackers" WHERE ("trackers"."id" IN (1,2,3))
SQL (0.3ms) BEGIN
SQL (0.2ms) COMMIT
SQL (0.3ms) BEGIN
SQL (0.2ms) COMMIT
SQL (0.2ms) BEGIN
SQL (0.2ms) COMMIT
SQL (0.2ms) BEGIN
SQL (0.2ms) COMMIT
SQL (0.2ms) BEGIN
SQL (0.2ms) COMMIT
SQL (0.2ms) BEGIN
SQL (0.2ms) COMMIT
SQL (0.2ms) BEGIN
SQL (0.2ms) COMMIT
SQL (0.2ms) BEGIN
SQL (0.2ms) COMMIT
SQL (0.3ms) BEGIN
SQL (0.3ms) COMMIT
SQL (0.3ms) BEGIN
SQL (0.3ms) COMMIT
SQL (0.3ms) BEGIN
```

```

SQL (0.2ms) COMMIT

SQL (0.2ms) BEGIN

CustomField Load (1.7ms) SELECT * FROM "custom_fields" WHERE (type = 'ProjectCustomField') ORDER BY position
EnabledModule Exists (0.9ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'issue_tracking' AND "enabled_modules".project_id IS NULL) LIMIT 1
EnabledModule Exists (0.6ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'time_tracking' AND "enabled_modules".project_id IS NULL) LIMIT 1
EnabledModule Exists (0.6ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'news' AND "enabled_modules".project_id IS NULL) LIMIT 1
EnabledModule Exists (0.6ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'documents' AND "enabled_modules".project_id IS NULL) LIMIT 1
EnabledModule Exists (0.5ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'files' AND "enabled_modules".project_id IS NULL) LIMIT 1
EnabledModule Exists (0.5ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'wiki' AND "enabled_modules".project_id IS NULL) LIMIT 1
EnabledModule Exists (0.6ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'repository' AND "enabled_modules".project_id IS NULL) LIMIT 1
EnabledModule Exists (0.6ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'boards' AND "enabled_modules".project_id IS NULL) LIMIT 1
Tracker Exists (0.6ms) SELECT "trackers".id FROM "trackers" WHERE ("trackers"."name" = E'Ошибка' AND "trackers".id <> 1) LIMIT 1
Tracker Exists (0.6ms) SELECT "trackers".id FROM "trackers" WHERE ("trackers"."name" = E'Улучшение' AND "trackers".id <> 2) LIMIT 1
Tracker Exists (0.6ms) SELECT "trackers".id FROM "trackers" WHERE ("trackers"."name" = E'Поддержка' AND "trackers".id <> 3) LIMIT 1
Project Exists (0.7ms) SELECT "projects".id FROM "projects" WHERE ("projects"."name" = E'Магазин Автозапчастей') LIMIT 1
Project Exists (0.5ms) SELECT "projects".id FROM "projects" WHERE ("projects"."identifier" = E'autoshop') LIMIT 1
CACHE (0.0ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'issue_tracking' AND "enabled_modules".project_id IS NULL) LIMIT 1
CACHE (0.0ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'time_tracking' AND "enabled_modules".project_id IS NULL) LIMIT 1
CACHE (0.0ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'news' AND "enabled_modules".project_id IS NULL) LIMIT 1
CACHE (0.0ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'documents' AND "enabled_modules".project_id IS NULL) LIMIT 1
CACHE (0.0ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'files' AND "enabled_modules".project_id IS NULL) LIMIT 1
CACHE (0.0ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'wiki' AND "enabled_modules".project_id IS NULL) LIMIT 1
CACHE (0.0ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'repository' AND "enabled_modules".project_id IS NULL) LIMIT 1
CACHE (0.0ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'boards' AND "enabled_modules".project_id IS NULL) LIMIT 1
CACHE (0.0ms) SELECT "trackers".id FROM "trackers" WHERE ("trackers"."name" = E'Ошибка' AND "trackers".id <> 1) LIMIT 1
CACHE (0.0ms) SELECT "trackers".id FROM "trackers" WHERE ("trackers"."name" = E'Улучшение' AND "trackers".id <> 2) LIMIT 1
CACHE (0.0ms) SELECT "trackers".id FROM "trackers" WHERE ("trackers"."name" = E'Поддержка' AND "trackers".id <> 3) LIMIT 1
CACHE (0.0ms) SELECT "projects".id FROM "projects" WHERE ("projects"."name" = E'Магазин Автозапчастей') LIMIT 1
CACHE (0.0ms) SELECT "projects".id FROM "projects" WHERE ("projects"."identifier" = E'autoshop') LIMIT 1
SQL (0.7ms) SELECT max("projects".rgt) AS max_rgt FROM "projects"
CACHE (0.0ms) SELECT max("projects".rgt) AS max_rgt FROM "projects"
SQL (0.7ms) INSERT INTO "projects" ("name", "created_on", "lft", "updated_on", "homepage", "parent_id", "description", "is_public", "identifier", "status", "rgt") VALUES(E'Магазин Автозапчастей', '2009-05-16 03:05:01.633750', 1, '2009-05-16 03:05:01.633750', E'', NULL, E'', 't', E'autoshop', 1, 2) RETURNING "id"
EnabledModule Exists (0.6ms) SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enabled_modules"."name" = E'issue_tracking' AND "enabled_modules".project_id = 2) LIMIT 1

```

```

SQL (0.6ms)  INSERT INTO "enabled_modules" ("name", "project_id") VALUES(E'issue_tracking', 2)
RETURNING "id"
EnabledModule Exists (0.6ms)  SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enable
d_modules"."name" = E'time_tracking' AND "enabled_modules".project_id = 2) LIMIT 1
SQL (0.6ms)  INSERT INTO "enabled_modules" ("name", "project_id") VALUES(E'time_tracking', 2) R
ETURNING "id"
EnabledModule Exists (0.6ms)  SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enable
d_modules"."name" = E'news' AND "enabled_modules".project_id = 2) LIMIT 1
SQL (0.6ms)  INSERT INTO "enabled_modules" ("name", "project_id") VALUES(E'news', 2) RETURNING
"id"
EnabledModule Exists (0.6ms)  SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enable
d_modules"."name" = E'documents' AND "enabled_modules".project_id = 2) LIMIT 1
SQL (0.5ms)  INSERT INTO "enabled_modules" ("name", "project_id") VALUES(E'documents', 2) RETUR
NING "id"
EnabledModule Exists (0.7ms)  SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enable
d_modules"."name" = E'files' AND "enabled_modules".project_id = 2) LIMIT 1
SQL (0.6ms)  INSERT INTO "enabled_modules" ("name", "project_id") VALUES(E'files', 2) RETURNING
"id"
EnabledModule Exists (0.6ms)  SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enable
d_modules"."name" = E'wiki' AND "enabled_modules".project_id = 2) LIMIT 1
SQL (0.6ms)  INSERT INTO "enabled_modules" ("name", "project_id") VALUES(E'wiki', 2) RETURNING
"id"
Project Load (1.6ms)  SELECT * FROM "projects" WHERE ("projects"."id" = 2)
Wiki Load (0.9ms)  SELECT * FROM "wikis" WHERE ("wikis".project_id = 2) LIMIT 1
SQL (0.7ms)  INSERT INTO "wikis" ("project_id", "start_page", "status") VALUES(2, E'Wiki', 1) R
ETURNING "id"
EnabledModule Exists (0.6ms)  SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enable
d_modules"."name" = E'repository' AND "enabled_modules".project_id = 2) LIMIT 1
SQL (0.6ms)  INSERT INTO "enabled_modules" ("name", "project_id") VALUES(E'repository', 2) RETU
RNING "id"
EnabledModule Exists (0.6ms)  SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enable
d_modules"."name" = E'boards' AND "enabled_modules".project_id = 2) LIMIT 1
SQL (0.6ms)  INSERT INTO "enabled_modules" ("name", "project_id") VALUES(E'boards', 2) RETURNIN
G "id"
SQL (0.4ms)  INSERT INTO "projects_trackers" ("project_id", "tracker_id") VALUES (2, 1)
SQL (0.3ms)  INSERT INTO "projects_trackers" ("project_id", "tracker_id") VALUES (2, 2)
SQL (0.3ms)  INSERT INTO "projects_trackers" ("project_id", "tracker_id") VALUES (2, 3)
EnabledModule Exists (0.7ms)  SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enable
d_modules"."name" = E'issue_tracking' AND "enabled_modules".project_id = 2 AND "enabled_modules".i
d <> 9) LIMIT 1
EnabledModule Exists (0.6ms)  SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enable
d_modules"."name" = E'time_tracking' AND "enabled_modules".project_id = 2 AND "enabled_modules".id
<> 10) LIMIT 1
EnabledModule Exists (0.6ms)  SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enable
d_modules"."name" = E'news' AND "enabled_modules".project_id = 2 AND "enabled_modules".id <> 11) L
IMIT 1
EnabledModule Exists (0.6ms)  SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enable
d_modules"."name" = E'documents' AND "enabled_modules".project_id = 2 AND "enabled_modules".id <>
12) LIMIT 1
EnabledModule Exists (0.6ms)  SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enable
d_modules"."name" = E'files' AND "enabled_modules".project_id = 2 AND "enabled_modules".id <> 13)
LIMIT 1
EnabledModule Exists (0.6ms)  SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enable
d_modules"."name" = E'wiki' AND "enabled_modules".project_id = 2 AND "enabled_modules".id <> 14) L
IMIT 1
EnabledModule Exists (0.6ms)  SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enable
d_modules"."name" = E'repository' AND "enabled_modules".project_id = 2 AND "enabled_modules".id <>
15) LIMIT 1
EnabledModule Exists (0.7ms)  SELECT "enabled_modules".id FROM "enabled_modules" WHERE ("enable
d_modules"."name" = E'boards' AND "enabled_modules".project_id = 2 AND "enabled_modules".id <> 16)
LIMIT 1
SQL (0.0ms)  RuntimeError: ERROR      C23505  Mduplicate key value violates unique constraint "p
rojects_trackers_unique"      Fnbtinsert.c      L298      R_bt_check_unique: INSERT INTO "projects_tra
ckers" ("project_id", "tracker_id") VALUES (2, 1)
SQL (0.2ms)  ROLLBACK

```

History

#1 - 2009-05-16 00:58 - Andrew Kouznetsov

ruby 1.8.7 (2008-08-11 patchlevel 72) [x86_64-linux]
rails (2.2.2)
postgres-pr (0.6.1)
PostgreSQL 8.3.7

You can see the error on <http://redmine.bellax.net>

#2 - 2009-05-16 01:04 - Andrew Kouznetsov

stuff_to_do plugin makes this error

#3 - 2009-05-16 01:07 - Andrew Kouznetsov

sorry. I forgotten to launch rake task for plugins db migration

#4 - 2009-05-16 01:07 - Andrew Kouznetsov

- *Status changed from New to Resolved*

#5 - 2009-05-17 10:16 - Jean-Philippe Lang

- *Status changed from Resolved to Closed*

- *Affected version (unused) deleted (devel)*

- *Resolution set to Invalid*