

Redmine - Feature # 342

Status:	Closed	Priority:	Normal
Author:	Kyosuke Takayama	Category:	
Created:	2007-05-09	Assignee:	
Updated:	2007-05-09	Due date:	
Resolution:			
Subject:	local time zone support for SVN Viewer.		
Description			
<p>A date is time of UTC in "SVN repository". Because others are local time, I am troubled.</p> <p>Use localtime method, or every user should be able to set own timezone.</p> <p>There is it in this way now.</p> <pre>===== --- app/models/svn_repos.rb (revision 521) ++ app/models/svn_repos.rb (working copy) @ -52,7 +52,7 @ info = Info.new({:root_url => doc.elements["info/entry/repository/root"].text, :lastrev => Revision.new({ :identifier => doc.elements["info/entry/commit"].attributes['revision'], :time => Time.parse(doc.elements["info/entry/commit/date"].text), - :time => Time.parse(doc.elements["info/entry/commit/date"].text).localtime, :author => (doc.elements["info/entry/commit/author"] ? doc.elements["info/entry/commit/author"].text : "") }) }) @ -90,7 +90,7 @ :size => (entry.elements['size'] and entry.elements['size'].text).to_i, :lastrev => Revision.new({ :identifier => entry.elements['commit'].attributes['revision'], - :time => Time.parse(entry.elements['commit'].elements['date'].text), + :time => Time.parse(entry.elements['commit'].elements['date'].text).localtime, :author => (entry.elements['commit'].elements['author'] ? entry.elements['commit'].elements['author'].text : "") }) }) @ -129,7 +129,7 @===== revisions << Revision.new({:identifier => logentry.attributes['revision'], :author => (logentry.elements['author'] ? logentry.elements['author'].text : ""), - :time => Time.parse(logentry.elements['date'].text), + :time => Time.parse(logentry.elements['date'].text).localtime, :message => logentry.elements['msg'].text, :paths => paths })</pre>			

Thank you.

History
