

## Redmine - Patch #3803

### Show custom user fields in csv export of time entry reports

2009-09-01 14:31 - Roderik van der Veer

<b>Status:</b>	New	<b>Start date:</b>	2009-09-01
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Time tracking	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			

#### Description

Ok, fist of all, this was my first morning of ruby hacking, so code quality = 0. But it does what i need for now, and i wanted to share it.

The idea is as follows, i use these csv's to get my data in categories and per user into excel and do analysis on them. The problem is that not all users work at the same rate, and that is kinda vital to my analysis. I also don't want to copy paste in excel until i have a "rate" column for every user in every category in every product. The Rate plugin did,t integrate with the normal time tracking export so i changed some core code by myself.

So i created a custom field on user (Rate) and i added some "if" statements in report\_...\_to\_csv in the timeloghelper.rb. If "Member" is in the criteria, i add the custom fields of user just behind the Member column. This way i would have a colum "Member" and a column "Rate" (or any other custom user field i make).

To make it work i changed these to methods like so:

Index: timelog\_helper.rb

```
=====
--- timelog_helper.rb      (revision 2847)
+++ timelog_helper.rb      (working copy)
@@ -68,6 +68,8 @@
     ic = Iconv.new(1(:general_csv_encoding), 'UTF-8')
     decimal_separator = 1(:general_csv_decimal_separator)
     custom_fields = TimeEntryCustomField.find(:all)
+    #custom_user_fields = UserCustomField.find(:all)
+    #raise custom_user_fields.inspect
     export = StringIO.new
     CSV::Writer.generate(export, 1(:general_csv_separator)) do |csv|
       # csv header fields
@@ -115,6 +117,11 @@
     CSV::Writer.generate(export, 1(:general_csv_separator)) do |csv|
       # Column headers
       headers = criterias.collect {|criteria| 1(@available_criterias[criteria][:label]) }
+    #logger.info{headers.inspect}
+    if headers.include?("Member")
+      custom_user_fields = UserCustomField.find(:all)
+      headers += custom_user_fields.collect(&:name)
+    end
       headers += periods
       headers << 1(:label_total)
       csv << headers.collect {|c| to_utf8(c) }
@@ -141,6 +148,14 @@
     next if hours_for_value.empty?
     row = [''] * level
     row << to_utf8(format_criteria_value(criterias[level], value))
+    #logger.info criterias.inspect
+    if criterias[level] == "member"
+      k = @available_criterias[criterias[level]][:klass]
+      user = k.find_by_id(value.to_i)
+      custom_user_fields = UserCustomField.find(:all)
+      #logger.info user.inspect
+      row += custom_user_fields.collect {|f| show_value(user.custom_value_for(f)) }
+    end
     row += [''] * (criterias.length - level - 1)
     total = 0
```

```
periods.each do |period|
```

## History

### #1 - 2009-09-01 14:51 - Roderik van der Veer

Sorry, the total rows didn't move up if custom fields were added, the correct patch:

Index: timelog\_helper.rb

```
-----
--- timelog_helper.rb      (revision 2847)
+++ timelog_helper.rb      (working copy)
@@ -68,6 +68,8 @@
     ic = Iconv.new(l(:general_csv_encoding), 'UTF-8')
     decimal_separator = l(:general_csv_decimal_separator)
     custom_fields = TimeEntryCustomField.find(:all)
+    #custom_user_fields = UserCustomField.find(:all)
+    #raise custom_user_fields.inspect
     export = StringIO.new
     CSV::Writer.generate(export, l(:general_csv_separator)) do |csv|
       # csv header fields
@@ -115,6 +117,11 @@
     CSV::Writer.generate(export, l(:general_csv_separator)) do |csv|
       # Column headers
       headers = criterias.collect {|criteria| l(@available_criterias[criteria][:label]) }
+    #logger.info{headers.inspect}
+    if headers.include?("Member")
+      custom_user_fields = UserCustomField.find(:all)
+      headers += custom_user_fields.collect(&:name)
+    end
       headers += periods
       headers << l(:label_total)
       csv << headers.collect {|c| to_utf8(c) }
@@ -141,7 +148,15 @@
     next if hours_for_value.empty?
     row = [''] * level
     row << to_utf8(format_criteria_value(criterias[level], value))
-    row += [''] * (criterias.length - level - 1)
+    #logger.info criterias.inspect
+    custom_user_fields = UserCustomField.find(:all)
+    addedamount = custom_user_fields.size
+    if criterias[level] == "member"
+      k = @available_criterias[criterias[level]][:klass]
+      user = k.find_by_id(value.to_i)
+      row += custom_user_fields.collect {|f| show_value(user.custom_value_for(f)) }
+    end
     row += [''] * (criterias.length + addedamount - level - 1)
     total = 0
     periods.each do |period|
       sum = sum_hours(select_hours(hours_for_value, @columns, period.to_s))

```

### #2 - 2009-09-01 14:55 - Roderik van der Veer

another fix, sorry for spamming

Index: timelog\_helper.rb

```
-----
--- timelog_helper.rb      (revision 2847)
+++ timelog_helper.rb      (working copy)
@@ -115,13 +115,17 @@
     CSV::Writer.generate(export, l(:general_csv_separator)) do |csv|
       # Column headers
       headers = criterias.collect {|criteria| l(@available_criterias[criteria][:label]) }
+    custom_user_fields = UserCustomField.find(:all)
+    if headers.include?("Member")
+      headers += custom_user_fields.collect(&:name)
+    end
       headers += periods
       headers << l(:label_total)
       csv << headers.collect {|c| to_utf8(c) }
       # Content
       report_criteria_to_csv(csv, criterias, periods, hours)
       # Total row
-    row = [ l(:label_total) ] + [''] * (criterias.size - 1)
+    row = [ l(:label_total) ] + [''] * (criterias.size + custom_user_fields.size - 1)

```

```

total = 0
periods.each do |period|
  sum = sum_hours(select_hours(hours, @columns, period.to_s))
@@ -141,7 +145,15 @@
  next if hours_for_value.empty?
  row = [''] * level
  row << to_utf8(format_criteria_value(criterias[level], value))
- row += [''] * (criterias.length - level - 1)
+ custom_user_fields = UserCustomField.find(:all)
+ addedamount = custom_user_fields.size
+ if criterias[level] == "member"
+   k = @available_criterias[criterias[level]][:klass]
+   user = k.find_by_id(value.to_i)
+   row += custom_user_fields.collect {|f| show_value(user.custom_value_for(f)) }
+   addedamount = 0;
+ end
+ row += [''] * (criterias.length + addedamount - level - 1)
total = 0
periods.each do |period|
  sum = sum_hours(select_hours(hours_for_value, @columns, period.to_s))

```

### #3 - 2009-09-01 15:01 - Roderik van der Veer

and hopefully the last one

Index: timelog\_helper.rb

```

=====
--- timelog_helper.rb      (revision 2847)
+++ timelog_helper.rb      (working copy)
@@ -115,13 +115,19 @@
  CSV::Writer.generate(export, l(:general_csv_separator)) do |csv|
    # Column headers
    headers = criterias.collect {|criteria| l(@available_criterias[criteria][:label]) }
+   custom_user_fields = UserCustomField.find(:all)
+   addedamount = 0
+   if headers.include?("Member")
+     headers += custom_user_fields.collect(&:name)
+     addedamount = custom_user_fields.size
+   end
    headers += periods
    headers << l(:label_total)
    csv << headers.collect {|c| to_utf8(c) }
    # Content
    report_criteria_to_csv(csv, criterias, periods, hours)
    # Total row
-   row = [ l(:label_total) ] + [''] * (criterias.size - 1)
+   row = [ l(:label_total) ] + [''] * (criterias.size + addedamount - 1)
    total = 0
    periods.each do |period|
      sum = sum_hours(select_hours(hours, @columns, period.to_s))
@@ -141,7 +147,18 @@
    next if hours_for_value.empty?
    row = [''] * level
    row << to_utf8(format_criteria_value(criterias[level], value))
-   row += [''] * (criterias.length - level - 1)
+   custom_user_fields = UserCustomField.find(:all)
+   addedamount = 0
+   if criterias.include?("member")
+     addedamount = custom_user_fields.size
+   end
+   if (criterias[level] == "member")
+     k = @available_criterias[criterias[level]][:klass]
+     user = k.find_by_id(value.to_i)
+     row += custom_user_fields.collect {|f| show_value(user.custom_value_for(f)) }
+     addedamount = 0;
+   end
+   row += [''] * (criterias.length + addedamount - level - 1)
    total = 0
    periods.each do |period|
      sum = sum_hours(select_hours(hours_for_value, @columns, period.to_s))

```