

Redmine - Defect #4655

https in repository view

2010-01-26 09:04 - Peng Li

Status:	Closed	Start date:	2010-01-26
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Invalid		

Description

I followed the instruction(http://www.redmine.org/wiki/1/HowTo_Automate_repository_creation) to integrate svn into redmine, which worked fine. I want two extra features:

- 1) use <https://myhost/svn-private/project> to view repos. How to do this?
- 2) use svn instead of svn-private to view repos in redmine. which means that <http://myhost/svn/project> is both for repos viewing in redmine and checkin/checkout outside. Is this possible?

Simply change the following statement in crontab will not work.

```
root ruby reposman.rb --redmine my.redmine.host --svn-dir /var/svn --owner www-data --url http://my.svn.server/svn-private/ >> /var/log/reposman.log
```

History

#1 - 2010-02-26 02:41 - Ki Won Kim

Hi

I was worried at stake, such as

Resolved in my case

modify subversion.adapter.rb in <Redmine root>\lib\redmine\scm\adapters\subversion_adapter.rb

228 line(base 0.9.2 version)

before

```
def credentials_string
  str = "
  str << " --username #{shell_quote(kurumi_kurogi)}" unless @login.blank?
  str << " --password #{shell_quote(asami_morita)}" unless @login.blank? || @password.blank?
  str << " --no-auth-cache --non-interactive"
  str
end
```

after

```
def credentials_string
  str = "
  str << " --username #{shell_quote(kurumi_kurogi)}" unless @login.blank?
  str << " --password #{shell_quote(asami_morita)}" unless @login.blank? || @password.blank?
  str << " --trust-server-cert --no-auth-cache --non-interactive"
  str
end
```

in my blog <http://blog.naver.com/xyz37/50083633170> but Korean posted :-)

and I referenced with <http://bitnami.org/forums/forums/redmine/topics/integration-with-subversion>

#2 - 2010-02-26 02:43 - Ki Won Kim

Ki Won Kim wrote:

Hi

I was worried at stake, such as

Resolved in my case

modify subversion.adapter.rb in <Redmine root>\lib

edminescmadapterssubversion_adapter.rb

228 line(base 0.9.2 version)

before

```
def credentials_string
  str = ""
  str << " --username #{shell_quote(kurumi_kurogi)}" unless @login.blank?
  str << " --password #{shell_quote(asami_morita)}" unless @login.blank? || @password.blank?
  str << " --no-auth-cache --non-interactive"
  str
end
```

after

```
def credentials_string
  str = ""
  str << " --username #{shell_quote(kurumi_kurogi)}" unless @login.blank?
  str << " --password #{shell_quote(asami_morita)}" unless @login.blank? || @password.blank?
  str << " --trust-server-cert --no-auth-cache --non-interactive"
  str
end
```

in my blog <http://blog.naver.com/xyz37/50083633170> but Korean posted :-)
and I referenced with <http://bitnami.org/forums/forums/redmine/topics/integration-with-subversion>

#3 - 2010-02-26 04:05 - Peng Li

Thanks for your help. I still get error output:

svn: OPTIONS of 'https://xxx': authorization failed: Could not authenticate to server: rejected Basic challenge (<https://moonstown.bj.intel.com>)

After debugging, I found that [kurumi_kurogi](#) and [asami_morita](#) is empty in subversion.adapter.rb. Can you give me more help on this?

#4 - 2010-07-13 00:54 - Holger Just

- Status changed from New to Closed

- Resolution set to Invalid

Please use the forums for support requests.