

## Redmine - Defect #5039

### Reposman.rb on Windows

2010-03-10 17:57 - Bryce Nordgren

<b>Status:</b>	Closed	<b>Start date:</b>	2010-03-10
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	SCM	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	0.9.4	<b>Affected version:</b>	0.9.3
<b>Resolution:</b>	Fixed		

**Description**

running Reposman on Windows fails with a "no such method uid on nilClass" error (perhaps I am paraphrasing, sorry). It appears to be treating the Windows system as if it were a \*nix system. This, in turn appears to be because it is comparing RUBY\_PLATFORM to mswin, and my RUBY\_PLATFORM is

```
irb(main):026:0> RUBY_PLATFORM  
=> "i386-mingw32"
```

I am running the [rubyinstaller](#) for windows.

This ticket is related to [#1804](#).

As a workaround, I intend to replace mswin with the above string in the reposman.rb file, but a long-term solution should probably leverage the solution in [#1804](#).

#### Associated revisions

##### Revision 3571 - 2010-03-12 19:15 - Jean-Philippe Lang

Fixed windows platform detection in reposman.rb (#5039).

#### History

##### #1 - 2010-03-12 19:14 - Jean-Philippe Lang

- Status changed from New to Resolved
- Target version set to 0.9.4
- Resolution set to Fixed

Fixed in [r3571](#).

##### #2 - 2010-04-11 16:29 - Jean-Philippe Lang

- Status changed from Resolved to Closed