

Redmine - Defect #5960

ActiveRecord::StatementInvalid in Issues#show

2010-07-26 07:55 - Ali Ma'sum

Status:	Closed	Start date:	2010-07-26
Priority:	High	Due date:	
Assignee:	Eric Davis	% Done:	0%
Category:	Issues	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:			

Description

ActiveRecord::StatementInvalid in Issues#show

Showing app/views/issues/show.rhtml where line [#9](#) raised:

Mysql::Error: Unknown column 'issues.lft' in 'where clause': SELECT \* FROM `issues` WHERE (((issues.id != 219) AND (issues.`lft` <= NULL AND issues.`rgt` >= NULL)) AND ('issues`.`root\_id` IS NULL)) ORDER BY `lft`

Extracted source (around line [#9](#)):

6: <%= avatar(@issue.author, :size => "50") >

7:

8: <div class="subject">

9: <= render\_issue\_subject\_with\_tree(@issue) >

10: </div>

11: <p class="author">

12: <= authoring @issue.created\_on, @issue.author %>.

RAILS\_ROOT: C:/Program Files/BitNami Redmine Stack/apps/redmine

Application Trace | Framework Trace | Full Trace

C:/Program Files/BitNami Redmine

Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/connection\_adapters/abstract\_adapter.rb:219:in `log'

C:/Program Files/BitNami Redmine

Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/connection\_adapters/mysql\_adapter.rb:323:in `execute'

C:/Program Files/BitNami Redmine

Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/connection\_adapters/mysql\_adapter.rb:608:in `select'

C:/Program Files/BitNami Redmine

Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/connection\_adapters/abstract/database\_statements.rb:7:in `select\_all\_without\_query\_cache'

C:/Program Files/BitNami Redmine

Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/connection\_adapters/abstract/query\_cache.rb:60:in `select\_all'

C:/Program Files/BitNami Redmine

Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/connection\_adapters/abstract/query\_cache.rb:81:in `cache\_sql'

C:/Program Files/BitNami Redmine

Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/connection\_adapters/abstract/query\_cache.rb:60:in `select\_all'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/base.rb:661:in `find\_by\_sql'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/base.rb:1548:in `find\_every'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/base.rb:615:in `find'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/named\_scope.rb:181:in `send'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/named\_scope.rb:181:in `method\_missing'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/base.rb:2143:in `with\_scope'

C:1:in `\_\_send\_\_'

C:1:in `with\_scope'

C:1:in `\_\_send\_\_'

C:1:in `with\_scope'

C:1:in `\_\_send\_\_'

C:1:in `with\_scope'

C:1:in `\_\_send\_\_'

C:1:in `with\_scope'

C:1:in `\_\_send\_\_'

```
C:1:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:1:in `each'
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/helpers/issues_helper.rb:47:in `render_issue_subject_with_tree'
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/views/issues/show.rhtml:9:in
`_run_rhtml_app47views47issues47show46rhtml'
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/controllers/issues_controller.rb:124
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/controllers/issues_controller.rb:123:in `show'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract_adapter.rb:219:in `log'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:323:in `execute'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:608:in `select'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:7:in
`select_all_without_query_cache'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:81:in `cache_sql'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:661:in `find_by_sql'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:1548:in `find_every'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:615:in `find'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:174:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:174:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:174:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:188:in
`load_found'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:166:in
`proxy_found'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/renderable.rb:34:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/renderable.rb:34:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:306:in `with_template'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/renderable.rb:30:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/template.rb:205:in `render_template'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:265:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:348:in `_render_with_layout'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:262:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1250:in `render_for_file'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:945:in
`render_without_benchmark'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:51:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in
`ms'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/1.8/benchmark.rb:308:in `realtime'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in
`ms'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:51:in `render'
```

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/mime\_responds.rb:135:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/mime\_responds.rb:135  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/mime\_responds.rb:175:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/mime\_responds.rb:175:in  
`respond'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/mime\_responds.rb:173:in `each'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/mime\_responds.rb:173:in  
`respond'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/mime\_responds.rb:107:in  
`respond\_to'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/base.rb:1331:in `send'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/base.rb:1331:in  
`perform\_action\_without\_filters'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/filters.rb:617:in `call\_filters'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/filters.rb:610:in  
`perform\_action\_without\_benchmark'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/benchmarking.rb:68:in  
`perform\_action\_without\_rescue'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_support/core\_ext/benchmark.rb:17:in  
`ms'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/1.8/benchmark.rb:308:in `realtime'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_support/core\_ext/benchmark.rb:17:in  
`ms'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/benchmarking.rb:68:in  
`perform\_action\_without\_rescue'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/rescue.rb:160:in  
`perform\_action\_without\_flash'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/flash.rb:146:in `perform\_action'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/base.rb:532:in `send'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/base.rb:532:in  
`process\_without\_filters'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/filters.rb:606:in `process'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/base.rb:391:in `process'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/base.rb:386:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/routing/route\_set.rb:437:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/dispatcher.rb:87:in `dispatch'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/dispatcher.rb:121:in `\_call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/dispatcher.rb:130  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/query\_cache.rb:29:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/query\_cache.rb:29:in `call'  
C:/Program Files/BitNami Redmine  
Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/connection\_adapters/abstract/query\_cache.rb:34:in `cache'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/query\_cache.rb:9:in `cache'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/query\_cache.rb:28:in `call'  
C:/Program Files/BitNami Redmine  
Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/connection\_adapters/abstract/connection\_pool.rb:361:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/string\_coercion.rb:25:in `call'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/head.rb:9:in `call'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/methodoverride.rb:24:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/params\_parser.rb:15:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/session/cookie\_store.rb:93:in  
`call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/failsafe.rb:26:in `call'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `synchronize'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/dispatcher.rb:106:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/cgi\_process.rb:44:in  
`dispatch\_cgi'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/dispatcher.rb:101:in  
`dispatch\_cgi'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/dispatcher.rb:27:in `dispatch'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:76:in  
`process'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in  
`synchronize'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in

```

`process'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:159:in
`process_client'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in `each'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in
`process_client'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `initialize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `new'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `initialize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `new'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:282:in
`run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in
`each'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in
`run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/bin/mongrel_rails:128:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/command.rb:212:in
`run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/bin/mongrel_rails:281
C:/Program Files/BitNami Redmine Stack/ruby/bin/mongrel_rails:19:in `load'
C:/Program Files/BitNami Redmine Stack/ruby/bin/mongrel_rails:19
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract_adapter.rb:219:in `log'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:323:in `execute'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:608:in `select'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:7:in
`select_all_without_query_cache'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:81:in `cache_sql'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:661:in `find_by_sql'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:1548:in `find_every'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:615:in `find'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:174:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:174:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'

```

```
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:174:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:188:in
`load_found'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:166:in
`proxy_found'
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/helpers/issues_helper.rb:47:in `render_issue_subject_with_tree'
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/views/issues/show.rhtml:9:in
`_run_rhtml_app47views47issues47show46rhtml'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/renderable.rb:34:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/renderable.rb:34:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:306:in `with_template'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/renderable.rb:30:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/template.rb:205:in `render_template'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:265:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:348:in `_render_with_layout'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:262:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1250:in `render_for_file'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:945:in
`render_without_benchmark'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:51:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in
`ms'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/1.8/benchmark.rb:308:in `realtime'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in
`ms'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:51:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/controllers/issues_controller.rb:124
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:135:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:135
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:175:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:175:in
`respond'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:173:in `each'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:173:in
`respond'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:107:in
`respond_to'
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/controllers/issues_controller.rb:123:in `show'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1331:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1331:in
`perform_action_without_filters'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:617:in `call_filters'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:610:in
`perform_action_without_benchmark'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in
`perform_action_without_rescue'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in
`ms'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/1.8/benchmark.rb:308:in `realtime'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in
`ms'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in
`perform_action_without_rescue'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/rescue.rb:160:in
`perform_action_without_flash'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/flash.rb:146:in `perform_action'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:532:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:532:in
`process_without_filters'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:606:in `process'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:391:in `process'
```

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/base.rb:386:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/routing/route\_set.rb:437:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/dispatcher.rb:87:in `dispatch'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/dispatcher.rb:121:in `\_call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/dispatcher.rb:130  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/query\_cache.rb:29:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/query\_cache.rb:29:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/connection\_adapters/abstract/query\_cache.rb:34:in `cache'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/query\_cache.rb:9:in `cache'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/query\_cache.rb:28:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active\_record/connection\_adapters/abstract/connection\_pool.rb:361:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/string\_coercion.rb:25:in `call'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/head.rb:9:in `call'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/methodoverride.rb:24:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/params\_parser.rb:15:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/session/cookie\_store.rb:93:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/failsafe.rb:26:in `call'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `synchronize'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/dispatcher.rb:106:in `call'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/cgi\_process.rb:44:in `dispatch\_cgi'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/dispatcher.rb:101:in `dispatch\_cgi'  
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action\_controller/dispatcher.rb:27:in `dispatch'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:76:in `process'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in `synchronize'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in `process'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:159:in `process\_client'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in `each'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in `process\_client'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `initialize'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `new'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `initialize'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `new'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `run'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:282:in `run'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in `each'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in `run'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/bin/mongrel\_rails:128:in `run'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/command.rb:212:in `run'  
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/bin/mongrel\_rails:281  
C:/Program Files/BitNami Redmine Stack/ruby/bin/mongrel\_rails:19:in `load'  
C:/Program Files/BitNami Redmine Stack/ruby/bin/mongrel\_rails:19

Request

Parameters:

{"id"=>"219"}

Show session dump

Response

Headers:

```
{"Content-Type"=>"text/html",  
"Cache-Control"=>"no-cache"}
```

## History

---

**#1 - 2010-07-26 08:52 - Felix Schäfer**

- *Status changed from New to Closed*

This seems to be a problem with your upgrade, please visit the forums for help with that. Make sure your migrations (rake db:migrate and rake db:migrate\_plugins) all went through well.