

Redmine - Defect #5960

ActiveRecord::StatementInvalid in Issues#show

2010-07-26 07:55 - Ali Ma'sum

Status:	Closed	Start date:	2010-07-26
Priority:	High	Due date:	
Assignee:	Eric Davis	% Done:	0%
Category:	Issues	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:			

Description

ActiveRecord::StatementInvalid in Issues#show

Showing app/views/issues/show.rhtml where line [#9](#) raised:

```
Mysql::Error: Unknown column 'issues.lft' in 'where clause': SELECT * FROM `issues` WHERE (((issues.id != 219) AND (issues.`lft` <= NULL AND issues.`rgt` >= NULL)) AND ('issues`.`root_id` IS NULL)) ORDER BY `lft`
```

Extracted source (around line [#9](#)):

```
6:     <%= avatar(@issue.author, :size => "50") >
7:
8: <div class="subject">
9: <= render_issue_subject_with_tree(@issue) >
10: </div>
11:     <p class="author">
12:     <= authoring @issue.created_on, @issue.author %>.
```

RAILS_ROOT: C:/Program Files/BitNami Redmine Stack/apps/redmine

Application Trace | Framework Trace | Full Trace

```
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract_adapter.rb:219:in `log'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:323:in `execute'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:608:in `select'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:7:in
`select_all_without_query_cache'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:81:in `cache_sql'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:661:in `find_by_sql'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:1548:in `find_every'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:615:in `find'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:1:in `__send__'
```

```
C:1:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:1:in `each'
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/helpers/issues_helper.rb:47:in `render_issue_subject_with_tree'
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/views/issues/show.rhtml:9:in
`_run_rhtml_app47views47issues47show46rhtml'
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/controllers/issues_controller.rb:124
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/controllers/issues_controller.rb:123:in `show'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract_adapter.rb:219:in `log'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:323:in `execute'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:608:in `select'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:7:in
`select_all_without_query_cache'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:81:in `cache_sql'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:661:in `find_by_sql'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:1548:in `find_every'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:615:in `find'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:174:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:174:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:174:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:188:in
`load_found'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:166:in
`proxy_found'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/renderable.rb:34:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/renderable.rb:34:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:306:in `with_template'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/renderable.rb:30:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/template.rb:205:in `render_template'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:265:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:348:in `_render_with_layout'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:262:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1250:in `render_for_file'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:945:in
`render_without_benchmark'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:51:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in
`ms'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/1.8/benchmark.rb:308:in `realtime'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in
`ms'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:51:in `render'
```

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:135:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:135
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:175:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:175:in
`respond'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:173:in `each'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:173:in
`respond'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:107:in
`respond_to'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1331:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1331:in
`perform_action_without_filters'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:617:in `call_filters'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:610:in
`perform_action_without_benchmark'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in
`perform_action_without_rescue'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_support/core_ext/benchmark.rb:17:in
`ms'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/1.8/benchmark.rb:308:in `realtime'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_support/core_ext/benchmark.rb:17:in
`ms'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in
`perform_action_without_rescue'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/rescue.rb:160:in
`perform_action_without_flash'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/flash.rb:146:in `perform_action'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:532:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:532:in
`process_without_filters'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:606:in `process'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:391:in `process'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:386:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/routing/route_set.rb:437:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:87:in `dispatch'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:121:in `_call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:130
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:29:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:29:in `call'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:34:in `cache'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:9:in `cache'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:28:in `call'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/connection_pool.rb:361:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/string_coercion.rb:25:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/head.rb:9:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/methodoverride.rb:24:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/params_parser.rb:15:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/session/cookie_store.rb:93:in
`call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/failsafe.rb:26:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `synchronize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:106:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/cgi_process.rb:44:in
`dispatch CGI'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:101:in
`dispatch CGI'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:27:in `dispatch'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:76:in
`process'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in
`synchronize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in

```
`process'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:159:in
`process_client'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in `each'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in
`process_client'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `initialize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `new'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `initialize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `new'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:282:in
`run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in
`each'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in
`run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/bin/mongrel_rails:128:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/command.rb:212:in
`run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/bin/mongrel_rails:281
C:/Program Files/BitNami Redmine Stack/ruby/bin/mongrel_rails:19:in `load'
C:/Program Files/BitNami Redmine Stack/ruby/bin/mongrel_rails:19
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract_adapter.rb:219:in `log'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:323:in `execute'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:608:in `select'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:7:in
`select_all_without_query_cache'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:81:in `cache_sql'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:661:in `find_by_sql'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:1548:in `find_every'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:615:in `find'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:174:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:174:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
```

```
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1250:in `render_for_file'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:945:in `render_without_benchmark'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:51:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/core_ext/benchmark.rb:17:in `ms'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/1.8/benchmark.rb:308:in `realtime'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/core_ext/benchmark.rb:17:in `ms'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:51:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/controllers/issues_controller.rb:124
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:135:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:135
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:175:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:175:in `respond'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:173:in `each'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:173:in `respond'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:107:in `respond_to'
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/controllers/issues_controller.rb:123:in `show'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1331:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1331:in `perform_action_without_filters'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:617:in `call_filters'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:610:in `perform_action_without_benchmark'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/core_ext/benchmark.rb:17:in `ms'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/1.8/benchmark.rb:308:in `realtime'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/core_ext/benchmark.rb:17:in `ms'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/rescue.rb:160:in `perform_action_without_flash'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/flash.rb:146:in `perform_action'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:532:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:532:in `process_without_filters'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:606:in `process'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:391:in `process'
```

```
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:386:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/routing/route_set.rb:437:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:87:in `dispatch'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:121:in `_call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:130
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:29:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:29:in `call'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:34:in `cache'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:9:in `cache'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:28:in `call'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/connection_pool.rb:361:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/string_coercion.rb:25:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/head.rb:9:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/methodoverride.rb:24:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/params_parser.rb:15:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/session/cookie_store.rb:93:in
`call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/failsafe.rb:26:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `synchronize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:106:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/cgi_process.rb:44:in
`dispatch_cgi'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:101:in
`dispatch_cgi'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:27:in `dispatch'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:76:in
`process'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in
`synchronize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in
`process'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:159:in
`process_client'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in `each'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in
`process_client'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `initialize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `new'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `initialize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `new'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:282:in
`run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in
`each'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in
`run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/bin/mongrel_rails:128:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/command.rb:212:in
`run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/bin/mongrel_rails:281
C:/Program Files/BitNami Redmine Stack/ruby/bin/mongrel_rails:19:in `load'
C:/Program Files/BitNami Redmine Stack/ruby/bin/mongrel_rails:19
```

Request

Parameters:

```
{"id"=>"219"}
```

Show session dump

Response
Headers:

```
{"Content-Type"=>"text/html",  
"Cache-Control"=>"no-cache"}
```

History

#1 - 2010-07-26 08:52 - Felix Schäfer

- *Status changed from New to Closed*

This seems to be a problem with your upgrade, please visit the forums for help with that. Make sure your migrations (rake db:migrate and rake db:migrate_plugins) all went through well.