### Redmine - Defect #6905

## Specific heading-content breaks CSS

2010-11-16 02:26 - Mischa The Evil

Status: Closed Start date: 2010-11-16

Priority: Normal Due date:

Assignee: % Done: 0%

Category: UI Estimated time: 0.00 hour

Target version: 1.2.0

Resolution: Fixed Affected version:

#### Description

The following wiki-code

h1. Test

h2. heading

h2. header

h2. regular

h1. header

h2. admin-menu

h2. quick-search

h2. main

breaks the CSS for the elements due to the fact that the heading-id is taken from the heading-content.

At first I thought it was a side-effect of the recent TOC-changes (<u>r4376</u>, <u>r4377</u> and <u>r4379</u>) but after migrating back to trunk@r4264 I noticed the actual cause of the issue.

Here comes the output:

# Test

# heading

header

regular

# header

### admin-menu

# quick-search

main

#### **Associated revisions**

Revision 5135 - 2011-03-14 23:01 - Jean-Philippe Lang

Use names instead of ids for wiki anchors (#6905).

2025-05-17 1/2

### History

### #1 - 2011-03-08 15:03 - Etienne Massip

- Target version set to Candidate for next minor release

### #2 - 2011-03-14 23:03 - Jean-Philippe Lang

- Status changed from New to Closed
- Target version changed from Candidate for next minor release to 1.2.0
- Resolution set to Fixed

Fixed in <u>r5135</u>. Anchors are now created with named <a> elements to prevent clashes with layout ids.

2025-05-17 2/2