Redmine - Defect #6905

Specific heading-content breaks CSS

2010-11-16 02:26 - Mischa The Evil

Status:	Closed	**Start date:**	2010-11-16
Priority:	Normal	**Due date:**	
Assignee:		**% Done:**	0%
Category:	UI	**Estimated time:**	0.00 hour
Target version:	1.2.0		
Resolution:	Fixed	**Affected version:**	

Description

The following wiki-code

```
h1. Test

h2. heading

h2. header

h2. regular

h1. header

h2. admin-menu

h2. quick-search

h2. main
```

breaks the CSS for the elements due to the fact that the heading-id is taken from the heading-content.
At first I thought it was a side-effect of the recent TOC-changes (r4376, r4377 and r4379) but after migrating back to trunk@r4264 I noticed the actual cause of the issue.

Here comes the output:

Test

heading

header

regular

header

admin-menu

quick-search

main

Associated revisions

Revision 5135 - 2011-03-14 23:01 - Jean-Philippe Lang

Use names instead of ids for wiki anchors (#6905).

History

#1 - 2011-03-08 15:03 - Etienne Massip

- Target version set to Candidate for next minor release

#2 - 2011-03-14 23:03 - Jean-Philippe Lang

- Status changed from New to Closed

- Target version changed from Candidate for next minor release to 1.2.0

- Resolution set to Fixed

Fixed in r5135. Anchors are now created with named <a> elements to prevent clashes with layout ids.