

## Redmine - Defect #6957

### Redmine doesn't work with RubyEE + Passenger 3.0.0 + Rails 3.0.3

2010-11-22 16:00 - Radek Antoniuk

<b>Status:</b>	Closed	<b>Start date:</b>	2010-11-22
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Affected version:</b>	
<b>Resolution:</b>	Invalid		

#### Description

I get the following error when switching to it:

```
0 /opt/rubyEE-2010-02/lib/ruby/site_ruby/1.8/rubygems.rb 223 in `activate'
1 /opt/rubyEE-2010-02/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb 35 in `require'
2 /usr/share/redmine/config/environment.rb 34
3 /opt/rubyEE-2010-02/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb 31 in `gem_origin
al_require'
4 /opt/rubyEE-2010-02/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb 31 in `require'
5 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/classic_rail
s/application_spawner.rb 222 in `preload_application'
6 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/classic_rail
s/application_spawner.rb 181 in `initialize_server'
7 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/utils.rb
564 in `report_app_init_status'
8 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/classic_rail
s/application_spawner.rb 174 in `initialize_server'
9 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/abstract_ser
ver.rb 204 in `start_synchronously'
10 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/abstract_se
rver.rb 180 in `start'
11 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/classic_rail
s/application_spawner.rb 149 in `start'
12 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/spawn_manag
er.rb 219 in `spawn_rails_application'
13 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/abstract_se
rver_collection.rb 132 in `lookup_or_add'
14 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/spawn_manag
er.rb 214 in `spawn_rails_application'
15 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/abstract_se
rver_collection.rb 82 in `synchronize'
16 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/abstract_se
rver_collection.rb 79 in `synchronize'
17 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/spawn_manag
er.rb 213 in `spawn_rails_application'
18 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/spawn_manag
er.rb 132 in `spawn_application'
19 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/spawn_manag
er.rb 275 in `handle_spawn_application'
20 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/abstract_se
rver.rb 357 in `__send__'
21 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/abstract_se
rver.rb 357 in `server_main_loop'
22 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/lib/phusion_passenger/abstract_se
rver.rb 206 in `start_synchronously'
23 /opt/rubyEE-2010-02/lib/ruby/gems/1.8/gems/passenger-3.0.0/helper-scripts/passenger-spawn-se
rver 99
```

gems and ruby version:

```
root@warden:~# ruby -v
ruby 1.8.7 (2010-04-19 patchlevel 253) [x86_64-linux], MBARI 0x6770, Ruby Enterprise Edition 2010.02
root@warden:~# gem list

*** LOCAL GEMS ***

abstract (1.0.0)
actionmailer (3.0.3)
actionpack (3.0.3)
activemodel (3.0.3)
activerecord (3.0.3)
activeresource (3.0.3)
activesupport (3.0.3)
arel (2.0.4)
builder (2.1.2)
bundler (1.0.7)
daemon_controller (0.2.5)
erubis (2.6.6)
fastthread (1.0.7)
file-tail (1.0.5)
i18n (0.4.2)
mail (2.2.10)
mime-types (1.16)
mysql (2.8.1)
passenger (3.0.0)
pg (0.9.0)
polyglot (0.3.1)
rack (1.2.1)
rack-mount (0.6.13)
rack-test (0.5.6)
rails (3.0.3)
railties (3.0.3)
rake (0.8.7)
spruz (0.2.2)
sqlite3-ruby (1.3.2)
thor (0.14.6)
treetop (1.4.9)
tzinfo (0.3.23)
```

## History

### #1 - 2010-11-22 16:21 - Felix Schäfer

- Status changed from New to Closed
- Resolution set to Invalid

Current redmine stable is rails 2.3.5 only.

### #2 - 2010-11-22 17:04 - Radek Antoniuk

Thanks for that.

Any idea how to get it work in a multi-rails environment? Apart from setting up a separate environment with ruby for that? I've installed appropriate gems but nothing changed:

```
abstract (1.0.0)
actionmailer (3.0.3, 2.3.5)
actionpack (3.0.3, 2.3.5)
activemodel (3.0.3)
activerecord (3.0.3, 2.3.5)
activeresource (3.0.3, 2.3.5)
activesupport (3.0.3, 2.3.5)
arel (2.0.4)
builder (2.1.2)
bundler (1.0.7)
daemon_controller (0.2.5)
erubis (2.6.6)
fastthread (1.0.7)
```

file-tail (1.0.5)  
i18n (0.4.2)  
mail (2.2.10)  
mime-types (1.16)  
mysql (2.8.1)  
passenger (3.0.0)  
pg (0.9.0)  
polyglot (0.3.1)  
rack (1.2.1, 1.0.1)  
rack-mount (0.6.13)  
rack-test (0.5.6)  
rails (3.0.3, 2.3.5)  
railties (3.0.3)  
rake (0.8.7)  
spruz (0.2.2)  
sqlite3-ruby (1.3.2)  
thor (0.14.6)  
treetop (1.4.9)  
tzip (0.3.23)

### #3 - 2010-11-22 17:14 - Felix Schäfer

Passenger should run the correct rails version if present IIRC, but look it up in the passenger documentation to make sure. Another solution would be to serve redmine through something else than passenger altogether and reverse proxy it through your web server,

### #4 - 2010-11-22 17:20 - Radek Antoniuk

They say it should:

[http://www.modrails.com/documentation/Users%20guide%20Apache.html#\\_installing\\_multiple\\_ruby\\_on\\_rails\\_versions](http://www.modrails.com/documentation/Users%20guide%20Apache.html#_installing_multiple_ruby_on_rails_versions)

Maybe I should post a bug to passenger instead ;-)

I posted to RubyEE GGroup, we will see, I will inform you here if I learn sth new about that issue.

Thx.