



### #3 - 2011-01-12 16:35 - Etienne Massip

And no javascript error or warning in Firebug console.

### #4 - 2011-01-13 15:12 - Etienne Massip

Etienne Massip wrote:

Got same with FF 4b9.

Here the content of HTTP response to POST request <http://localhost:3000/projects/test1/members/new> :

[...]

May be a missing semi-colon after `hideOnLoad()` call ?

Note : I tried to paste response within a "code class="javascript" block" but previewing or submitting the message then cause a HTTP 500 error.

Also note that trying to use syntax highlighting on this piece of javascript code may bring your server down ; I just killed <http://coderay.rubychan.de> and my own Redmine server this way.

Luckily, redmine.org is still up.

About this issue, this is not a browser bug as it can also be reproduced with IE8. Ajax' `OnComplete()` is never called.

### #5 - 2011-01-14 10:29 - Kornelius Kalnbach

I'll try to fix this CodeRay bug ASAP.

### #6 - 2011-01-14 10:59 - Kornelius Kalnbach

Found the bug. Will be fixed in 0.9.7. Thank you so much for reporting that, Etienne!

### #7 - 2011-01-14 11:06 - Kornelius Kalnbach

Preliminary fixed version is in the [0.9 stable branch](#).

### #8 - 2011-01-14 11:15 - Etienne Massip

Created a separate issue here : [#7329](#)

### #9 - 2011-01-14 14:41 - Etienne Massip

This bug is due to [r4371](#) which overrides default `Ajax.OnComplete()`

### #10 - 2011-01-14 15:27 - Etienne Massip

Only possible patch, alas :

```
Index: app/views/projects/settings/_members.rhtml
=====
--- app/views/projects/settings/_members.rhtml      (revision 4686)
+++ app/views/projects/settings/_members.rhtml      (working copy)
@@ -57,7 +57,8 @@
 <% if roles.any? && principals.any? %>
   <% remote_form_for(:member, @member, :url => {:controller => 'members', :action => 'new', :id => @project},
 :method => :post,
                                     :loading => "$('member-add-submit').disable()",
-                                     :complete => "$('member-add-submit').enable()") do |f| %>
+                                     :failure => "$('member-add-submit').enable()",
+                                     :success => "$('member-add-submit').enable()") do |f| %>
   <fieldset><legend><%=l(:label_member_new)%></legend>

   <p><%= label_tag "principal_search", l(:label_principal_search) %><%= text_field_tag 'principal_search', nil %></p>
```

Can't find a way to have both "local" and "global" `OnComplete()` triggered.

### #11 - 2011-01-14 20:41 - Jean-Philippe Lang

Looking at the prototype code, responders do not override those that were previously defined. They should be all called.

The `:complete` option is used in many places and I don't to make this change unless the problem is clearly found. For example, do you have the same problem when doing a wiki preview?

## #12 - 2011-01-14 20:48 - Etienne Massip

Jean-Philippe Lang wrote:

Looking at the prototype code, responders do not override those that were previously defined. They should be all called. The :complete option is used in many places and I don't to make this change unless the problem is clearly found. For example, do you have the same problem when doing a wiki preview?

I think every other time the :complete option is used is outside of an ajax context.

I've found some posts related to this local override effect, but I didn't look at the code.

## #13 - 2011-01-14 21:36 - Jean-Philippe Lang

Etienne Massip wrote:

I think every other time the :complete option is used is outside of an ajax context.

No, the :complete option applies to ajax calls. It's used in link\_to\_remote most of the time.

## #14 - 2011-01-15 13:24 - Etienne Massip

Jean-Philippe Lang wrote:

Looking at the prototype code, responders do not override those that were previously defined. They should be all called. The :complete option is used in many places and I don't to make this change unless the problem is clearly found. For example, do you have the same problem when doing a wiki preview?

You're right, it should work as wiki preview is working, I will investigate further later.

## #15 - 2011-01-15 13:43 - Etienne Massip

Ok, that was stupid, bug is in fact that the "Add" member button does not exist if there is no member to add anymore :

```
Index: _members.rhtml
--- _members.rhtml Base (BASE)
+++ _members.rhtml Locally Modified (Based On LOCAL)
@@ -56,8 +56,8 @@
 <div class="splitcontentright">
 <% if roles.any? && principals.any? %>
 <% remote_form_for(:member, @member, :url => {:controller => 'members', :action => 'new', :id => @project},
 :method => :post,
-                                     :loading => "$('member-add-submit').disable()",
-                                     :complete => "$('member-add-submit').enable()") do |f| %>
+                                     :loading => "$('member-add-submit').disable()'",
+                                     :complete => 'if($(\`member-add-submit\`)) $(\`member-add-submit\`
).enable();') do |f| %>
 <fieldset><legend><%=l(:label_member_new)%></legend>

 <p><%= label_tag "principal_search", l(:label_principal_search) %><%= text_field_tag '
principal_search', nil %></p>
```

## #16 - 2011-01-15 14:20 - Jean-Philippe Lang

- Status changed from New to Resolved
- Target version set to 1.1.1
- Resolution set to Fixed

Thanks for providing the fix, it's committed in [r4719](#).

## #17 - 2011-01-27 18:45 - Jean-Philippe Lang

- Status changed from Resolved to Closed

Merged in 1.1-stable in [r4762](#).

## #18 - 2011-04-15 18:24 - Etienne Massip

- Category set to Project settings

**Files**

---

loading-icon-does-not-disappear.png

27.1 KB

2011-01-10

Go MAEDA