## Redmine - Defect #7297

# Undefined method `visible\_custom\_field\_values' in projects/show.rhtml

2011-01-11 22:05 - Anonymous

Status: Closed Start date: 2011-01-11 **Priority:** Normal Due date: % Done: Assignee: 0% Estimated time: 0.00 hour Category: Target version: Resolution: Invalid Affected version: 1.1.0 Description When accessing the Overview page of any project, the following error gets logged (and a 500 gets sent to the browser) ActionView::TemplateError (undefined method `visible\_custom\_field\_values' for #<Project:0x7f20a6bd a448>) on line #19 of app/views/projects/show.rhtml: 16: <%=1(:label\_subproject\_plural)%>: 17: <%= @subprojects.collect{|p| link\_to(h(p), :action => 'show', :id => p)}.join(", ") %> 18: <% end %> 19: <% @project.visible\_custom\_field\_values.each do |custom\_value| %> 20: <% if !custom\_value.value.blank? %> 21: <%= custom\_value.custom\_field.name%>: <%=h show\_value(custom\_value) %> 22: <% end %> app/views/projects/show.rhtml:19:in `\_run\_rhtml\_app47views47projects47show46rhtml' app/controllers/projects\_controller.rb:166:in `show' /usr/lib/ruby/1.8/phusion\_passenger/rack/request\_handler.rb:92:in `process\_request' /usr/lib/ruby/1.8/phusion\_passenger/abstract\_request\_handler.rb:207:in `main\_loop' /usr/lib/ruby/1.8/phusion\_passenger/railz/application\_spawner.rb:418:in `start\_request\_handler /usr/lib/ruby/1.8/phusion\_passenger/railz/application\_spawner.rb:358:in `handle\_spawn\_applicat ion' /usr/lib/ruby/1.8/phusion\_passenger/utils.rb:184:in `safe\_fork' /usr/lib/ruby/1.8/phusion\_passenger/railz/application\_spawner.rb:354:in `handle\_spawn\_applicat ion' /usr/lib/ruby/1.8/phusion\_passenger/abstract\_server.rb:352:in `\_\_send\_\_' /usr/lib/ruby/1.8/phusion\_passenger/abstract\_server.rb:352:in `main\_loop' /usr/lib/ruby/1.8/phusion\_passenger/abstract\_server.rb:196:in `start\_synchronously' /usr/lib/ruby/1.8/phusion\_passenger/abstract\_server.rb:163:in `start' /usr/lib/ruby/1.8/phusion\_passenger/railz/application\_spawner.rb:213:in `start' /usr/lib/ruby/1.8/phusion\_passenger/spawn\_manager.rb:262:in `spawn\_rails\_application' /usr/lib/ruby/1.8/phusion\_passenger/abstract\_server\_collection.rb:126:in `lookup\_or\_add' /usr/lib/ruby/1.8/phusion\_passenger/spawn\_manager.rb:256:in `spawn\_rails\_application' /usr/lib/ruby/1.8/phusion\_passenger/abstract\_server\_collection.rb:80:in `synchronize' /usr/lib/ruby/1.8/phusion\_passenger/abstract\_server\_collection.rb:79:in `synchronize' /usr/lib/ruby/1.8/phusion\_passenger/spawn\_manager.rb:255:in `spawn\_rails\_application' `spawn\_application' /usr/lib/ruby/1.8/phusion\_passenger/spawn\_manager.rb:154:in /usr/lib/ruby/1.8/phusion\_passenger/spawn\_manager.rb:287:in `handle\_spawn\_application' /usr/lib/ruby/1.8/phusion\_passenger/abstract\_server.rb:352:in `\_\_send\_\_' /usr/lib/ruby/1.8/phusion\_passenger/abstract\_server.rb:352:in `main\_loop' /usr/lib/ruby/1.8/phusion\_passenger/abstract\_server.rb:196:in `start\_synchronously' /usr/lib/phusion\_passenger/passenger-spawn-server:61 Rails version: 2.3.5 Ruby version: 1.8.7 (2010-06-23 patchlevel 299) [x86\_64-linux] Revision: r4680 Related issues:

Has duplicate Redmine - Defect #7305: undefined method `visible\_custom\_field\_... Closed 2011-01-12

Has duplicate Redmine - Defect #7665: Error 500 Closed 2011-02-20

2024-03-20 1/5

### History

### #1 - 2011-01-11 23:04 - Ilya Kharmatsky

Here is a patch that worked for me and resolved the problem:

## #2 - 2011-01-11 23:06 - Ilya Kharmatsky

- File redmine-1.1.0\_fix.patch added

The previous comment is unreadable, so I'm attaching the patch as a file.

## #3 - 2011-01-11 23:55 - Jean-Philippe Lang

- Status changed from New to Closed
- Resolution set to Invalid

Same as #7291. Make sure you're using a fresh Redmine code. This method is defined in acts\_as\_customizable.

### #4 - 2011-01-12 01:59 - Anonymous

I updated to HEAD (currently r4702). The problem still exists.

The patch, however, works like a charm! :-)

## #5 - 2011-01-12 10:09 - Tristan Knight

I filed the same issue #7291.

i also tried updating to the latest as suggested in the issue i filed to find no change

however this patch worked a treat! thanks

# #6 - 2011-01-12 16:51 - Anonymous

- Status changed from Closed to Reopened

The same change needs to be made to app/views/users/show.rhtml

Reopening this defect as it is still a problem in r4702 (the current HEAD)

### #7 - 2011-01-13 12:19 - Artem La

Adam DeJardine wrote:

The same change needs to be made to app/views/users/show.rhtml

Reopening this defect as it is still a problem in <a href="red-14702">red-14702</a> (the current HEAD)

I've already added #7305 bug while this was closed. So probably need to close one of them.

# #8 - 2011-01-25 18:47 - Jean-Philippe Lang

Reopening this defect as it is still a problem in r4702 (the current HEAD)

2024-03-20 2/5

### #9 - 2011-01-25 19:38 - Anonymous

I've made some tweaks after this point (including adding Ilya's patch). There's been a decent number of commits since <u>r4702</u>, so if you can't reproduce at HEAD then I'll stand behind you closing the issue :-)

```
redmine@redmine:/usr/share/redmine-1.1$ svn status
       multi_repo.patch
?
?
        app/helpers/repositories_helper.rb.orig
        app/helpers/queries_helper.rb
M
        app/models/mailer.rb
М
        app/views/layouts/base.rhtml
Μ
        app/views/users/show.rhtml
M
        app/views/projects/show.rhtml
?
        app/views/issues/ changesets.rhtml.orig
Μ
        app/views/issues/bulk_edit.rhtml
       db/migrate/109_add_name_to_repository.rb
?
?
       vendor/plugins/redminelocalavatars
?
       vendor/plugins/redmin-mylyncon
?
       vendor/plugins/redmine_favicon
?
       vendor/plugins/redmine_opensearch
?
       vendor/plugins/redmine_logs
Μ
        vendor/plugins/engines/lib/engines/rails_extensions/asset_helpers.rb
       vendor/plugins/engines/generators/plugin_migration/plugin_migration_generator.rb
Μ
       vendor/plugins/coderay-0.9.2/lib/coderay/helpers/file_type.rb
Μ
М
       vendor/plugins/acts_as_customizable/lib/acts_as_customizable.rb
Μ
       vendor/plugins/gravatar/Rakefile
Μ
        vendor/plugins/gravatar/lib/gravatar.rb
       vendor/plugins/gravatar/spec/gravatar_spec.rb
Μ
Μ
       vendor/plugins/open_id_authentication/lib/open_id_authentication.rb
Μ
       vendor/plugins/awesome_nested_set/lib/awesome_nested_set.rb
Μ
       config/locales/en.yml
?
       config/initializers/spent_time_query_patch.rb
?
       lib/spent_time_query_patch.rb
Μ
       lib/redmine/info.rb
       public/redmine
redmine@redmine:/usr/share/redmine-1.1$ svn info
Path: .
URL: http://redmine.rubyforge.org/svn/branches/1.1-stable
Repository Root: http://redmine.rubyforge.org/svn
Repository UUID: e93f8b46-1217-0410-a6f0-8f06a7374b81
Revision: 4702
Node Kind: directory
Schedule: normal
Last Changed Author: tmaruyama
Last Changed Rev: 4693
Last Changed Date: 2011-01-11 10:28:23 -0500 (Tue, 11 Jan 2011)
redmine@redmine:/usr/share/redmine-1.1$
```

# #10 - 2011-01-26 15:34 - Jean-Philippe Lang

There is a good chance that your 500 error come from the modified:

```
M vendor/plugins/acts_as_customizable/lib/acts_as_customizable.rb
```

Can you post a diff of this file?

## #11 - 2011-01-26 16:07 - Anonymous

2024-03-20 3/5

```
v = v.stringify_keys
                                       if v['id'] && v.has_key?('value')
                                            hash[v['id']] = v['value']
                                        end
                                       hash
                                  end
                                 self.custom_field_values = values_to_hash
                           # Sets the values of the object's custom fields
                            # values is a hash like {'1' => 'foo', 2 => 'bar'}
                           def custom_field_values=(values)
                                 @custom_field_values_changed = true
                                 values = values.stringify_keys
@@ -77,10 +62,6 @@
                                  \verb|@custom_field_values|| = available_custom_fields.collect { |x| custom_values.detect { |v| v.custom_values.detect { |v| v.custom
field == x } || custom_values.build(:custom_field => x, :value => nil) }
        end
                         def visible_custom_field_values
                               custom_field_values.select(&:visible?)
                           def custom_field_values_changed?
                                 @custom_field_values_changed == true
redmine@redmine:/usr/share/redmine-1.1$ diff vendor/plugins/acts_as_customizable/lib/acts_as_customizable.rb .
./redmine/vendor/pluqins/acts_as_customizable/lib/acts_as_customizable.rb
redmine@redmine:/usr/share/redmine-1.1$
```

Looks like that's the problem... when I upgraded from 1.0 to 1.1 I copied the contents of vendor/plugins to the 1.1 install which overwrote this file.

### #12 - 2011-01-26 17:14 - Jean-Philippe Lang

- Status changed from Reopened to Closed

Adam DeJardine wrote:

[...]

Looks like that's the problem... when I upgraded from 1.0 to 1.1 I copied the contents of vendor/plugins to the 1.1 install which overwrote this file.

See my first comment...

Anyway, you should never do this.

### #13 - 2011-01-31 17:38 - Vasili Pupkin

Jean-Philippe Lang wrote:

See my first comment...

Anyway, you should never do this.

I think the problem exactly here.... It is a serious bug in documentation - see Redmine Upgrade Step 3 - "Perform the upgrade has following sub-step:

### 5. Copy the folders of your installed plugins into new installation directory

There is no clear separation between the "custom" plugins and "built-in" plugins, and as result we are taking our custom plugins from the previous version, but scrambling the "built-in" plugins with the old code base.

# #14 - 2011-03-03 09:15 - Wayne He

Yes,I encountered the same issue when I upgraded from 0.9.3 to 1.1.1. And there are 2 different issues,see following:

This one could be resoved by the patch.

2024-03-20 4/5

```
ActionView::TemplateError (undefined method `visible_custom_field_values' for #<User:0xb692d914>) on line #12 of app/views/users/show.rhtml:

9: <% unless @user.pref.hide_mail >

10: <<li><<li><<li><<li><=l(:field_mail)%>: <%= mail_to(h(@user.mail), nil, :encode => 'javascript') >
>11: < end >

12: < @user.visible_custom_field_values.each do |custom_value| >

13: < if !custom_value.value.blank? >

14: <=h custom_value.custom_field.name%>: <%=h show_value(custom_value) >
>15: < end %>
```

This one maybe be caused by overwrote the directory "plugins".

### #15 - 2011-07-13 19:40 - Dave Abrahams

Vasili Pupkin wrote:

I think the problem exactly here.... It is a serious bug in documentation - see Redmine Upgrade Step 3 - "Perform the upgrade has following sub-step:

5. Copy the folders of your installed plugins into new installation directory

There is no clear separation between the "custom" plugins and "built-in" plugins, and as result we are taking our custom plugins from the previous version, but scrambling the "built-in" plugins with the old code base.

I can't believe this hasn't been addressed in the documentation already! It's very little consolation to find this ticket after having already screwed up installation.

### #16 - 2011-07-13 19:47 - Dave Abrahams

- Status changed from Closed to Reopened

reopening since this is a serious documentation bug and I'm not privileged to edit the wiki page and fix it myself

### #17 - 2011-07-13 19:53 - Etienne Massip

What would you write then?

### #18 - 2020-12-07 16:08 - Go MAEDA

- Status changed from Reopened to Closed

Dave Abrahams wrote:

reopening since this is a serious documentation bug and I'm not privileged to edit the wiki page and fix it myself

The document has already been fixed.

https://www.redmine.org/projects/redmine/wiki/RedmineUpgrade/diff?utf8=%E2%9C%93&version=47&version\_from=46&commit=View+differences

In addition, plugins are placed in the separate plugins directory since Redmine 2.0 (r9503).

I am closing this issue.

## **Files**

redmine-1.1.0_fix.patch	578 Bytes	2011-01-11	Ilya Kharmatsky

2024-03-20 5/5