

## Redmine - Defect #7307

### HTTP 500 error on query for empty revision

2011-01-12 09:53 - Etienne Massip

<b>Status:</b>	Closed	<b>Start date:</b>	2011-01-12
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Toshi MARUYAMA	<b>% Done:</b>	0%
<b>Category:</b>	SCM	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	1.1.1	<b>Affected version:</b>	1.1.0
<b>Resolution:</b>	Fixed		
<b>Description</b>			
<p>On revision page, you can change the revision id then click on the 'Ok' button to get to the new revision page.</p> <p>If you remove the revision id field content and leave it blank then you'll get a HTTP 500 error.</p> <p>Additional question (UX) : why is the 'Ok' button displayed on the revision page and not on the repository page ?</p> <p>Tested with a SVN repo.</p>			
<b>Related issues:</b>			
Duplicated by Redmine - Defect # 7332: Defect #7307 doesn't appear to be fixed			<b>Closed</b> <b>2011-01-14</b>

#### Associated revisions

##### Revision 4703 - 2011-01-13 13:04 - Toshi MARUYAMA

scm: fix error on revision page for empty revision (#7307).

##### Revision 4704 - 2011-01-13 13:04 - Toshi MARUYAMA

scm: mercurial: fix error on revision page for empty revision (#7307).

##### Revision 4710 - 2011-01-14 21:22 - Jean-Philippe Lang

Respond with 404 instead of 500 when revision/entry is not found in the repository (#7307).

##### Revision 4712 - 2011-01-14 23:51 - Toshi MARUYAMA

scm: use #blank? instead of #nil? || #empty? at Repository#find\_changeset\_by\_name(name) (#7307).

Referring r4711.

##### Revision 4713 - 2011-01-15 00:10 - Toshi MARUYAMA

scm: git: fix id at functional test\_empty\_revision test(#7307).

##### Revision 4714 - 2011-01-15 00:10 - Toshi MARUYAMA

scm: mercurial: fix id at functional test\_empty\_revision test(#7307).

## History

---

### #1 - 2011-01-12 11:01 - Toshi MARUYAMA

- File 7307-rev-empty.diff added

This is ad hoc patch.

### #2 - 2011-01-12 12:21 - Gloriaer smith

- File leanspawithacai.jpg added

- Assignee set to Maxim Krušina

### #3 - 2011-01-12 12:48 - Toshi MARUYAMA

- File deleted (leanspawithacai.jpg)

### #4 - 2011-01-12 12:48 - Toshi MARUYAMA

- Assignee deleted (Maxim Krušina)

### #5 - 2011-01-12 13:04 - Toshi MARUYAMA

Etienne Massip wrote:

| *Additional question (UX) : why is the 'Ok' button displayed on the revision page and not on the repository page ?*

Git shows branches and tags list box.

<https://projects.kde.org/projects/extragear/kdevelop/kdevelop/repository>

But, I don't know the reason of no 'Ok' button.

### #6 - 2011-01-12 14:32 - Etienne Massip

Toshi MARUYAMA wrote:

| *This is ad hoc patch.*

Do you want me to test it ?

### #7 - 2011-01-12 14:41 - Toshi MARUYAMA

Etienne Massip wrote:

| *Toshi MARUYAMA wrote:*

| | *This is ad hoc patch.*

| | *Do you want me to test it ?*

I tested in Subversion.  
I will research other SCMs.

**#8 - 2011-01-13 04:42 - Toshi MARUYAMA**

- Assignee set to Toshi MARUYAMA

**#9 - 2011-01-13 13:20 - Toshi MARUYAMA**

- Status changed from New to Closed  
- Target version set to 1.1.1  
- Resolution set to Fixed

Fixed in trunk by r4703, r4704 and in 1.1 by r4707.

**#10 - 2011-01-14 15:11 - Be Fio**

Hmm. I'm using 4707 right now, and the issue doesn't seem fixed for me. I click the repository tab, click view all revisions, then in the "Revision: <input box> <ok button>" I just click the ok button without entering anything, and up pops a 500 error.

**#11 - 2011-01-14 19:56 - Jean-Philippe Lang**

- Status changed from Closed to Reopened

r4707 will return a 500 status code indeed. Maybe we could simply redirect to the revisions list when no revision parameter is given.

**#12 - 2011-01-14 20:32 - Etienne Massip**

I'm running r4709 and I get the same redmine 500 error I would get if I typed in a revision number which would not exist.

I don't have the Internal Server Error HTTP 500 any more (with svn, at least) so, as for myself, this issue is resolved.

**#13 - 2011-01-14 20:49 - Jean-Philippe Lang**

Yes, it's a user friendly 500 error but still, it's a 500 error response (meaning [Internal Server Error](#)) and this is not really appropriate. I think we should:

- response with a 404 when the revision that was entered was not found
- do a redirect to the revision list when no revision parameter is given

**#14 - 2011-01-14 20:53 - Etienne Massip**

Jean-Philippe Lang wrote:

Yes, it's a user friendly 500 error but still, it's a 500 error response (meaning [Internal Server Error](#)) and this is not really appropriate. I think we should:

- response with a 404 when the revision that was entered was not found
- do a redirect to the revision list when no revision parameter is given

Sure, both looks like a (far for 404) better behavior.

**#15 - 2011-01-14 21:26 - Jean-Philippe Lang**

500 error changed to 404 in r4711.

**#16 - 2011-01-15 01:51 - Toshi MARUYAMA**

- *Status changed from Reopened to Closed*

Fixed in trunk by from r4712 to r4714 and in 1.1 by from r4715 to r4717.

## Files

---

7307-rev-empty.diff	581 Bytes	2011-01-12	Toshi MARUYAMA
---------------------	-----------	------------	----------------