

Redmine - Defect #7597

Subversion and Mercurial log have the possibility to miss encoding

2011-02-10 07:00 - Toshi MARUYAMA

Status:	Closed	Start date:	2011-02-10
Priority:	Normal	Due date:	
Assignee:	Toshi MARUYAMA	% Done:	0%
Category:	SCM	Estimated time:	0.00 hour
Target version:	1.2.0	Affected version:	1.1.0
Resolution:	Fixed		
Description			
These are my test repository images. https://bitbucket.org/marutosi/japanese-fs-utf8			
redmine-log.png			
redmine-setting.png			
Related issues:			
Related to Redmine - Feature # 3396: Git: use --encoding=UTF-8 in "git log"		Closed	2009-05-20

Associated revisions

Revision 4961 - 2011-02-28 11:03 - Toshi MARUYAMA

scm: refactor scm log encoding test (#1735, #3396, #7597).

Bazaar log depends on locale.

On Japanese Windows, standard out is CP932.

Revision 4962 - 2011-02-28 13:09 - Toshi MARUYAMA

scm: ignore log encoding setting in Subversion and Mercurial (#7597).

History

#1 - 2011-02-10 07:00 - Toshi MARUYAMA

- Category set to SCM

#2 - 2011-02-28 13:10 - Toshi MARUYAMA

- Status changed from New to Closed

- Target version set to 1.2.0

- Resolution set to Fixed

Fixed by r4962.

Files

redmine-log.png	120 KB	2011-02-10	Toshi MARUYAMA
redmine-setting.png	16.5 KB	2011-02-10	Toshi MARUYAMA