

Redmine - Patch #830

Identify Redmine emails easily

2008-03-11 12:06 - Marc Dequènes

<b>Status:</b>	Closed	<b>Start date:</b>	2008-03-11
<b>Priority:</b>	Low	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	100%
<b>Category:</b>	Email notifications	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	0.7		
<b>Description</b>			
To help classify emails coming from Redmine, and possibly several Redmine sites, without relying on the From, i made a patch to add a pseudo-header identifying the site name.			

Associated revisions

Revision 1265 - 2008-03-16 17:52 - Jean-Philippe Lang

Add the following headers to email notifications (#830, #247):

- X-Redmine-Host: host name defined in application settings
- X-Redmine-Site: application title defined in settings
- X-Redmine-Project: identifier of the project that the notification is related to, if any
- X-Redmine-Issue-Id, -Author, -Assignee: ticket related info
- X-Redmine-Topic-Id: identifies the thread a message belongs to

History

#1 - 2008-03-16 17:55 - Jean-Philippe Lang

- Status changed from New to Closed
- Target version set to 0.7
- % Done changed from 0 to 100

Added in [r1265](#) with other headers.

Files

redmine_identify_emails_origin.patch	480 Bytes	2008-03-11	Marc Dequènes
--------------------------------------	-----------	------------	---------------