Redmine - Defect #8510

JRuby: Can't open administrator panel if scm command is not available

2011-06-03 11:03 - Juan G

Status: Closed Start date: 2011-06-03

Priority: Normal Due date:

Assignee: Toshi MARUYAMA % Done: 0%

Category: SCM Estimated time: 0.00 hour

Resolution: Fixed Affected version: 1.2.0

Description

Target version:

I have a problem in redmine administration->setup page.

1.2.1

I can't access it since I've upgraded to 1.2.0 because an error caused by shelling out "darcs --version". I don't have installed darcs so this is normal. I am trying to disable that scm in database, SETTINGS table with NAME field = 'enabled_scm'. I've deleted that scm, updated "UPDATED ON" field, but this isn't applied and the error persists.

My environment:

About your application's environment Ruby version 1.8.7 (java)

RubyGems version 1.5.1
Rack version 2.3.11
Rails version 2.3.11
Active Record version 2.3.11
Active Resource version 2.3.11
Active Support version 2.3.11
Edge Rails revision unknown

Application root /opt/redmine-1.2.0

Environment prod_ora

Database adapter oracle_enhanced Database schema version 20110511000000

Thanks!

Related issues:

Related to Redmine - Defect #4494: Mercurial access not working in jruby

Closed 2009-12-28

Related to Redmine - Patch #5404: Fix Redmine tests for JRuby 1.4.x and 1.5.0

Closed 2010-04-29

Has duplicate Redmine - Defect #8525: can not publish(.war) to tomcat

Closed 2011-06-04

Associated revisions

Revision 5999 - 2011-06-03 11:54 - Toshi MARUYAMA

scm: catch all exceptions to get scm command version in repository model (#8510).

If scm command does not exist,

 $\label{linux} \mbox{Linux jruby 1.6.2 (ruby-1.8.7-p330) raises java.io. IOException in production environment.}$

Revision 6230 - 2011-07-10 23:47 - Toshi MARUYAMA

scm: catch all exceptions at adapter shellout() to fork scm command (#8510, #6713, #4725, #5404).

If scm command does not exist,

Linux JRuby 1.6.2 (ruby-1.8.7-p330) raises java.io.IOException in production environment.

History

#1 - 2011-06-03 11:13 - Toshi MARUYAMA

- Category changed from Administration to SCM
- Assignee set to Toshi MARUYAMA

2025-07-06 1/3

#2 - 2011-06-03 11:30 - Toshi MARUYAMA

I can reproduce.

```
$ /WEB-DOWN/JRUBY/jruby-1.6.2/bin/jruby --version
jruby 1.6.2 (ruby-1.8.7-p330) (2011-05-23 e2ea975) (OpenJDK 64-Bit Server VM 1.6.0_18) [linux-amd64-java]
ActionView::TemplateError (Cannot run program "ddddd" (in directory "/REDMINE-1/hg-workdir/hg-bb-work"): java.
io.IOException: error=2, No such file or directory) on line #28 of app/views/settings/_repositories.rhtml:
25:
                  26:
                        < %=
27:
                            image_tag(
28:
                                  (scm_class.scm_available ? 'true.png' : 'exclamation.png'),
29:
                                  :style => "vertical-align:bottom;"
30:
31:
                            응>
       org/jruby/RubyIO.java:3541:in `popen'
       lib/redmine/scm/adapters/abstract_adapter.rb:221:in `shellout'
       lib/redmine/scm/adapters/darcs_adapter.rb:56:in `darcs_binary_version_from_command_line'
       lib/redmine/scm/adapters/darcs_adapter.rb:46:in `darcs_binary_version'
       lib/redmine/scm/adapters/darcs_adapter.rb:38:in `client_version'
       lib/redmine/scm/adapters/darcs_adapter.rb:42:in `client_available'
       app/models/repository.rb:300:in `scm_available'
       app/views/settings/_repositories.rhtml:28:in `block_called_from_erb?'
       org/jruby/RubyArray.java:2336:in `collect'
       app/views/settings/_repositories.rhtml:11:in `block_called_from_erb?'
       org/jruby/RubyProc.java:268:in `call'
       org/jruby/RubyProc.java:228:in `call'
       app/views/settings/\_repositories.rhtml: 1: in `\_run\_rhtml\_app47views47settings47\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml\_locals\_repositories46rhtml
object_repositories_tab'
       org/jruby/RubyKernel.java:2063:in `send'
       app/views/common/_tabs.rhtml:24:in `_run_rhtml_app47views47common47_tabs46rhtml_locals_object_tabs'
       org/jruby/RubyArray.java:1602:in `each'
       app/views/common/_tabs.rhtml:23:in `_run_rhtml_app47views47common47_tabs46rhtml_locals_object_tabs'
       org/jruby/RubyKernel.java:2063:in `send'
       app/helpers/application_helper.rb:218:in `render_tabs'
       app/views/settings/edit.rhtml:3:in `_run_rhtml_app47views47settings47edit46rhtml'
       org/jruby/RubyKernel.java:2063:in `send'
       app/controllers/settings_controller.rb:25:in `index'
       org/jruby/RubyKernel.java:2059:in `send'
       org/jruby/RubyKernel.java:2059:in `send'
       org/jruby/RubyProc.java:268:in `call'
       org/jruby/RubyProc.java:228:in `call'
       org/jruby/RubyArray.java:1602:in `each'
       /WEB-DOWN/JRUBY/jruby-1.6.2/lib/ruby/1.8/webrick/httpserver.rb:104:in `service'
       /WEB-DOWN/JRUBY/jruby-1.6.2/lib/ruby/1.8/webrick/httpserver.rb:65:in `run'
       /WEB-DOWN/JRUBY/jruby-1.6.2/lib/ruby/1.8/webrick/server.rb:173:in `start_thread'
       org/jruby/RubyProc.java:268:in `call'
       org/jruby/RubyProc.java:232:in `call'
```

Rendering /REDMINE-1/hg-workdir/hg-bb-work/public/500.html (500 Internal Server Error)

#3 - 2011-06-03 11:31 - Toshi MARUYAMA

- Subject changed from Can't disable scm (darcs) to JRuby: Can't open administrator panel if scm command is not available

#4 - 2011-06-03 11:42 - Toshi MARUYAMA

- File iruby-darcs.diff added

Please apply this patch.

#5 - 2011-06-03 12:53 - Juan G

Toshi MARUYAMA wrote:

Please apply this patch.

Your patch solves the issue.

Thanks very much Toshi for helping in this! :-D

2025-07-06 2/3

#6 - 2011-06-03 13:08 - Toshi MARUYAMA

After CI server tests pass in trunk, I will merge to 1.2-stable.

Then, I will close.

http://www.redmine.org/builds/index.html

#7 - 2011-06-03 15:20 - Toshi MARUYAMA

- Status changed from New to Closed
- Resolution set to Fixed

Committed trunk $\underline{r5999}$ and 1.2-stable $\underline{r6000}$ and CI server tests pass.

Files

jruby-darcs.diff 1.18 KB 2011-06-03 Toshi MARUYAMA

2025-07-06 3/3