

Redmine - Defect #8759

Setting issue attributes from mail should be case-insensitive

2011-07-07 08:44 - Alex Shulgin

Status:	Closed	Start date:	2011-07-07
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Email receiving	Estimated time:	0.00 hour
Target version:	1.2.1	Affected version:	
Resolution:	Fixed		

Description

Currently, when you want to set issue attribute, e.g. Status, from mail you would add (in the mail body):

```
Status: Closed
```

The attribute name can be set in either case: status, STATUS, etc., but it fails to recognize the attribute value unless it's set in title-case, i.e. exactly as it appears in web interface.

The attached patch fixes this problem by titleizing certain attribute values extracted from the mail body.

Associated revisions

Revision 6199 - 2011-07-09 12:50 - Jean-Philippe Lang

Fixed: Setting issue attributes from mail should be case-insensitive (#8759).

History

#1 - 2011-07-07 21:09 - Etienne Massip

- Target version set to Candidate for next minor release

#2 - 2011-07-09 12:55 - Jean-Philippe Lang

- Status changed from New to Closed

- Target version changed from Candidate for next minor release to 1.2.1

- Resolution set to Fixed

Fixed in [r6199](#).

This patch assumes that values are titleized in the database which may not be the case. The fix uses a different approach based on reusable scopes and applies to priorities and categories as well.

#3 - 2011-07-09 13:34 - Alex Shulgin

Jean-Philippe Lang wrote:

Fixed in [r6199](#).

This patch assumes that values are titleized in the database which may not be the case. The fix uses a different approach based on reusable scopes and applies to priorities and categories as well.

Thank you! I've had the feeling that my approach can be improved, but didn't know where to look exactly.

Btw, aren't we making code less DRY with all these named_scope :named, ...? Can be extracted in a module for sure.

#4 - 2011-07-09 14:08 - Jean-Philippe Lang

Alex Shulgin wrote:

Btw, aren't we making code less DRY with all these named_scope :named, ...? Can be extracted in a module for sure.

Indeed.

Files

0001-Setting-issue-attributes-by-mail-allow-lower-mixed-c.patch	2.55 KB	2011-07-07	Alex Shulgin
---	---------	------------	--------------