

## test01 - Bug # 1: aaaaa

<b>Status:</b>	New	<b>Priority:</b>	Normal
<b>Author:</b>	Redmine Admin	<b>Category:</b>	
<b>Created:</b>	07/01/2011	<b>Assignee:</b>	
<b>Updated:</b>	07/01/2011	<b>Due date:</b>	

aaaaaa:

**Subject:** aaaaa

### Description

\*Bold\*

\_Italic\_

-Del-

+Underline+

@Code@

This is <sup>^superscript^</sup> format.

This is <sub>~subscript~</sub> format.

\*\_Italic Bold <sup>^superscript^</sup> <sub>~subscript~</sub>\_\*

\*\_Bold Italic <sup>^superscript^</sup> <sub>~subscript~</sub>\_\*

\*\_Bold Italic Del <sup>^superscript^</sup> <sub>~subscript~</sub>\_\*

\*+\_Bold Italic Underline <sup>^superscript^</sup> <sub>~subscript~</sub>\_\*

\*+\_~~Bold Italic Del Underline~~ <sup>^superscript^</sup> <sub>~subscript~</sub>\_\*

-\*Bold Del <sup>^superscript^</sup> <sub>~subscript~</sub>\*

+\*Bold Underline <sup>^superscript^</sup> <sub>~subscript~</sub>\*

\*+\_~~Bold Del Underline~~ <sup>^superscript^</sup> <sub>~subscript~</sub>\*

-\_Italic Del <sup>^superscript^</sup> <sub>~subscript~</sub>\_

+\_Italic Underline <sup>^superscript^</sup> <sub>~subscript~</sub>\_

+\_~~Italic Del Underline~~ <sup>^superscript^</sup> <sub>~subscript~</sub>\_

\*@Code Bold@\*

\*+@Code Bold Underline@+\*

\*-@Code Bold Del@-\*

\*+\_~~@Code Bold Del Underline~~@+\*

+@Code Underline@+

-@Code Del@-

+\_~~@Code Del Underline~~@+\*

\*\*\*

---

---

h1. H1

h2. H2

h3. H3

h4. H4

h5. H5

h6. H6

\* line 1

\* line 2

\* line 3

# line 1

# line 2

# line 3

> line 1

> line 2

> line 3

<http://www.redmine.org/>

"Redmine":<http://www.redmine.org/>

\* apple

\* quick

\*\* brown

\*\*\* fox

\*\*\*\* cat

\*\*\*\*\* bird

\*\*\* jumps

\*\* over

\*\* the

\* lazy

\* dog

# the

# quick

## brown

### fox

### jumps

## over

## the

# lazy

# dog

> line 1

> line 2

> line 3

>> line 4

>> line 5

>> line 6

> \* apple

> \* quick

```
> ** brown
> *** fox
> **** cat
> ***** bird
> *** jumps
> ** over
> ** the
> * lazy
> * dog

>>> # the
>>> # quick
>>> ## brown
>>> ### fox
>>> ### jumps
>>> ## over
>>> ## the
>>> # lazy
>>> # dog
>>>

>>> # the
>>> # quick
>>> ## brown
>>> ### fox
>>> ### jumps
>>> ## over
>>> ## the
>>> # lazy
>>> # dog

>>> # the
>>> # quick
>>> ## brown
>>> ### fox
>>> ### jumps
>>> ## over
>>> ## the
>>> # lazy
>>> # dog

# a
** b
### c
### d
**** e
**** f
### g
### h

# a
** b
### c
### d
```

```
**** e
**** f
## g
## h
```

```
[_ . name|_ . age|_ . sex|
|yamamoto|18|male|
|tanaka|22|female|
```

```
|\3. colspan 3|
|col1|col2|col3|
```

```
|\3. rowspan 3|row1|
|row2|
|row3|
```

```
|1,1|1,2|1,3|1,4|1,5|1,6|
|2,1|2,2|/5. 2,3|2,4|2,5|/5. 2,6|
|3,1|/3. 3,2|/3. 3,4|3,5|
|4,1|4,5|
|5,1|5,5|
|6,1|6,2|6,4|6,5|
|7,1|7,2|7,3|7,4|7,5|7,6|
```

```
[_ . 1,1|1,2|_ . 1,3|1,4|
|2,1|/2\2. 2,2|2,4| |
|3,1|3,4|
|4,1|4,2|4,3|4,4|
```

```
<pre>
production:
  adapter: postgresql
  database: <your_database_name>
  host: <postgres_host>
  username: <postgres_user>
  password: <postgres_user_password>
  encoding: utf8
  schema_search_path: <database_schema> (default - public)
</pre>
```

```
<pre>
production:
  adapter: postgresql
  database: <your_database_name>
  host: <postgres_host>
  username: <postgres_user>
  password: <postgres_user_password>
  encoding: utf8
  schema_search_path: <database_schema> (default - public)
</pre>
```

!http://www.google.co.jp/images/logos/ps\_logo2.png!

## Associated revisions

---

Revision 29:61fcd8d38e12 - 07/01/2011 08:26 pm - Toshi MARUYAMA

#1

\*Bold\*

\_Italic\_

-Del-

+Underline+

@Code@

This is <sup>^superscript^</sup> format.

This is <sub>~subscript~</sub> format.

\*\_Italic Bold <sup>^superscript^</sup> <sub>~subscript~</sub>\_\*

\_\*Bold Italic <sup>^superscript^</sup> <sub>~subscript~</sub>\*

\*-\_Bold Italic Del <sup>^superscript^</sup> <sub>~subscript~</sub>\_\*

\*+\_Bold Italic Underline <sup>^superscript^</sup> <sub>~subscript~</sub>\_+\*

\*+-\_Bold Italic Del Underline <sup>^superscript^</sup> <sub>~subscript~</sub>\_+\*

-\*Bold Del <sup>^superscript^</sup> <sub>~subscript~</sub>\*

+\*Bold Underline <sup>^superscript^</sup> <sub>~subscript~</sub>+\*

\*+\_\*Bold Del Underline <sup>^superscript^</sup> <sub>~subscript~</sub>+\*

-\_Italic Del <sup>^superscript^</sup> <sub>~subscript~</sub>\_

+\_Italic Underline <sup>^superscript^</sup> <sub>~subscript~</sub>\_+

+-\_Italic Del Underline <sup>^superscript^</sup> <sub>~subscript~</sub>\_+\*

\*@Code Bold@\*

\*+@Code Bold Underline@+\*

\*-@Code Bold Del@-\*

\*+\_\*@Code Bold Del Underline@+\_\*

+@Code Underline@+

-@Code Del@-

+\_\*@Code Del Underline@+\_\*

\*\*\*

---

—

h1. H1

h2. H2

h3. H3

h4. H4

h5. H5

h6. H6

\* line 1  
\* line 2  
\* line 3

# line 1  
# line 2  
# line 3

> line 1  
> line 2  
> line 3

<http://www.redmine.org/>

"Redmine":<http://www.redmine.org/>

\* apple  
\* quick  
\*\* brown  
\*\*\* fox  
\*\*\*\* cat  
\*\*\*\*\* bird  
\*\*\* jumps  
\*\* over  
\*\* the  
\* lazy  
\* dog

# the  
# quick  
## brown  
### fox  
### jumps  
## over  
## the  
# lazy  
# dog

> line 1  
> line 2  
> line 3  
>> line 4  
>> line 5  
>> line 6

> \* apple  
> \* quick  
> \*\* brown  
> \*\*\* fox

```
> **** cat
> ***** bird
> *** jumps
> ** over
> ** the
> * lazy
> * dog
```

```
>>> # the
>>> # quick
>>> ## brown
>>> ### fox
>>> ### jumps
>>> ## over
>>> ## the
>>> # lazy
>>> # dog
>>>
```

```
>>> # the
>>> # quick
>>> ## brown
>>> ### fox
>>> ### jumps
>>> ## over
>>> ## the
>>> # lazy
>>> # dog
```

```
>>> # the
>>> # quick
>>> ## brown
>>> ### fox
>>> ### jumps
>>> ## over
>>> ## the
>>> # lazy
>>> # dog
```

```
# a
** b
### c
### d
**** e
**** f
### g
### h
```

```
# a
** b
### c
### d
**** e
**** f
```

## g

## h

|\_ . name|\_ . age|\_ . sex|

|yamamoto|18|male|

|tanaka|22|female|

|\3. colspan 3|

|col1|col2|col3|

|\3. rowspan 3|row1|

|row2|

|row3|

|1,1|1,2|1,3|1,4|1,5|1,6|

|2,1|2,2|/5. 2,3|2,4|2,5|/5. 2,6|

|3,1|/3. 3,2|/3. 3,4|3,5|

|4,1|4,5|

|5,1|5,5|

|6,1|6,2|6,4|6,5|

|7,1|7,2|7,3|7,4|7,5|7,6|

|\_ . 1,1|1,2|\_ . 1,3|1,4|

|2,1|/2\2. 2,2|2,4|

|3,1|3,4|

|4,1|4,2|4,3|4,4|

<pre>

production:

adapter: postgresql

database: <your\_database\_name>

host: <postgres\_host>

username: <postgres\_user>

password: <postgres\_user\_password>

encoding: utf8

schema\_search\_path: <database\_schema> (default - public)

</pre>

<pre>

production:

adapter: postgresql

database: <your\_database\_name>

host: <postgres\_host>

username: <postgres\_user>

password: <postgres\_user\_password>

encoding: utf8

schema\_search\_path: <database\_schema> (default - public)

</pre>

!http://www.google.co.jp/images/logos/ps\_logo2.png!

!http://www.google.co.jp/images/logos/ps\_logo2.png!



Revision 30:ef1b271641c2 - 07/02/2011 02:58 pm - test Ü

test link to #1, #2.

Revision 31:e6c149f3cb73 - 07/02/2011 02:59 pm - test Ü

no.2 test link to #1, #2.

Revision 32:b26aa66922fe - 07/02/2011 03:00 pm - test Ü

third test link to #1, #2.

## History

---

07/01/2011 08:09 pm - Redmine Admin

\*Bold\*

\_Italic\_

-Del-

+Underline+

@Code@

This is <sup>superscript</sup> format.

This is <sub>subscript</sub> format.

\*\_Italic Bold <sup>superscript</sup> <sub>subscript</sub>\_\*

\_\*Bold Italic <sup>superscript</sup> <sub>subscript</sub>\_\*

\*\_~~Bold Italic Del~~ <sup>superscript</sup> <sub>subscript</sub>\_\*

\*+Bold Italic Underline <sup>superscript</sup> <sub>subscript</sub>+\*

\*+\_~~Bold Italic Del Underline~~ <sup>superscript</sup> <sub>subscript</sub>+\*

-\*Bold Del <sup>superscript</sup> <sub>subscript</sub>\*-

+\*Bold Underline <sup>superscript</sup> <sub>subscript</sub>+\*

\*+~~Bold Del Underline~~ <sup>superscript</sup> <sub>subscript</sub>+\*

-\_Italic Del <sup>superscript</sup> <sub>subscript</sub>\_

+\_Italic Underline <sup>superscript</sup> <sub>subscript</sub>+\*

+\_~~Italic Del Underline~~ <sup>superscript</sup> <sub>subscript</sub>+\*

\*@Code Bold@\*

\*+@Code Bold Underline@+\*

\*\_~~Code Bold Del~~@-\*

\*+@Code Bold Del Underline@+\*

+@Code Underline@+

-@Code Del@-

+@Code Del Underline@+\*

\*\*\*

---

---

h1. H1

h2. H2

h3. H3

h4. H4

h5. H5

h6. H6

\* line 1

\* line 2

\* line 3

# line 1

# line 2

# line 3

> line 1

> line 2

> line 3

<http://www.redmine.org/>

"Redmine":<http://www.redmine.org/>

\* apple

\* quick

\*\* brown

\*\*\* fox

\*\*\*\* cat

\*\*\*\*\* bird

\*\*\* jumps

\*\* over

\*\* the

\* lazy

\* dog

# the

# quick

## brown

### fox

### jumps

## over

## the

# lazy

# dog

> line 1

> line 2

> line 3

>> line 4

>> line 5

>> line 6

```
> * apple
> * quick
> ** brown
> *** fox
> **** cat
> ***** bird
> *** jumps
> ** over
> ** the
> * lazy
> * dog
```

```
>>> # the
>>> # quick
>>> ## brown
>>> ### fox
>>> ### jumps
>>> ## over
>>> ## the
>>> # lazy
>>> # dog
```

```
>>>
>>> # the
>>> # quick
>>> ## brown
>>> ### fox
>>> ### jumps
>>> ## over
>>> ## the
>>> # lazy
>>> # dog
```

```
>>> # the
>>> # quick
>>> ## brown
>>> ### fox
>>> ### jumps
>>> ## over
>>> ## the
>>> # lazy
>>> # dog
```

```
# a
** b
### c
### d
**** e
**** f
### g
### h
```

```
# a
** b
```

```
### c
### d
**** e
**** f
## g
## h
```

```
|_ . name|_ . age|_ . sex|
|yamamoto|18|male|
|tanaka|22|female|
```

```
|\3. colspan 3|
|col1|col2|col3|
```

```
|\3. rowspan 3|row1|
|row2|
|row3|
```

```
|1,1|1,2|1,3|1,4|1,5|1,6|
|2,1|2,2|/5. 2,3|2,4|2,5|/5. 2,6|
|3,1|/3. 3,2|/3. 3,4|3,5|
|4,1|4,5|
|5,1|5,5|
|6,1|6,2|6,4|6,5|
|7,1|7,2|7,3|7,4|7,5|7,6|
```

```
|\_ . 1,1|1,2|\_ . 1,3|1,4|
|2,1|/2\2. 2,2|2,4|
|3,1|3,4|
|4,1|4,2|4,3|4,4|
```

```
<pre>
production:
  adapter: postgresql
  database: <your_database_name>
  host: <postgres_host>
  username: <postgres_user>
  password: <postgres_user_password>
  encoding: utf8
  schema_search_path: <database_schema> (default - public)
</pre>
```

```
<pre>
production:
  adapter: postgresql
  database: <your_database_name>
  host: <postgres_host>
  username: <postgres_user>
  password: <postgres_user_password>
  encoding: utf8
  schema_search_path: <database_schema> (default - public)
</pre>
```

!http://www.google.co.jp/images/logos/ps\_logo2.png!

!http://www.google.co.jp/images/logos/ps\_logo2.png!