

Redmine - Defect #10076

Query browser bookmarks fail if not logged in.

2012-01-27 14:05 - Alan Budden

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	1.3.0
Resolution:	Cant reproduce		
Description			
I have a bookmark in Firefox pointing to https://SERVER/redmine/issues?query_id=4&per_page=100			
If I am logged into redmine, this works absolutely fine. If I am not logged in to redmine, I would expect it to jump me to the redmine log-in page and once I've logged in it should take me back to the query page. What it does instead of this is report:			
Internal error			
An error occurred on the page you were trying to access. If you continue to experience problems please contact your Redmine administrator for assistance.			
If you are the Redmine administrator, check your log files for details about the error.			
Back			
The log entry is at the end of this bug report.			
Versions:			
Redmine 1.3.0 (mysql) running on Ubuntu 11.10.			
About your application's environment			
Ruby version	1.8.7 (i686-linux)		
RubyGems version	1.4.2		
Rack version	1.1.2		
Rails version	2.3.11		
Active Record version	2.3.11		
Active Resource version	2.3.11		
Action Mailer version	2.3.11		
Active Support version	2.3.11		
Edge Rails revision	unknown		
Application root	/usr/share/redmine		
Environment	production		
Database adapter	mysql		
Database schema version	20110511000000		
About your Redmine plugins			
Issue Importer	0.9		
Redmine Code Review plugin	0.3.1		
Sidebar content	0.0.2		
Redmine Drafts plugin	0.1.1		
Redmine Ultraviolet Syntax highlighting plugin	0.0.3		
Redmine Hudson plugin	1.0.7		
Default Assign plugin	0.2.0		
Log entry:			
Processing IssuesController#index (for 195.171.105.102 at 2012-01-27 13:00:12) [GET]			

```
Parameters: {"action"=>"index", "query_id"=>"4", "controller"=>"issues", "per_page"=>"100"}
```

```
ActiveRecord::StatementInvalid (Mysql::Error: Illegal mix of collations (latin1_swedish_ci,IMPLICIT) and (utf8_general_ci,COERCIBLE) for operation '=': SELECT * FROM `tokens` WHERE (`tokens`.`value` = '°Ç«
```

```
app/models/user.rb:337:in `find_by_api_key'
```

```
app/controllers/application_controller.rb:88:in `find_current_user'
```

```
app/controllers/application_controller.rb:87:in `find_current_user'
```

```
app/controllers/application_controller.rb:64:in `user_setup'
```

```
passenger (3.0.9) lib/phusion_passenger/rack/request_handler.rb:96:in `process_request'
```

```
passenger (3.0.9) lib/phusion_passenger/abstract_request_handler.rb:513:in `accept_and_process_next_request'
```

```
passenger (3.0.9) lib/phusion_passenger/abstract_request_handler.rb:274:in `main_loop'
```

```
passenger (3.0.9) lib/phusion_passenger/classic_rails/application_spawner.rb:321:in `start_request_handler'
```

```
passenger (3.0.9) lib/phusion_passenger/classic_rails/application_spawner.rb:275:in `send'
```

```
passenger (3.0.9) lib/phusion_passenger/classic_rails/application_spawner.rb:275:in `handle_spawn_application'
```

```
passenger (3.0.9) lib/phusion_passenger/Utils.rb:479:in `safe_fork'
```

```
passenger (3.0.9) lib/phusion_passenger/classic_rails/application_spawner.rb:270:in `handle_spawn_application'
```

```
passenger (3.0.9) lib/phusion_passenger/abstract_server.rb:357:in `__send__'
```

```
passenger (3.0.9) lib/phusion_passenger/abstract_server.rb:357:in `server_main_loop'
```

```
passenger (3.0.9) lib/phusion_passenger/abstract_server.rb:206:in `start_synchronously'
```

```
passenger (3.0.9) lib/phusion_passenger/abstract_server.rb:180:in `start'
```

```
passenger (3.0.9) lib/phusion_passenger/classic_rails/application_spawner.rb:149:in `start'
```

```
passenger (3.0.9) lib/phusion_passenger/spawn_manager.rb:219:in `spawn_rails_application'
```

```
passenger (3.0.9) lib/phusion_passenger/abstract_server_collection.rb:132:in `lookup_or_add'
```

```
passenger (3.0.9) lib/phusion_passenger/spawn_manager.rb:214:in `spawn_rails_application'
```

```
passenger (3.0.9) lib/phusion_passenger/abstract_server_collection.rb:82:in `synchronize'
```

```
passenger (3.0.9) lib/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'
```

```
passenger (3.0.9) lib/phusion_passenger/spawn_manager.rb:213:in `spawn_rails_application'
```

```
passenger (3.0.9) lib/phusion_passenger/spawn_manager.rb:132:in `spawn_application'
```

```
passenger (3.0.9) lib/phusion_passenger/spawn_manager.rb:275:in `handle_spawn_application'
```

```
passenger (3.0.9) lib/phusion_passenger/abstract_server.rb:357:in `__send__'
```

```
passenger (3.0.9) lib/phusion_passenger/abstract_server.rb:357:in `server_main_loop'
```

```
passenger (3.0.9) lib/phusion_passenger/abstract_server.rb:206:in `start_synchronously'
```

```
passenger (3.0.9) helper-scripts/passenger-spawn-server:99
```

```
Rendering /usr/share/redmine/public/500.html (500 Internal Server Error)
```

If there's any more information required, I will obviously be happy to provide it.

History

#1 - 2024-02-01 02:29 - Go MAEDA

- Status changed from New to Closed

- Resolution set to Cant reproduce

I cannot reproduce the issue.

Since the code of Redmine has changed a lot from the time this problem was reported, I am closing this issue. Please reopen this issue if you still experience the problem.