Redmine - Feature #10207

Git: use default branch from HEAD

2012-02-12 07:07 - Toshi MARUYAMA

Status:	Closed	**Start date:**	
Priority:	Normal	**Due date:**	
Assignee:	Toshi MARUYAMA	**% Done:**	0%
Category:	SCM	**Estimated time:**	0.00 hour
Target version:	1.4.0		
Resolution:	Fixed		

Description

https://www.chiliproject.org/issues/749

Redmine 1.3 uses "master" as git default branch.

You can change HEAD by "git symbolic-ref" on bare repository.

```
$ git branch
* master
  master-20120211

$ git symbolic-ref HEAD refs/heads/master-20120211
$ git branch
  master
* master-20120211
```

git-default-branch.png

Associated revisions

Revision 8855 - 2012-02-12 07:22 - Toshi MARUYAMA

scm: git: update test repository (#10207)

New "master-20120212" branch is added.
Git branch is the reference to the specific revision.
This branch points the same revision with "master" branch.

Revision 8856 - 2012-02-12 07:22 - Toshi MARUYAMA

scm: git: use default branch from HEAD (#10207)

Revision 8857 - 2012-02-12 09:26 - Toshi MARUYAMA

scm: git: explicitly return string as default branch (#10207)

History

#1 - 2012-02-12 07:08 - Toshi MARUYAMA

- Description updated

#2 - 2012-02-12 11:29 - Toshi MARUYAMA

- Status changed from New to Closed

- Target version set to 1.4.0

- Resolution set to Fixed

Implemented in trunk r8855, r8856 and r8857.

Files

git-default-branch.png	50.9 KB	2012-02-12	Toshi MARUYAMA