

## Redmine - Defect #10442

### Ruby 1.9.3 Time Zone setting Internal error.

2012-03-13 16:12 - Jun NAITOH

<b>Status:</b>	Closed	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Jean-Philippe Lang	<b>% Done:</b>	0%
<b>Category:</b>	Ruby support	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	1.4.0	<b>Affected version:</b>	
<b>Resolution:</b>	Fixed		

#### Description

I tested on Redmine trunk r9237.

- CentOS 6 x86
- Ruby 1.9.3p125
- Rails 2.3.14
- sqlite3 1.3.5

1. login admin
2. select "My account"
3. select "Time Zone : (GMT+9:00) Tokyo"
4. click Save

#### Internal error

Processing MyController#account (for 192.168.56.1 at 2012-03-10 21:42:39) [GET]

Parameters: {"controller"=>"my", "action"=>"account"}

Rendering template within layouts/base

Rendering my/account

ActionView::TemplateError (undefined method `new0' for DateTime:Class) on line #4 of app/views/my/\_sidebar.html.erb:

1: <h3><%=l(:label\_my\_account)%></h3>

2:

3: <p><%=l(:field\_login)%>: <strong><%= link\_to\_user(@user, :format => :username) %></strong><br />

4: <%=l(:field\_created\_on)%>: <%= format\_time(@user.created\_on) %></p>

5:

6:

7: <h4><%= l(:label\_feeds\_access\_key) %></h4>

(eval):2:in `to\_date'

lib/redmine/i18n.rb:40:in `format\_date'

lib/redmine/i18n.rb:48:in `format\_time'

app/views/my/\_sidebar.html.erb:4

app/views/my/account.html.erb:48:in `block in \_run\_erb\_app47views47my47account46html46erb'

app/helpers/application\_helper.rb:1045:in `content\_for'

app/views/my/account.html.erb:47

<internal:prelude>:10:in `synchronize'

passenger (3.0.11) lib/phusion\_passenger/rack/request\_handler.rb:96:in `process\_request'

passenger (3.0.11) lib/phusion\_passenger/abstract\_request\_handler.rb:513:in `accept\_and\_process\_next\_request'

passenger (3.0.11) lib/phusion\_passenger/abstract\_request\_handler.rb:274:in `main\_loop'

passenger (3.0.11) lib/phusion\_passenger/classic\_rails/application\_spawner.rb:321:in `start\_request\_handler'

passenger (3.0.11) lib/phusion\_passenger/classic\_rails/application\_spawner.rb:275:in `block in handle\_spawn\_application'

```
passenger (3.0.11) lib/phusion_passenger/utils.rb:479:in `safe_fork'  
passenger (3.0.11) lib/phusion_passenger/classic_rails/application_spawner.rb:270:in `handle_spawn_application'  
passenger (3.0.11) lib/phusion_passenger/abstract_server.rb:357:in `server_main_loop'  
passenger (3.0.11) lib/phusion_passenger/abstract_server.rb:206:in `start_synchronously'  
passenger (3.0.11) lib/phusion_passenger/abstract_server.rb:180:in `start'  
passenger (3.0.11) lib/phusion_passenger/classic_rails/application_spawner.rb:149:in `start'  
passenger (3.0.11) lib/phusion_passenger/spawn_manager.rb:219:in `block (2 levels) in spawn_rails_application'  
passenger (3.0.11) lib/phusion_passenger/abstract_server_collection.rb:132:in `lookup_or_add'  
passenger (3.0.11) lib/phusion_passenger/spawn_manager.rb:214:in `block in spawn_rails_application'  
passenger (3.0.11) lib/phusion_passenger/abstract_server_collection.rb:82:in `block in synchronize'  
<internal:prelude>:10:in `synchronize'  
passenger (3.0.11) lib/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'  
passenger (3.0.11) lib/phusion_passenger/spawn_manager.rb:213:in `spawn_rails_application'  
passenger (3.0.11) lib/phusion_passenger/spawn_manager.rb:132:in `spawn_application'  
passenger (3.0.11) lib/phusion_passenger/spawn_manager.rb:275:in `handle_spawn_application'  
passenger (3.0.11) lib/phusion_passenger/abstract_server.rb:357:in `server_main_loop'  
passenger (3.0.11) lib/phusion_passenger/abstract_server.rb:206:in `start_synchronously'  
passenger (3.0.11) helper-scripts/passenger-spawn-server:99:in `<main>'
```

Rendering /opt/Redmine/redmine.d/trunk/public/500.html (500 Internal Server Error)

## Associated revisions

**Revision 9244 - 2012-03-17 13:49 - Jean-Philippe Lang**

Fixed: ruby 1.9.3 Time Zone setting Internal error (#10442).

## History

**#1 - 2012-03-13 16:36 - Etienne Massip**

- Category set to Ruby support
- Status changed from New to Confirmed
- Target version set to 1.4.0

**#2 - 2012-03-13 23:53 - Toshi MARUYAMA**

FYI.

<https://www.chiliproject.org/issues/903>

**#3 - 2012-03-14 12:54 - Jun NAITOH**

I tried Ruby 1.9.2 now. But Ruby 1.9.2 don't reproduce this problem.  
I think Ruby 1.9.3 only problem, too.

**#4 - 2012-03-14 14:53 - Etienne Massip**

Adding gem 'tzinfo' to the Gemfile did the trick for me.

**#5 - 2012-03-17 02:35 - Jun NAITOH**

Etienne Massip wrote:

```
| Adding gem 'tzinfo' to the Gemfile did the trick for me.
```

Me too. I added to Gemfile as follows.

```
--- Gemfile (revision 9237)
+++ Gemfile (working copy)
@@ -4,6 +4,7 @@
gem "i18n", "~> 0.4.2"
gem "coderay", "~> 1.0.0"
gem "fastercsv", "~> 1.5.0", :platforms => [:mri_18, :mingw_18, :jruby]
+gem "tzinfo", "~> 0.3.31"

# Optional gem for LDAP authentication
group :ldap do
```

I think this problem was fixed by this setting.

**#6 - 2012-03-17 13:50 - Jean-Philippe Lang**

- Status changed from Confirmed to Closed
- Assignee set to Jean-Philippe Lang
- Resolution set to Fixed

Fixed in r9244. Thanks.