

Redmine - Defect #10908

LDAP group authentication

2012-05-14 09:44 - parakrama ranasinghe

Status: Closed	Start date:
Priority: Normal	Due date:
Assignee:	% Done: 0%
Category: Accounts / authentication	Estimated time: 0.00 hour
Target version:	Affected version:
Resolution: Invalid	

Description

Hi...

i have a LDAP server and its has a group called .

```
cn=internal ou=group,dc=example,dc=com
```

--users of this group is :

```
uid=user1,ou=staff,dc=example,dc=com
```

```
uid=user2,ou=staff,dc=example,dc=com
```

i need to only authenticate the users under cn=internal

is it possible to achive that in redmine , please note that im currently using redmine version 1.3.1

LDAP search for the cn=internal group as follows ,

```
dn: cn=internal,ou=group,dc=example,dc=com
```

```
objectClass: groupOfNames
```

```
objectClass: top
```

```
cn: internal
```

```
member: uid=user1,ou=user,dc=example,dc=com
```

```
member: uid=user1,ou=user,dc=example,dc=com
```

History

#1 - 2012-05-14 09:58 - Etienne Massip

- Status changed from New to Closed
- Priority changed from High to Normal
- Resolution set to Invalid

Just set base DB field accordingly?

An LDAP filter field has been added in version:1.4.0.

Please ask your questions in forum:Help forum, the tracker is for actual defects.

#2 - 2013-01-28 09:06 - john val

By using LDAP filter cant achieve the ldap group authentication ..., i think it is just to run filters such as "mail=*@domain.com "

IS Redmine supporting group authentication¹ ?

[1] <http://www.redmine.org/boards/1/topics/23952>

Thank You

john