

Redmine - Defect #11593

Error 500 on child issue with no start date

2012-08-06 17:42 - Cassiano Monteiro

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Issues	Estimated time:	0.00 hour
Target version:		Affected version:	1.4.4
Resolution:	Cant reproduce		
Description			
<p>I had one parent issue with 4 subtasks, all of them with start and due dates. After that, I tried to create one more subtask, but with no start date, and I got the error 500. After filling start date, it worked.</p> <p>Here is the log:</p> <pre>Processing IssuesController#create (for 10.3.14.201 at 2012-08-06 10:53:14) [POST] Parameters: {"commit"=>"Create", "project_id"=>"servicos", "action"=>"create", "authenticity_token"=>"FMte7OHKmqFib4UOSGwRvGi3Pi4kkmwunMtCX1R9QO4=", "issue"=>{"start_date"=>"", "custom_field_values"=>{"45"=>"", "46"=>"", "14"=>"", "9"=>"Routine", "42"=>""}, "estimated_hours"=>"5", "parent_issue_id"=>"5055", "priority_id"=>"4", "fixed_version_id"=>"", "done_ratio"=>"0", "assigned_to_id"=>"26", "subject"=>"Conferir Balance Chart da Belavia", "tracker_id"=>"4", "due_date"=>"2012-09-06", "status_id"=>"1", "description"=>""}, "controller"=>"issues", "new_checklist"=>"", "attachments"=>{"1"=>{"description"=>""}}}</pre> <pre>Sending email notification to: tatiane.ramos@embraer.com.br</pre> <pre>TypeError (expected numeric or date): C:/webserver/Ruby/lib/ruby/1.8/date.rb:1252:in `minus_without_duration' C:1:in `each' C:1:in `__send__' C:1:in `each' app/models/issue.rb:946:in `recalculate_attributes_for' app/models/issue.rb:910:in `update_parent_attributes' app/controllers/issues_controller.rb:148:in `create' config/initializers/mongrel.rb:62:in `dispatch_cgi'</pre> <pre>Rendering C:/webserver/Redmine/public/500.html (500 Internal Server Error)</pre>			

History

#1 - 2012-08-06 22:52 - Jean-Philippe Lang

- Resolution set to Cant reproduce

#2 - 2012-08-07 10:45 -

- Status changed from New to Resolved

- Assignee set to Maxim Krušina

#3 - 2012-08-07 16:40 - Toshi MARUYAMA

- Status changed from Resolved to New

#4 - 2012-10-05 15:39 - Anonymous

Confirmed here in 1.3.3 and 1.4.3.

Symptom is parent issue that has several sub-issues. If one of the sub-issues has an empty start date then you cannot update its attributes (status, comments, anything) until you enter a start date into that child issue. Otherwise the following backtrace is generated.

Previously avoided this by having default start dates, but we disabled that recently because it was misleading.

```
TypeError (expected numeric or date):
  /usr/lib/ruby/1.8/date.rb:1252:in `minus_without_duration'
```

```
/usr/lib/ruby/vendor_ruby/active_support/core_ext/date/calculations.rb:88:in `-'
/usr/lib/ruby/vendor_ruby/active_record/named_scope.rb:114:in `each'
/usr/lib/ruby/vendor_ruby/active_record/named_scope.rb:114:in `__send__'
/usr/lib/ruby/vendor_ruby/active_record/named_scope.rb:114:in `each'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:178:in `send'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:178:in `evaluate_method'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:166:in `call'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:93:in `run'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:92:in `each'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:92:in `send'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:92:in `run'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:276:in `run_callbacks'
/usr/lib/ruby/vendor_ruby/active_record/callbacks.rb:344:in `callback_without_switch'
/usr/lib/ruby/vendor_ruby/active_record/callbacks.rb:251:in `create_or_update'
/usr/lib/ruby/vendor_ruby/active_record/base.rb:2577:in `save_without_validation'
/usr/lib/ruby/vendor_ruby/active_record/validations.rb:1089:in `save_without_dirty'
/usr/lib/ruby/vendor_ruby/active_record/dirty.rb:79:in `save_without_transactions'
/usr/lib/ruby/vendor_ruby/active_record/transactions.rb:229:in `send'
/usr/lib/ruby/vendor_ruby/active_record/transactions.rb:229:in `with_transaction_returning_status'
/usr/lib/ruby/vendor_ruby/active_record/connection_adapters/abstract/database_statements.rb:136:in `transaction'
ion'
/usr/lib/ruby/vendor_ruby/active_record/transactions.rb:182:in `transaction'
/usr/lib/ruby/vendor_ruby/active_record/transactions.rb:228:in `with_transaction_returning_status'
/usr/lib/ruby/vendor_ruby/active_record/transactions.rb:196:in `save'
/usr/lib/ruby/vendor_ruby/active_record/transactions.rb:208:in `rollback_active_record_state!'
/usr/lib/ruby/vendor_ruby/active_record/transactions.rb:196:in `save'
app/models/issue.rb:831:in `recalculate_attributes_for'
app/models/issue.rb:795:in `update_parent_attributes'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:178:in `send'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:178:in `evaluate_method'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:166:in `call'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:93:in `run'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:92:in `each'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:92:in `send'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:92:in `run'
/usr/lib/ruby/vendor_ruby/active_support/callbacks.rb:276:in `run_callbacks'
/usr/lib/ruby/vendor_ruby/active_record/callbacks.rb:344:in `callback_without_switch'
/usr/lib/ruby/vendor_ruby/active_record/callbacks.rb:251:in `create_or_update'
/usr/lib/ruby/vendor_ruby/active_record/base.rb:2577:in `save_without_validation'
/usr/lib/ruby/vendor_ruby/active_record/validations.rb:1089:in `save_without_dirty'
/usr/lib/ruby/vendor_ruby/active_record/dirty.rb:79:in `save_without_transactions'
/usr/lib/ruby/vendor_ruby/active_record/transactions.rb:229:in `send'
/usr/lib/ruby/vendor_ruby/active_record/transactions.rb:229:in `with_transaction_returning_status'
/usr/lib/ruby/vendor_ruby/active_record/connection_adapters/abstract/database_statements.rb:136:in `transaction'
ion'
/usr/lib/ruby/vendor_ruby/active_record/transactions.rb:182:in `transaction'
/usr/lib/ruby/vendor_ruby/active_record/transactions.rb:228:in `with_transaction_returning_status'
/usr/lib/ruby/vendor_ruby/active_record/transactions.rb:196:in `save'
/usr/lib/ruby/vendor_ruby/active_record/transactions.rb:208:in `rollback_active_record_state!'
/usr/lib/ruby/vendor_ruby/active_record/transactions.rb:196:in `save'
app/models/issue.rb:629:in `save_issue_with_child_records'
/usr/lib/ruby/vendor_ruby/active_record/connection_adapters/abstract/database_statements.rb:136:in `transaction'
ion'
/usr/lib/ruby/vendor_ruby/active_record/transactions.rb:182:in `transaction'
app/models/issue.rb:613:in `save_issue_with_child_records'
app/controllers/issues_controller.rb:180:in `update'
/usr/lib/ruby/vendor_ruby/action_controller/base.rb:1333:in `send'
/usr/lib/ruby/vendor_ruby/action_controller/base.rb:1333:in `perform_action_without_filters'
/usr/lib/ruby/vendor_ruby/action_controller/filters.rb:617:in `call_filters'
/usr/lib/ruby/vendor_ruby/action_controller/filters.rb:610:in `perform_action_without_benchmark'
/usr/lib/ruby/vendor_ruby/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
/usr/lib/ruby/vendor_ruby/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
/usr/lib/ruby/vendor_ruby/action_controller/rescue.rb:160:in `perform_action_without_flash'
/usr/lib/ruby/vendor_ruby/action_controller/flash.rb:151:in `perform_action'
/usr/lib/ruby/vendor_ruby/action_controller/base.rb:532:in `send'
/usr/lib/ruby/vendor_ruby/action_controller/base.rb:532:in `process_without_filters'
/usr/lib/ruby/vendor_ruby/action_controller/filters.rb:606:in `process'
/usr/lib/ruby/vendor_ruby/action_controller/base.rb:391:in `process'
/usr/lib/ruby/vendor_ruby/action_controller/base.rb:386:in `call'
/usr/lib/ruby/vendor_ruby/action_controller/routing/route_set.rb:438:in `call'
/usr/lib/ruby/vendor_ruby/action_controller/dispatcher.rb:87:in `dispatch'
/usr/lib/ruby/vendor_ruby/action_controller/dispatcher.rb:121:in `_call'
/usr/lib/ruby/vendor_ruby/action_controller/dispatcher.rb:130:in `build_middleware_stack'
/usr/lib/ruby/vendor_ruby/active_record/query_cache.rb:29:in `call'
/usr/lib/ruby/vendor_ruby/active_record/query_cache.rb:29:in `call'
```

```
/usr/lib/ruby/vendor_ruby/active_record/connection_adapters/abstract/query_cache.rb:34:in `cache'  
/usr/lib/ruby/vendor_ruby/active_record/query_cache.rb:9:in `cache'  
/usr/lib/ruby/vendor_ruby/active_record/query_cache.rb:28:in `call'  
/usr/lib/ruby/vendor_ruby/active_record/connection_adapters/abstract/connection_pool.rb:361:in `call'  
/usr/lib/ruby/vendor_ruby/action_controller/string_coercion.rb:25:in `call'  
/usr/lib/ruby/vendor_ruby/rack/head.rb:9:in `call'  
/usr/lib/ruby/vendor_ruby/rack/methodoverride.rb:21:in `call'  
/usr/lib/ruby/vendor_ruby/action_controller/params_parser.rb:15:in `call'  
/usr/lib/ruby/vendor_ruby/action_controller/session/cookie_store.rb:99:in `call'  
/usr/lib/ruby/vendor_ruby/action_controller/failsafe.rb:26:in `call'  
/usr/lib/ruby/vendor_ruby/rack/lock.rb:15:in `call'  
/usr/lib/ruby/vendor_ruby/action_controller/dispatcher.rb:106:in `call'  
/usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:96:in `process_request'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_request_handler.rb:513:in `accept_and_process_next_request'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_request_handler.rb:274:in `main_loop'  
/usr/lib/ruby/1.8/phusion_passenger/classic_rails/application_spawner.rb:321:in `start_request_handler'  
/usr/lib/ruby/1.8/phusion_passenger/classic_rails/application_spawner.rb:275:in `send'  
/usr/lib/ruby/1.8/phusion_passenger/classic_rails/application_spawner.rb:275:in `handle_spawn_application'  
/usr/lib/ruby/1.8/phusion_passenger/utils.rb:479:in `safe_fork'  
/usr/lib/ruby/1.8/phusion_passenger/classic_rails/application_spawner.rb:270:in `handle_spawn_application'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:357:in `__send__'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:357:in `server_main_loop'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:206:in `start_synchronously'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:180:in `start'  
/usr/lib/ruby/1.8/phusion_passenger/classic_rails/application_spawner.rb:149:in `start'  
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:219:in `spawn_rails_application'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server_collection.rb:132:in `lookup_or_add'  
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:214:in `spawn_rails_application'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server_collection.rb:82:in `synchronize'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'  
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:213:in `spawn_rails_application'  
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:132:in `spawn_application'  
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:275:in `handle_spawn_application'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:357:in `__send__'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:357:in `server_main_loop'  
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:206:in `start_synchronously'  
/usr/share/phusion-passenger/helper-scripts/passenger-spawn-server:99
```

Rendering /usr/share/redmine/public/500.html (500 Internal Server Error)

#5 - 2012-10-06 06:27 - Toshi MARUYAMA

- Assignee deleted (*Maxim Krušina*)

#6 - 2013-01-19 20:07 - Etienne Massip

Still can't reproduce with Ruby 1.9, guess it's 1.8 related, has one of you tried again after upgrading to 1.9?

#7 - 2019-02-17 23:05 - Marius BĂLTEANU

- Status changed from *New* to *Closed*