Redmine - Patch #11704

Avoid the use of tag("...", "...", true) in layout

2012-08-25 12:16 - Jean-Baptiste Barth

Status: Closed Start date:

Priority: Normal Due date:

Assignee: % Done: 0%

Category: Code cleanup/refactoring Estimated time: 0.00 hour

Target version: 2.1.0

Description

Here's a very simplified version of Redmine base layout :

There's a "tag" helper, processed with ERB, to display "div#main", and it's closed with standard html in the end.

It could be considered as bad practice, but the main problem is that you cannot parse the layout correctly before it's fully processed by ERB. Hence gems that hook in the rendering process don't work correctly for the layout partial. It's the case of deface (https://github.com/railsdog/deface) for instance, a gem I use these days so that I don't need 50 more view hooks in core.

1st solution: use inline erb just for the class

i.e. replace the tag line with:

```
<div id="main" class="<%= sidebar_content? ? '' : 'nosidebar' %>">
```

2nd solution : use content_tag helper

i.e. something like that:

I understand this isn't a problem for redmine core for now, but such a change would ease plugin development a lot and avoid overriding the layout/base partial.

Any thought on this is welcome.

Associated revisions

Revision 10237 - 2012-08-26 11:25 - Jean-Philippe Lang

2025-07-06

Don't use tag helper in layout (#11704).

History

#1 - 2012-08-26 10:46 - Jean-Philippe Lang

- Target version set to 2.1.0

#2 - 2012-08-26 11:25 - Jean-Philippe Lang

- Status changed from New to Closed

Solution 1 committed in <u>r10237</u>.

#3 - 2012-08-26 12:23 - Jean-Baptiste Barth

Thanks a lot:)

2025-07-06 2/2