

Redmine - Defect #11946

Mailhandler reply security hole

2012-09-26 08:58 - Kevin Neuenfeldt

Status:	New	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Email receiving	Estimated time:	0.00 hour
Target version:		Affected version:	2.1.0
Resolution:			
Description			
<p>I don't know if this is the expected behavior but I recognized that it's possible to reply to an issue of another project than the one specified in the <code>/etc/aliases</code> file.</p> <p>Assume I have an <code>/etc/aliases</code> file with a line like this one:</p> <pre>foo: " /opt/redmine/extra/mail_handler/rdm-mailhandler.rb --url=http://localhost:8080 --key=XXXX --project=foo --unknown-user=ignore"</pre> <p>Now I send an email to foo@someurl.net with subject <code>"Re:[#123]"</code> and 123 is the id of an issue that is not part of project <code>foo</code>, anyway the email is not refused.</p> <p>I would expect that this should not be possible because I limited that emailaddress to project <code>foo</code>.</p>			

History

#1 - 2012-09-27 22:17 - William Roush

This would need to be a flag in the command line I would think: there are many of us that have project set as a *default* box, but are still listening to system-wide replies on this e-mail address.

#2 - 2012-09-28 00:14 - Jean-Philippe Lang

Indeed. The `--project` option is for setting the default project for new issues, not to restrict the replies to a given project.

#3 - 2012-10-01 12:25 - Kevin Neuenfeldt

As far as I know there is no option `--issue` yet, even in the new redmine 2.1.0.
Is there any need so I could make a request for a future release?

#4 - 2018-09-15 10:04 - Go MAEDA

- Category changed from *Importers* to *Email receiving*