

Redmine - Defect #12720

TLS configuration documentation for Rails 3

2013-01-03 14:16 - Rodrigo Macedo

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Email notifications	Estimated time:	0.00 hour
Target version:		Affected version:	2.2.0
Resolution:	Invalid		
Description			
<p>When installing 2.2-stable the smtp configuration settings for TLS encryption is somewhat broken, as notified by [1].</p> <p>If a smtp server is configured with both "tls: true" and "enable_starttls_auto: true", this error occurs when trying to send mail:</p> <pre>An error occurred while sending mail (SSL_connect returned=1 errno=0 state=SSLv2/v3 read server hello A: unknown protocol)</pre> <p>This type of configuration is also the suggested method for configuring gmail in the redmine documentation [2].</p> <p>As a workaround found by [1], you can remove the "tls: true" part of the configuration, while leaving in "enable_starttls_auto: true". I can also confirm that this workaround works for me, to make gmail & redmine working.</p> <p>[1]: http://mentalized.net/journal/2012/05/08/rails_3_actionmailer_and_google_apps_for_domains/ [2]: http://www.redmine.org/projects/redmine/wiki/EmailConfiguration</p> <p>Check informations my enviroment The problem occurs in my enviroment when start Redmine as Windows Service, when I run Redmine with the follow command "thin -c D:/WorkRuby/work/2.2-stable start -p 3001" the Redmine working, but when I run Redmine as Windows Service with the same command, it doesn't work.</p> <p>My OS is Windows XP Environment: Redmine version 2.2.0.stable Ruby version 1.9.2 (i386-mingw32) Rails version 3.2.9 Environment development Database adapter Mysql2 Redmine plugins: no plugin installed</p>			

History

#1 - 2019-02-19 23:32 - Marius BĂLTEANU

- Status changed from New to Closed

- Resolution set to Invalid

Rails 3 is no longer supported.

Files

configuration.yml	7.14 KB	2013-01-03	Rodrigo Macedo
-------------------	---------	------------	----------------