

Redmine - Defect #13

Files in repository have Windows-style line endings

2007-03-12 12:20 - Jonathan Dance

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:			
Description			
All files in the repository have Windows-style line endings (\r\n) - they should have svn:eol-style set to "native" so that this is not an issue for those users who try to view the source on other operating systems.			
The easy way to apply this change is as such:			
<pre>/redmine \$ find . grep rb\$ xargs svn propset svn:eol-style native /redmine \$ find . grep rhtml\$ xargs svn propset svn:eol-style native</pre>			

History

#1 - 2007-03-13 18:55 - Chris Grant

This should really be set on most (if not all) of the files, not just .rb and .rhtml files.

#2 - 2007-03-13 21:27 - Jonathan Dance

Yes, as long as it's not a binary file. :)

The main reason I mentioned rb and rhtml files is for submitting patches, which are most likely to these files.

#3 - 2007-03-13 22:42 - Chris Grant

True ... submitted a patch the other day and it was a bit longer than needed because of the line endings.

I've got the following sitting in my ~/.subversion/config file
... it covers a lot of bases:

```
[miscellany]  
enable-auto-props = yes  
  
[auto-props]  
Changelog = svn:eol-style=native  
ChangeLog = svn:eol-style=native  
CHANGELOG = svn:eol-style=native  
Copying = svn:eol-style=native  
COPYING = svn:eol-style=native  
Install = svn:eol-style=native  
INSTALL = svn:eol-style=native  
KEYS = svn:eol-style=native  
Makefile = svn:eol-style=native  
Rakefile = svn:eol-style=native  
Readme = svn:eol-style=native  
ReadMe = svn:eol-style=native  
README = svn:eol-style=native  
UPGRADING = svn:eol-style=native  
Licence = svn:eol-style=native  
LICENCE = svn:eol-style=native  
License = svn:eol-style=native  
LICENSE = svn:eol-style=native  
-LICENSE = svn:eol-style=native  
abs-linkmap = svn:eol-style=native  
abs-menulinks = svn:eol-style=native  
.aart = svn:eol-style=native
```

.ac = svn:eol-style=native
.am = svn:eol-style=native
.bat = svn:eol-style=native
.builder = svn:eol-style=native
.c = svn:eol-style=native
.cat = svn:eol-style=native
.cgi = svn:eol-style=native
.classpath = svn:eol-style=native
.cmd = svn:eol-style=native
.config = svn:eol-style=native
.cpp = svn:eol-style=native
.css = svn:eol-style=native
.cwiki = svn:eol-style=native
.data = svn:eol-style=native
.dcl = svn:eol-style=native
.doc = svn:mime-type=application/msword
.dsp = svn:eol-style=CRLF
.dsw = svn:eol-style=CRLF
.dtd = svn:eol-style=native
.egrm = svn:eol-style=native
.ent = svn:eol-style=native
.erb = svn:eol-style=native
.ft = svn:eol-style=native
.fn = svn:eol-style=native
.fv = svn:eol-style=native
.grm = svn:eol-style=native
.g = svn:eol-style=native
.h = svn:eol-style=native
.htaccess = svn:eol-style=native
.htm = svn:eol-style=native
.html = svn:eol-style=native
.ico = svn:mime-type=image/x-icon
.ihtml = svn:eol-style=native
.in = svn:eol-style=native
.java = svn:eol-style=native
.jmx = svn:eol-style=native
.jpg = svn:mime-type=image/jpeg
.jsp = svn:eol-style=native
.js = svn:eol-style=native
.junit = svn:eol-style=native
.jx = svn:eol-style=native
.ldif = svn:eol-style=native
.log = svn:eol-style=native
.manifest = svn:eol-style=native
.m4 = svn:eol-style=native
.mf = svn:eol-style=native
.MF = svn:eol-style=native
.meta = svn:eol-style=native
.mod = svn:eol-style=native
.n3 = svn:eol-style=native
.pdf = svn:mime-type=application/pdf
.pen = svn:eol-style=native
.pl = svn:eol-style=native
.pm = svn:eol-style=native
.png = svn:mime-type=image/png
.pod = svn:eol-style=native
.pom = svn:eol-style=native
.project = svn:eol-style=native
.properties = svn:eol-style=native
.py = svn:eol-style=native
.rake = svn:eol-style=native
.rb = svn:eol-style=native
.rdf = svn:eol-style=native
.rhtml = svn:eol-style=native
.rnc = svn:eol-style=native
.rng = svn:eol-style=native
.rnx = svn:eol-style=native
.roles = svn:eol-style=native
.rss = svn:eol-style=native
.sh = svn:eol-style=native
.sql = svn:eol-style=native
.svg = svn:eol-style=native
.tld = svn:eol-style=native
.txt = svn:eol-style=native
.types = svn:eol-style=native

.vm = svn:eol-style=native
.vsl = svn:eol-style=native
.wsdd = svn:eol-style=native
.wsdl = svn:eol-style=native
.xargs = svn:eol-style=native
.xcat = svn:eol-style=native
.xconf = svn:eol-style=native
.xegrm = svn:eol-style=native
.xgrm = svn:eol-style=native
.xhtml = svn:eol-style=native
.xhtml2 = svn:eol-style=native
.xlex = svn:eol-style=native
.xlog = svn:eol-style=native
.xmap = svn:eol-style=native
.xml = svn:eol-style=native
.xroles = svn:eol-style=native
.xsamples = svn:eol-style=native
.xsd = svn:eol-style=native
.xsl = svn:eol-style=native
.xslt = svn:eol-style=native
.xsp = svn:eol-style=native
.xul = svn:eol-style=native
.xweb = svn:eol-style=native
.xwelcome = svn:eol-style=native
.yaml = svn:eol-style=native
.yml = svn:eol-style=native

#4 - 2007-04-18 17:16 - Pavol Murin

I second this - please, it makes the default svn diff unusable,
I always have to use external diff when creating patches.

muro

#5 - 2008-02-05 19:54 - Thomas Lecavelier

Hum... This issue seems to be closed, since I hadn't seen a ^M char in my vim since a long time ago. Somebody still have EOL problems with redmine sources?

#6 - 2008-02-05 20:57 - Jean-Philippe Lang

- Status changed from New to Closed

You're right.

There may be some migrations with such eol, but that's not the kind of files that should be patched so often.