

Redmine - Defect #13220

Error thrown when watching an issue, issue is not watched.

2013-02-19 23:05 - Jason Diller

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	2.2.2
Resolution:	Invalid		

Description

Whenever anyone in our organization tries to watch an issue by clicking the "Watch" icon/button, the operation fails silently (to the user). The logs contain this error:

Started POST "/watchers/watch?object_id=20628&object_type=issue" for 10.5.0.198 at 2013-02-19 16:03:51 -0500

```
REXML::ParseException (#<RuntimeError: Illegal character '&' in raw string "project_id=undefined&authenticity_token={token}">
/usr/local/rvm/rubies/ruby-1.9.3-p374/lib/ruby/1.9.1/rexml/text.rb:154:in `block in check'
/usr/local/rvm/rubies/ruby-1.9.3-p374/lib/ruby/1.9.1/rexml/text.rb:152:in `scan'
/usr/local/rvm/rubies/ruby-1.9.3-p374/lib/ruby/1.9.1/rexml/text.rb:152:in `check'
/usr/local/rvm/rubies/ruby-1.9.3-p374/lib/ruby/1.9.1/rexml/text.rb:119:in `initialize'
/usr/local/rvm/rubies/ruby-1.9.3-p374/lib/ruby/1.9.1/rexml/parsers/treeparser.rb:46:in `new'
/usr/local/rvm/rubies/ruby-1.9.3-p374/lib/ruby/1.9.1/rexml/parsers/treeparser.rb:46:in `parse'
/usr/local/rvm/rubies/ruby-1.9.3-p374/lib/ruby/1.9.1/rexml/document.rb:231:in `build'
/usr/local/rvm/rubies/ruby-1.9.3-p374/lib/ruby/1.9.1/rexml/document.rb:43:in `initialize'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/activesupport-3.2.11/lib/active_support/xml_mini/rexml.rb:30:in `new'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/activesupport-3.2.11/lib/active_support/xml_mini/rexml.rb:30:in `parse'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/activesupport-3.2.11/lib/active_support/xml_mini.rb:80:in `parse'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/activesupport-3.2.11/lib/active_support/core_ext/hash/conversions.rb:98:in `from_xml'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/actionpack-3.2.11/lib/action_dispatch/middleware/params_parser.rb:41:in `parse_formatted_parameters'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/actionpack-3.2.11/lib/action_dispatch/middleware/params_parser.rb:17:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/actionpack-3.2.11/lib/action_dispatch/middleware/flash.rb:242:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/rack-1.4.4/lib/rack/session/abstract/id.rb:210:in `context'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/rack-1.4.4/lib/rack/session/abstract/id.rb:205:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/actionpack-3.2.11/lib/action_dispatch/middleware/cookies.rb:341:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/activerecord-3.2.11/lib/active_record/query_cache.rb:64:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/activerecord-3.2.11/lib/active_record/connection_adapters/abstract/connection_pool.rb:479:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/actionpack-3.2.11/lib/action_dispatch/middleware/callbacks.rb:28:in `block in call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/activesupport-3.2.11/lib/active_support/callbacks.rb:405:in `__run__2398120231800232602__call__4024316422903136015__callbacks'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/activesupport-3.2.11/lib/active_support/callbacks.rb:405:in `__run_callback'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/activesupport-3.2.11/lib/active_support/callbacks.rb:385:in `__run_call_callbacks'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/activesupport-3.2.11/lib/active_support/callbacks.rb:81:in `run_callbacks'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/actionpack-3.2.11/lib/action_dispatch/middleware/callbacks.rb:27:in `call'
```

```
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/actionpack-3.2.11/lib/action_dispatch/middleware/remote_i
p.rb:31:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/actionpack-3.2.11/lib/action_dispatch/middleware/debug_ex
ceptions.rb:16:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/actionpack-3.2.11/lib/action_dispatch/middleware/show_exc
eptions.rb:56:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/railties-3.2.11/lib/rails/rack/logger.rb:32:in `call_app'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/railties-3.2.11/lib/rails/rack/logger.rb:16:in `block in
call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/activesupport-3.2.11/lib/active_support/tagged_logging.rb
:22:in `tagged'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/railties-3.2.11/lib/rails/rack/logger.rb:16:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/actionpack-3.2.11/lib/action_dispatch/middleware/request_
id.rb:22:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/rack-1.4.4/lib/rack/methodoverride.rb:21:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/rack-1.4.4/lib/rack/runtime.rb:17:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/activesupport-3.2.11/lib/active_support/cache/strategy/lo
cal_cache.rb:72:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/rack-1.4.4/lib/rack/lock.rb:15:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/actionpack-3.2.11/lib/action_dispatch/middleware/static.r
b:62:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/rack-cache-1.2/lib/rack/cache/context.rb:136:in `forward'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/rack-cache-1.2/lib/rack/cache/context.rb:143:in `pass'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/rack-cache-1.2/lib/rack/cache/context.rb:155:in `invalida
te'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/rack-cache-1.2/lib/rack/cache/context.rb:71:in `call!'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/rack-cache-1.2/lib/rack/cache/context.rb:51:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/railties-3.2.11/lib/rails/engine.rb:479:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/railties-3.2.11/lib/rails/application.rb:223:in `call'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/railties-3.2.11/lib/rails/railtie/configurable.rb:30:in `
method_missing'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/rack/request_handl
er.rb:96:in `process_request'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/abstract_request_h
andler.rb:516:in `accept_and_process_next_request'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/abstract_request_h
andler.rb:274:in `main_loop'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/rack/application_s
pawner.rb:206:in `start_request_handler'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/rack/application_s
pawner.rb:171:in `block in handle_spawn_application'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/utils.rb:470:in `s
afe_fork'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/rack/application_s
pawner.rb:166:in `handle_spawn_application'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/abstract_server.rb
:357:in `server_main_loop'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/abstract_server.rb
:206:in `start_synchronously'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/abstract_server.rb
:180:in `start'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/rack/application_s
pawner.rb:129:in `start'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/spawn_manager.rb:2
53:in `block (2 levels) in spawn_rack_application'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/abstract_server_co
llection.rb:132:in `lookup_or_add'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/spawn_manager.rb:2
46:in `block in spawn_rack_application'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/abstract_server_co
llection.rb:82:in `block in synchronize'
<internal:prelude>:10:in `synchronize'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/abstract_server_co
llection.rb:79:in `synchronize'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/spawn_manager.rb:2
44:in `spawn_rack_application'
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/spawn_manager.rb:1
```

```
37:in `spawn_application'  
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/spawn_manager.rb:2  
75:in `handle_spawn_application'  
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/abstract_server.rb  
:357:in `server_main_loop'  
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/lib/phusion_passenger/abstract_server.rb  
:206:in `start_synchronously'  
/usr/local/rvm/gems/ruby-1.9.3-p374/gems/passenger-3.0.19/helper-scripts/passenger-spawn-server:99  
:in `'
```

Here are the details of our installation:

```
Environment:  
  Redmine version          2.2.2.stable  
  Ruby version             1.9.3 (x86_64-linux)  
  Rails version            3.2.11  
  Environment              production  
  Database adapter         Mysql2  
Redmine plugins:  
  redmine_backlogs        v0.9.35  
  redmine_internal_macros  0.0.3  
  redmine_internal_ui      0.0.2  
  redmine_release_calendar 0.0.1
```

History

#1 - 2013-02-19 23:45 - Jean-Philippe Lang

- Resolution set to *Cant reproduce*

There's no XML parsing involved in Redmine core when watching an issue.

#2 - 2013-02-20 17:18 - Jason Diller

- Status changed from *New* to *Resolved*

Problem seems to exist in redmine_backlogs plugin. Watching an issue works if it is removed. I'll see if I can track down a resolution from them.

#3 - 2013-02-20 18:06 - Etienne Massip

- Status changed from *Resolved* to *Closed*

- Resolution changed from *Cant reproduce* to *Invalid*