

Redmine - Defect #13410

rake ci and bundler error

2013-03-09 11:03 - Anonymous

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Invalid		

Description

when i try to run a 'rake ci' on branch 2.3-stable i get the following output

```
daniel@daniel-pc ~/Workspace/rd_stable (git::2.3-stable) $ rake ci
redmine_development already exists
redmine_test already exists
NOTICE: CREATE TABLE will create implicit sequence "attachments_id_seq" for serial column "attach
ments.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "attachments_pkey" for table "attac
hments"
NOTICE: CREATE TABLE will create implicit sequence "auth_sources_id_seq" for serial column "auth_
sources.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "auth_sources_pkey" for table "auth
_sources"
NOTICE: CREATE TABLE will create implicit sequence "boards_id_seq" for serial column "boards.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "boards_pkey" for table "boards"
NOTICE: CREATE TABLE will create implicit sequence "changes_id_seq" for serial column "changes.id
"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "changes_pkey" for table "changes"
NOTICE: CREATE TABLE will create implicit sequence "changesets_id_seq" for serial column "changes
ets.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "changesets_pkey" for table "change
sets"
NOTICE: CREATE TABLE will create implicit sequence "comments_id_seq" for serial column "comments.
id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "comments_pkey" for table "comments
"
NOTICE: CREATE TABLE will create implicit sequence "custom_fields_id_seq" for serial column "cust
om_fields.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "custom_fields_pkey" for table "cus
tom_fields"
NOTICE: CREATE TABLE will create implicit sequence "custom_values_id_seq" for serial column "cust
om_values.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "custom_values_pkey" for table "cus
tom_values"
NOTICE: CREATE TABLE will create implicit sequence "documents_id_seq" for serial column "document
s.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "documents_pkey" for table "documen
ts"
NOTICE: CREATE TABLE will create implicit sequence "enabled_modules_id_seq" for serial column "en
abled_modules.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "enabled_modules_pkey" for table "e
nabled_modules"
NOTICE: CREATE TABLE will create implicit sequence "enumerations_id_seq" for serial column "enum
erations.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "enumerations_pkey" for table "enum
erations"
NOTICE: CREATE TABLE will create implicit sequence "issue_categories_id_seq" for serial column "i
ssue_categories.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "issue_categories_pkey" for table "
issue_categories"
NOTICE: CREATE TABLE will create implicit sequence "issue_relations_id_seq" for serial column "is
```

```

sue_relations.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "issue_relations_pkey" for table "i
ssue_relations"
NOTICE: CREATE TABLE will create implicit sequence "issue_statuses_id_seq" for serial column "iss
ue_statuses.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "issue_statuses_pkey" for table "is
sue_statuses"
NOTICE: CREATE TABLE will create implicit sequence "issues_id_seq" for serial column "issues.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "issues_pkey" for table "issues"
NOTICE: CREATE TABLE will create implicit sequence "journal_details_id_seq" for serial column "jo
urnal_details.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "journal_details_pkey" for table "j
ournal_details"
NOTICE: CREATE TABLE will create implicit sequence "journals_id_seq" for serial column "journals.
id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "journals_pkey" for table "journals
"
NOTICE: CREATE TABLE will create implicit sequence "member_roles_id_seq" for serial column "membe
r_roles.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "member_roles_pkey" for table "memb
er_roles"
NOTICE: CREATE TABLE will create implicit sequence "members_id_seq" for serial column "members.id
"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "members_pkey" for table "members"
NOTICE: CREATE TABLE will create implicit sequence "messages_id_seq" for serial column "messages.
id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "messages_pkey" for table "messages
"
NOTICE: CREATE TABLE will create implicit sequence "news_id_seq" for serial column "news.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "news_pkey" for table "news"
NOTICE: CREATE TABLE will create implicit sequence "open_id_authentication_associations_id_seq" f
or serial column "open_id_authentication_associations.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "open_id_authentication_association
s_pkey" for table "open_id_authentication_associations"
NOTICE: CREATE TABLE will create implicit sequence "open_id_authentication_nonces_id_seq" for ser
ial column "open_id_authentication_nonces.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "open_id_authentication_nonces_pkey
" for table "open_id_authentication_nonces"
NOTICE: CREATE TABLE will create implicit sequence "projects_id_seq" for serial column "projects.
id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "projects_pkey" for table "projects
"
NOTICE: CREATE TABLE will create implicit sequence "queries_id_seq" for serial column "queries.id
"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "queries_pkey" for table "queries"
NOTICE: CREATE TABLE will create implicit sequence "repositories_id_seq" for serial column "repos
itories.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "repositories_pkey" for table "repo
sitories"
NOTICE: CREATE TABLE will create implicit sequence "roles_id_seq" for serial column "roles.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "roles_pkey" for table "roles"
NOTICE: CREATE TABLE will create implicit sequence "settings_id_seq" for serial column "settings.
id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "settings_pkey" for table "settings
"
NOTICE: CREATE TABLE will create implicit sequence "time_entries_id_seq" for serial column "time_
entries.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "time_entries_pkey" for table "time
_entries"
NOTICE: CREATE TABLE will create implicit sequence "tokens_id_seq" for serial column "tokens.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "tokens_pkey" for table "tokens"
NOTICE: CREATE TABLE will create implicit sequence "trackers_id_seq" for serial column "trackers.
id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "trackers_pkey" for table "trackers
"
NOTICE: CREATE TABLE will create implicit sequence "user_preferences_id_seq" for serial column "u
ser_preferences.id"

```

```

NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "user_preferences_pkey" for table "
user_preferences"
NOTICE: CREATE TABLE will create implicit sequence "users_id_seq" for serial column "users.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "users_pkey" for table "users"
NOTICE: CREATE TABLE will create implicit sequence "versions_id_seq" for serial column "versions.
id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "versions_pkey" for table "versions
"
NOTICE: CREATE TABLE will create implicit sequence "watchers_id_seq" for serial column "watchers.
id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "watchers_pkey" for table "watchers
"
NOTICE: CREATE TABLE will create implicit sequence "wiki_content_versions_id_seq" for serial colu
mn "wiki_content_versions.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "wiki_content_versions_pkey" for ta
ble "wiki_content_versions"
NOTICE: CREATE TABLE will create implicit sequence "wiki_contents_id_seq" for serial column "wiki
_contents.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "wiki_contents_pkey" for table "wik
i_contents"
NOTICE: CREATE TABLE will create implicit sequence "wiki_pages_id_seq" for serial column "wiki_pa
ges.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "wiki_pages_pkey" for table "wiki_p
ages"
NOTICE: CREATE TABLE will create implicit sequence "wiki_redirects_id_seq" for serial column "wik
i_redirects.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "wiki_redirects_pkey" for table "wi
ki_redirects"
NOTICE: CREATE TABLE will create implicit sequence "wikis_id_seq" for serial column "wikis.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "wikis_pkey" for table "wikis"
NOTICE: CREATE TABLE will create implicit sequence "workflows_id_seq" for serial column "workflow
s.id"
NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "workflows_pkey" for table "workflo
ws"
There was an error in your Gemfile, and Bundler cannot continue.
There was an error in your Gemfile, and Bundler cannot continue.
There was an error in your Gemfile, and Bundler cannot continue.
Errors running test:units! #<RuntimeError: Command failed with status (4): [ruby -I"lib:test" -I"/
home/daniel/.rvm/gems/ruby-1.9.3-p392@global/gems/rake-10.0.3/lib" "/home/daniel/.rvm/gems/ruby-1.
9.3-p392@global/gems/rake-10.0.3/lib/rake/rake_test_loader.rb" "test/unit/**/*_test.rb" ]>
Errors running test:functionals! #<RuntimeError: Command failed with status (4): [ruby -I"lib:test
" -I"/home/daniel/.rvm/gems/ruby-1.9.3-p392@global/gems/rake-10.0.3/lib" "/home/daniel/.rvm/gems/r
uby-1.9.3-p392@global/gems/rake-10.0.3/lib/rake/rake_test_loader.rb" "test/functional/**/*_test.rb
" ]>
Errors running test:integration! #<RuntimeError: Command failed with status (4): [ruby -I"lib:test
" -I"/home/daniel/.rvm/gems/ruby-1.9.3-p392@global/gems/rake-10.0.3/lib" "/home/daniel/.rvm/gems/r
uby-1.9.3-p392@global/gems/rake-10.0.3/lib/rake/rake_test_loader.rb" "test/integration/**/*_test.r
b" ]>

```

History

#1 - 2013-03-09 11:09 - Anonymous

rvm info

```
daniel@daniel-pc ~/Workspace/rd_stable (git::2.3-stable) $ rvm info
```

```
ruby-1.9.3-p392@rd_stable:
```

```

system:
  uname:      "Linux daniel-pc 3.5.0-25-generic #39-Ubuntu SMP Mon Feb 25 18:26:58 UTC 2013 x86_64 x86_64 x
86_64 GNU/Linux"
  system:     "ubuntu/12.10/x86_64"
  bash:      "/bin/bash => GNU bash, version 4.2.37(1)-release (x86_64-pc-linux-gnu)"
  zsh:       " => not installed"

```

```

rvm:
  version:    "rvm 1.18.18 () by Wayne E. Seguin <wayneesequin@gmail.com>, Michal Papis <mpapis@gmail.com>
[https://rvm.io/]"

```

```
updated:      "8 hours 32 minutes 10 seconds ago"

ruby:
  interpreter: "ruby"
  version:     "1.9.3p392"
  date:        "2013-02-22"
  platform:    "x86_64-linux"
  patchlevel:  "2013-02-22 revision 39386"
  full_version: "ruby 1.9.3p392 (2013-02-22 revision 39386) [x86_64-linux]"

homes:
  gem:      "/home/daniel/.rvm/gems/ruby-1.9.3-p392@rd_stable"
  ruby:     "/home/daniel/.rvm/rubies/ruby-1.9.3-p392"

binaries:
  ruby:      "/home/daniel/.rvm/rubies/ruby-1.9.3-p392/bin/ruby"
  irb:       "/home/daniel/.rvm/rubies/ruby-1.9.3-p392/bin/irb"
  gem:       "/home/daniel/.rvm/rubies/ruby-1.9.3-p392/bin/gem"
  rake:      "/home/daniel/.rvm/gems/ruby-1.9.3-p392@global/bin/rake"

environment:
  PATH:      "/home/daniel/.rvm/gems/ruby-1.9.3-p392@rd_stable/bin:/home/daniel/.rvm/gems/ruby-1.9.3-p392@global/bin:/home/daniel/.rvm/rubies/ruby-1.9.3-p392/bin:/home/daniel/.rvm/bin:/usr/local/heroku/bin:/usr/lib/lightdm/lightdm:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/local/games"
  GEM_HOME:  "/home/daniel/.rvm/gems/ruby-1.9.3-p392@rd_stable"
  GEM_PATH:  "/home/daniel/.rvm/gems/ruby-1.9.3-p392@rd_stable:/home/daniel/.rvm/gems/ruby-1.9.3-p392@global"
  MY_RUBY_HOME: "/home/daniel/.rvm/rubies/ruby-1.9.3-p392"
  IRBRC:      "/home/daniel/.rvm/rubies/ruby-1.9.3-p392/.irbrc"
  RUBYOPT:    ""
  gemset:     "rd_stable"
```

bundle check

```
daniel@daniel-pc ~/Workspace/rd_stable (git::2.3-stable) $ bundle check
The Gemfile's dependencies are satisfied
```

#2 - 2013-03-09 19:44 - Anonymous

- File gem.patch added
- Status changed from New to Resolved

patch!

#3 - 2013-03-09 23:38 - Etienne Massip

- Status changed from Resolved to Closed
- Resolution set to Invalid

[source/branches/2.3-stable/Gemfile#L40](#) already require yaml gem?

Files

gem.patch	652 Bytes	2013-03-09	Anonymous
-----------	-----------	------------	-----------